

BUCEROS

Envis Newsletter: Avian Ecology & Inland Wetlands

Vol. 5, No. 2, (2000)

**BIBLIOGRAPHY OF PAPERS ON WETLANDS
FROM THE**


**JOURNAL OF THE BOMBAY NATURAL HISTORY SOCIETY
(VOLUMES 71-95)**



Bombay Natural History Society

Editorial

This is the third and final issue in the series of *Buceros* that serve as indices of wetland related papers (except avifauna) of the *Journal of the Bombay Natural History Society*, now in its ninety-seventh volume. Two other earlier issues of *Buceros*, i.e., Vol. 3, No. 3 and Vol. 5, No. 1, had covered Volumes 1 to 40 and 41 to 70 respectively. This issue deals with Volumes 71 to 95.



ENVIS

ENVIS (Environmental Information System) is a network of subject specific nodes located in various institutions throughout the country. The Focal Point of the present 25 ENVIS centres in India is at the Ministry of Environment and Forests, New Delhi, which further serves as the Regional Service Centre (RCS) for INFOTERRA, the global information network of the United Nations Environment Programme (UNEP) to cater to environment information needs in the South Asian sub-region. The primary objective of all ENVIS centres is to collect, collate, store and disseminate environment related information to various user groups, including researchers, policy planners and decision makers.

The ENVIS Centre at the Bombay Natural History Society was set up in June 1996 to serve as an ENVIS Centre for *Avian Ecology* and *Inland Wetlands*.

ENVIS TEAM AT THE BNHS

Centre-in-Charge : Mr. J.C. Daniel

Project Coordinator : Dr. Asad R. Rahmani

Senior Scientist : Dr. Ranjit Manakadan

Scientist : Dr. S. Alagarajan

Research Assistant : Mr. N. Sivakumaran

Editorial Adviser : Dr. Gayatri Ugra

Copyright BNHS: All rights reserved. This publication shall not be reproduced either in full or in part in any form without the prior written permission of the Bombay Natural History Society.

Vol. 5, No. 2, (2000)

**BIBLIOGRAPHY OF PAPERS ON WETLANDS
FROM THE**

***JOURNAL OF THE BOMBAY NATURAL HISTORY SOCIETY*
(VOLUMES 71-95)**

**BIBLIOGRAPHY OF PAPERS ON WETLANDS FROM THE
JOURNAL OF THE BOMBAY NATURAL HISTORY SOCIETY:
VOLUMES 71-95**

The references on wetland (inland, estuarine or marine) related publications in volumes 71-95* of the *Journal of the Bombay Natural History Society* are listed below under various subject heads.

References on waterbird related papers are not included in this bibliography, as they will be brought out as a separate publication.

At the end of each reference, there is an additional entry of the site/sites (if any) on which the paper is based. The references under each subject head are arranged alphabetically and numbered in descending order. After the references under each head, there is a list of names of places (in alphabetical order) with numbers following them. These are the serial numbers of the references in the bibliography. From these numbers, one can refer to the papers that pertain to a region, state or site. The subject heads of the references are as follows:

Aquatic Vegetation	Freshwater or marine macrophytes, mangroves, algae and phytoplankton; also hydrophilous plants.
Crustaceans	Crabs, prawns, lobsters, barnacles, etc.
Molluscs	Aquatic snails, bivalves, cuttlefish, squid and octopus
Insects	Aquatic insects, including those that have part of their life stages in water.
Other Invertebrates & primitive chordates	Nereids, leeches, earthworms, parasitic worms, corals, sponge, jellyfish, zooplankton and primitive chordates
Fish	Freshwater or marine species.
Amphibians	All aquatic or terrestrial amphibians.
Reptiles	Crocodile, water monitor, turtles/tortoises and aquatic snakes.
Mammals	Otter, fishing cat, dugong, dolphin, whale.
General	Broadbased accounts of wetland flora and fauna

* The index of references of Volumes 1-40 and 41-70 appeared in *Buceros* Vol.3, No.3 and Vol.5, No.1 respectively.

AQUATIC VEGETATION

1. Abdus Salam, A.M. & Y.S.A. Khan (1980). Occurrence of *Pithophora kewensis* Wittrock in Bangladesh. Vol. 77(2): 367-368. (Karnafuli River, Chittagong, Bangladesh).
2. Adhikary, S.P. (1987). Limnological investigation in the backwater lagoon of Gopalpur-on-Sea. Vol. 84(2): 480-486. (Gopalpur-on-Sea, Bay of Bengal, Orissa).
3. Adhikary, S.P. & J. Sahu (1987). Limnology of the thermal springs of Orissa. Vol. 84(2): 497-503. (Taptapani, Autri, Ganjam and Puri districts, Orissa).
4. Ajithkumar, C.R. & D.D. Mittal (1993). Habitat preference of fishes in wetlands in relation to aquatic vegetation and water chemistry. Vol. 90(2): 180-192. (Bharatpur, Keoladeo National Park, Rajasthan).
5. Almeida, S.M. & A.R. Daruwalla (1987). Massive occurrence of *Enhydra fluctuans* Lour. (*Enhydra*) in a city pond. Vol. 84(2): 463-465. (Bandra, Mumbai, Maharashtra).
6. Ashtekar, P.V. (1979). Filamentous Myxophyceae of Aurangabad district, Maharashtra. Vol. 76(1): 215-218. (Aurangabad district, Maharashtra).
7. Banerjee, L.K. (1986). New distribution records of some mangrove species from Orissa coast. Vol. 83(1): 271-273. (Cuttack district, Mahanadi delta, Orissa).
8. Bharati, S.G. G.R. Hegde (1979). A systematic account of Chlorococcales of Hassan district, Karnataka state, India. Vol. 76(3): 545-547 (Hassan District, Karnataka).
9. Bhardwaja, T.N. & S.K. Sen. (1977). Occurrence of water fern *Marsilea* near Digha sea beach in West Bengal (India). Vol. 74(2): 392-393. (Digha, Calcutta, West Bengal).
10. Bongale, U.D. (1987). New taxa of *Anabaena* Bory - The blue green algae from paddy fields of Karnataka State. Vol. 84(2): 473-475. (Mutnal, Halyan, North Kanara, Belgaum district, Karnataka).
11. Bongale, U.D. & S.G. Bharati (1980). Freshwater algae of Davanagere and Raichur of Karnataka state, India. Vol. 77(1): 6-11. (Davanagere, Raichur, Karnataka).
12. Dakshini, K.M.M. (1974). Flora of Mothronwala Swamp Forest (Dehra Dun, Uttar Pradesh, India) (contd.). Vol. 71(2): 235-243. (Dehra Dun, Uttar Pradesh).
13. Daniel, A., A.K. Nagabhushanam & P.Krishnamurthy (1978). On the occurrence of "greenish yellow water" phenomenon caused by the swarming of *Trichodesmium erythraeum* Ehrenburg, in the sea of Madras and its effect on the local marine fauna. Vol. 75(1): 88-95. (Chennai, Tamil Nadu).
14. Das, S.M. & J. Pande (1982). Pollution, fish mortality & environmental parameters in Lake Nainital. Vol. 79(1): 100-109. (Lake Nainital, Uttar Pradesh). See for aquatic vegetation.
15. Dehadrai, P.V., A.H. Parulekar & A.G. Untawale (1975). Fouling organisms on fibreglass coated hull of a boat in an estuarine environment. Vol. 72(2): 580-584. (Panjim, Goa). See for algae.

16. Gaur, R.D., D.S. Rawat & L.R. Dangwal (1993). Some little known aquatic plants from Garhwal Himalaya. Vol. 90(1): 135-137. (Dalisera Lake, Garhwal, Uttar Pradesh, Himalayas).
17. George, J.M. & C. Nanjappa (1988). *Parapoynx diminutalis* Snellen (Pyralidae: Lepidoptera) as a serious pest of *Nymphoides cristatum* in Keoladeo National Park, Bharatpur, Rajasthan. Vol. 85(2): 637. (Bharatpur, Keoladeo National Park, Rajasthan).
18. George, J.M. & K. Venkataraman (1986). Tortoise beetle, *Cassida circumdata* Herbst (Chrysomelidae, Cassidinae) as a biological control in the growth of *Ipomoea reptens* in Keoladeo National Park, Bharatpur. Vol. 83(2): 460-461. (Keoladeo National Park, Bharatpur, Rajasthan).
19. Hanumanthappa, K. & T. Pullaiah (1993). *Remirea maritima* Aubl. (Cyperaceae) - A new record to the sedge flora of Andhra Pradesh. Vol. 90(2): 314-316. (Tungabhadra River, Kurnool, Andhra Pradesh).
20. Hegde, G.R. (1985). Freshwater algae of Shillong, Meghalaya (India). Vol. 82(3): 563-566. (Shillong, Meghalaya).
21. Hegde, G.R. (1987). Contribution to the knowledge of desmids of India - Some new taxa from Karnataka state. Vol. 84(1): 183-186. (Shimoga district, Karnataka).
22. Hegde, G.R. & S.G. Bharati (1984). Freshwater algae of Karnataka state (India): *Cosmarium kaycedense* sp. nov. and *Euglena lunaris* sp. nov. from Dharwad. Vol. 81(3): 673-675. (Dharwad, Karnataka).
23. Hegde, G.R. & L.V. Karanth (1987). New records of freshwater algae from Karnataka State. Vol. 84(2): 493-497. (Shimoga district, Karnataka).
24. Hegde, G.R. & S.W. Issacs (1989). New taxa of desmids from Uttara Kannada district, Karnataka State (India). Vol. 86(1): 88-90. (Uttara Kannada district, Karnataka).
25. Hosmani, S.P. & S.G Bharati (1981). A new genus of alga from Karnataka (India). Vol. 78(3): 579-580. (Haliyal, Karnataka).
26. Kak, A.M. (1983). *Potamogeton* in North Western Himalayas. Vol. 80(2): 312-319. (Kashmir, Jammu and Kashmir, Himalayas).
27. Kak, A.M. (1984). Family Alismataceae in the Kashmir Himalayas. Vol. 81(2): 506-508. (Jammu & Kashmir, Himalayas).
28. Kak, A.M. (1984). Aquatic knot weeds of the Kashmir Himalayas. Vol. 81(2): 514-518. (Jammu & Kashmir, Himalayas).
29. Kak, A.M. (1986). Family Lemnaceae in the Kashmir Himalayas. Vol. 83(1): 279-281. (Jammu & Kashmir, Himalayas).
30. Kak, A.M. & S. Durani (1984). Genus *Typha* in the North Western Himalayas. Vol. 81(3): 734-735. (Jammu & Kashmir, Himalayas).

31. Kak, A.M. & G.N. Javeid (1982). A revision of the genus *Callitricha* L. in the northwestern Himalayas. Vol. 79(1): 167-172. (Kashmir, Jammu and Kashmir, Himalayas).
32. Kak, A.M. & G.N. Javeid (1982). Two new aquatic plant species from Kashmir Himalayas. Vol. 79(1): 172-175. (Kashmir, Jammu and Kashmir, Himalayas).
33. Kamat, N.D. (1975). Algae of Vidarbha, Maharashtra. Vol. 72(2): 450-476. (Vidarbha, Buldhana, Akola, Amravati, Yeotmal, Wardha, Nagpur, Bhandara and Chandrapur districts, Maharashtra).
34. Kamat, N.D. (1975). Desmids of Marathwada, Maharashtra. Vol. 72(2): 616-618. (Marathwada, Jalna, Osmanabad, Aurangabad, Maharashtra).
35. Kamat, N.D. & R. Aggarwal (1975). Diatoms of Nainital. Vol. 72(1): 240-241. (Nainital, Uttar Pradesh).
36. Kanhere, Z.D. & V.R. Gunale (1997). Phytoplankton as indication of ecosystem status: A case study of an urban waterbody. Vol. 94(2): 273-275. (Pashan Lake, Pune, Maharashtra).
37. Khatri, T.C. (1985). Seasonal succession in Chlorophyceae in Lakhota Lake. Vol. 82(1): 244-247. (Lakhota Lake, Pali, Rajasthan).
38. Khatri, T.C. (1985). Seasonal variations in the peaks of phytoplankton in Lakhota Lake. Vol. 82(2): 436-439. (Lakhota Lake, Pali, Rajasthan).
39. Koul, K. & A.R. Naqshi (1988). Nymphaeaceae of Jammu and Kashmir. Vol. 85(2): 454-456. (Jammu & Kashmir).
40. Lal, C. & Sah, M. (1990). Range extension of three exotic macrophytes in north India. Vol. 87(3): 469. (Delhi).
41. Maheshwari, J.K. & R.P.S. Tomar (1983). A contribution to the wetland flora of Sitapur district, Uttar Pradesh. Vol. 80(3): 529-538. (Sitapur district, Gomti and Ghaghra rivers, Uttar Pradesh).
42. McCann, C. (1978). A comparative study of the Indian and New Zealand representatives of the genus *Ruppia* Linnaeus. Vol. 75(3): 600-610.
43. Mulik, N.G. & L.J. Bhosale (1989). Flowering phenology of the mangroves from the west coast of Maharashtra. Vol. 86(3): 355-359. (Bandhkhind, Ganapatipule, Bhatye, Ratnagiri district, Maharashtra).
44. Muniyandi, K., & R. Natarajan (1985). Incidence of seedling formation in *Rhizophora lamarckii* Montr. at Pichavaram mangrove, Tamil Nadu, India. Vol. 82(2): 441-442. (Pichavaram, Tamil Nadu).
45. Mustafa, S. & Z. Ahmad (1985). Environmental factors and planktonic communities of Baigul and Nanaksagar reservoirs, Nainital. Vol. 82(1): 13-23. (Baigul and Nanaksagar Reservoirs, Nainital, Uttar Pradesh).
46. Nair, K.K.N. (1979). Hydrophytic vegetation of Courtallum, south India. Vol. 76(3): 463-474. (Courtallum, Tamil Nadu).

47. Nair, R.V. (1975). A new species of *Rotala* from Palghat, Kerala. Vol. 72(1): 56-60. (Malampuzha, Palghat, Kerala).
48. Nair, R.V. (1975). Heterostyly and breeding mechanism of *Nymphoides cristatum* (Roxb.) Kuntze. Vol. 72(3): 677-682.
49. Negi, K.S., J.K. Tiwari & R.D. Gaur (1985). A contribution to the flora of Dodital, a high altitude lake in the Garhwal Himalaya (Uttarkashi), U.P. Vol. 82(2): 258-270. (Dodital Lake, Uttarkashi, Uttar Pradesh).
50. Nirmal Kumar, J.I., R. Nirmal & B.C. Rana (1991). Seasonal variation in the macrophytes of two ponds, Ratheshwar and Tarapur, in Central Gujarat. Vol. 88(2): 210-214. (Ratheshwar, Anand, Kheda district, Tarapur, Gujarat).
51. Pande, P.C. & Y.P.S. Pangtey (1987). *Caldesia parnassifolia* (Linn.) Perl. (Alismataceae) - A new record for Western Himalaya. Vol. 84(1): 257. (Almora district, Uttar Pradesh, Himalayas).
52. Pillai, C.S.G. & K.K. Appukuttan (1980). Distribution of molluscs in and around the coral reefs of the southeastern coast in India. Vol. 77(1): 26-48. (Mandapam, Palk Bay, Gulf of Mannar, Tamil Nadu). See for algae.
53. Rao, B.R.P. & T. Pullaiah (1992). *Vetiveria lawsoni* (Hook. F.) Blatter & McCann and *Potamogeton crispus* L. - Additions to the flora of Andhra Pradesh. Vol. 89(1): 150-151. (Nizamabad district, Andhra Pradesh).
54. Rao, P.S.N. & M. Tigga (1998). Extended distribution and conservation of the rare seaweed *Tydemania expeditions* Weber Van Bossa (Chlorophyceae) in the Indian region. Vol. 95(1): 144-145. (Red Skin Island, Port Blair, Andaman & Nicobar Islands).
55. Saini, D.C., N.K. Sharma & S.K. Singh (1985). Two new records of Cyperaceae from Upper Gangetic plain. Vol. 82(2): 431-435. (Banganga River, Basti district, Uttar Pradesh).
56. Sarma, A.L.N. & C. Gopala Swamy (1975). On freshwater phytal fauna of Visakhapatnam. Vol. 72(1): 237-240. (Vishakhapatnam, Andhra Pradesh).
57. Sharma, M. (1980). Sedges of Punjab- Ecology, distribution and enumeration. Vol. 77(3): 424-428. (Punjab).
58. Singh, K.K. & R.P.S. Tomar (1982). The aquatic and marshland flora of Kheri district, Uttar Pradesh. Vol. 79(2): 261-274. (Kheri district, Sonarpur, Mailani, Golagokarannath, Dudwa, Bankati, Bellrain, Uttar Pradesh).
59. Singh, V. (1978). A study of the aquatic and marshland plants of Jhalawar district, Rajasthan. Vol. 75(2): 312-320 (Jhalawar, Rajasthan).
60. Singh, V.P., L.P. Mall, A. Garge & S.M. Pathak (1986). Some ecological aspects of mangrove forest of Andaman Islands. Vol. 83(3): 525-537. (Andaman & Nicobar).

61. Sitaramaiah, P. (1975). Temperature, salinity and plankton of Damanganga estuary. Vol. 72(1): 132-142. (Damanganga, Gujarat, Arabian Sea).
62. Tripathi, A.K. (1985). A contribution to the algae of Sahastradhara, Dehra Dun (Uttar Pradesh). Vol. 82(3): 700-702. (Sahastradhara, Dehra Dun, Uttar Pradesh).
63. Venkanna, P. (1991). Present status of the estuarine flora of the Godavari and the Krishna. Vol. 88(1): 47-54. (Godavari & Krishna estuaries, Coringa, Balusutippa, Pandi, Yela Chettu Dibba Palen, Nachugunta, Sorlagondi, Andhra Pradesh).
64. Wagh, G.K., H. Ghate & V.S. Ghate (1995). First record of the alligator weed, *Alternanthera philoxeroides* (Mart.) Briseb, from Pune, Maharashtra. Vol. 92(1): 141-142. (Pune, Mula-Mutha River, Maharashtra).

Andaman and Nicobar Is. - 54, 60	Karnataka - 8, 10, 11, 21, 22, 23, 24, 25
Andhra Pradesh - 19, 53, 56, 63	Kerala - 47
Arabian Sea - 61	Maharashtra - 5, 6, 33, 34, 36, 43, 64
Bangladesh - 1	Meghalaya - 20
Bay of Bengal - 2	Orissa - 2, 3, 7
Delhi - 40	Palk Bay/Palk Strait - 52
Goa - 15	Punjab - 57
Gujarat - 50, 61	Rajasthan - 4, 17, 18, 37, 38, 59
Gulf of Mannar - 52	Tamil Nadu - 13, 44, 46, 52
Himalayas - 16, 26, 27, 28, 29, 30, 31, 32, 51	Uttar Pradesh - 12, 14, 16, 35, 41, 45, 49, 51, 55, 58, 62
Jammu and Kashmir - 26, 27, 28, 29, 30, 31, 32, 39	West Bengal - 9

CRUSTACEA

1. Alam, A. & A.A. Khan (1998). On the first record of a cladoceran *Leydigia acanthocercoides* (Fischer 1854) (Chydoridae) from Aligarh, Uttar Pradesh. Vol. 95(1): 143-144. (Aligarh, Uttar Pradesh).
2. Altevogt, R. (1978). Proto-fiddlers and fiddlers: Pathways to waving in Indian brachyuran crabs. Vol. 75(3): 800-809.
3. Babu, S. & C.K.G. Nayar (1997). Laboratory studies on the life cycle of *Simocephalus serrulatus* Koch 1818 (Cladocera: Crustacea). Vol. 94(2): 317-321.
4. Baid, I.C. (1975). Description of a new species of *Branchinella* Sayce from Sambhar Lake, India (Crustacea-Branchiopoda-Anostraca). Vol. 72(3): 786-790. (Sambhar Lake, Rajasthan).

5. Bairagi, N. & A. Misra (1988). On the taxonomic status of *Gelasimus acutus* Simpson (Decapoda: Ocypodidae) present in the National Collection of Zoological Survey of India. Vol. 85(2): 449-451. (Sundarbans, West Bengal).
6. Banu, Q. & K.M.N. Huda (1988). New record of *Cryptopodia angulata* Milne-Edwards & Lucas (Parthenopidae: Decapoda: Crustacea) from Malaysian waters. Vol. 85(3): 646-647. (Penang, Malaysia).
7. Bhargava, S. C. & M. Alam (1980). Occurrence of *Artemia salina* (Crustacea: Phyllopoda) in Didwana lake, Rajasthan. Vol. 77: 158-59. (Didwana Lake, Sambhar Lake, Rajasthan).
8. Chhapgar, B.F. (1979). Colour during life of the crab *Atergatis roseus* (Ruppell). Vol. 76(2): 370-371. (Okha, Gulf of Kachchh, Gujarat, Arabian Sea).
9. Chhapgar, B.F. & S.S. Borgaonkar (1985). Extension of range of the estuarine crab *Ilyoplax gangetica* (Kemp) to the west coast of India. Vol. 82(1): 226-228. (Malad Creek, Thane Creek, Maharashtra).
10. Chhapgar, B.F. & T. Mundkur (1995). Occurrence of the crab *Euxanthus exsculptus* (Herbst) in Gujarat. Vol. 92(2): 286. (Rozi, Jammagar, Gujarat, Arabian Sea).
11. Daniel, A & T. Sivanandam (1978). Record of the benthic leucosiid crab, *Randallia eburnea* Alcock in the northern Arabian Sea. Vol. 75(1): 237-238. (Arabian Sea).
12. Dehadrai, P.V., A.H. Parulekar & A.G. Untawale (1975). Fouling organisms on fibreglass coated hull of a boat in an estuarine environment. Vol. 72(2): 580-584. (Panjim, Goa).
13. Devi, K.N. (1991). *Demania shyamasundarii*, a new species of crab (Decapoda: Brachyura) from the Waltair coast of Bay of Bengal. Vol. 88(1): 81-85. (Waltair, Bay of Bengal, Visakhapatnam, Andhra Pradesh).
14. Devi, K.N. (1993). Portunid Crabs of Visakhapatnam. Vol. 90(3): 535-537. (Vishakhapatnam, Andhra Pradesh, Bay of Bengal).
15. Devi, K.N. & K. Shyamasundari (1989). A new species of *Pinnotheres latreille* (Decapoda: Brachyura) from Visakhapatnam coast of Bay of Bengal, Andhra Pradesh. Vol. 86(2): 217-221. (Vishakhapatnam, Andhra Pradesh, Bay of Bengal).
16. Dutta, N.K. (1983). Studies on the systematics and distribution of crabs in Assam. Vol. 80(3): 539-548. (Goalpara, Kamrup, Sibsagar, Lakhimpur, Dibrugarh districts, Assam).
17. Gaonkar, S.N. & A.A. Karande (1979). Observations on life-history of the pedunculate barnacle, *Ibla cumingi* Darwin. Vol. 76(2): 305-310. (Madh Island, Mumbai, Maharashtra).
18. George, M.J. (1979). Systematics of the commercially important prawns (Crustacea, Decapoda Subfamily Penaeinae) from Goa. Vol. 76(2): 297-304. (Goa).
19. Ghate, H.V. & S.G. Patil (1995). New record of a conchostracan (Crustacea: Branchiopoda) from Maharashtra state. Vol. 92(1): 128. (Pune, Maharashtra, Narasingapatti, Madurai, Tamil Nadu).

20. Ghate, H.V. & N. Shetty (1997). Record of *Triops* (Crustacea: Branchiopoda: Notostraca) from Pune, Maharashtra. Vol. 94(3): 588-589. (Pune, Maharashtra).
21. Hamsa, K.M.S.A. & P. Nammalwar (1978). Description of Isopod *Cirolana paeva* Hansen parasitic on the eyeballs of dolphin *Delphinus delphis* Linnaeus with a key to the Indian species of the genus *Cirolana* Leach. Vol. 75(2): 516-519. (Mandapam, Palk Bay, Tamil Nadu).
22. Kakati, V.S. & V.N. Nayak (1979). Larval history of the Spider Crab *Schizophrys aspera* (H. Milne-Edwards) (Brachyura, Majidae) as observed in the laboratory. Vol. 76(2): 259-267.
23. Kanakadurga, M.R., K.H. Rao & K. Shyamasundari (1985). A new species of amphipod, *Hyale gopalaswamyi* sp. nov. - A commensal of sponges. Vol. 82(1): 165-170. (Vishakhapatnam, Andhra Pradesh, Bay of Bengal).
24. Kanaujia, D.R. (1982). Instar duration, instar number, egg production and longevity in *Ceriodaphnia cornuta* Sars at two temperature ranges. Vol. 79(2): 441-445.
25. Kanaujia, D.R. (1983). Life history, ephippia development, cyclomorphosis and temperature effect on life cycle in *Daphnia lumholtzi* Sars (Cladocera: Daphnidae). Vol. 80(2): 442-448. (Cuttack, Orissa).
26. Kolwalkar, D.G. & P.V. Rangnekar (1979). Morphological colour change in the marine crab *Portunus pelagicus* (Rathbun). Vol. 76(3): 540.
27. Kondolarao, B. (1985). Description of an unknown female of *Pseudostenhelia secunda* Wells, 1971 (Copepoda-Harpacticoida). Vol. 82(3): 684-687. (Gautami-Godavari estuary, Vishakhapatnam, Andhra Pradesh).
28. Kulkarni, K.M. (1982). Food and feeding behaviour of the Mole Crab *Emerita holthuisi* (Crustacea: Anomura: Hippidae). Vol. 79(2): 436-439. (Ratnagiri, Maharashtra).
29. Kumari, C.J. & K. Shyamsundari (1983). A new species of the genus *Synidotea* Harger from Waltair coast, India (Crustacea: Isopoda: Valvifera). Vol. 80(2): 389-392. (Gangavaram, Waltair, Andhra Pradesh, Bay of Bengal).
30. Kumari, C.J., K.H. Rao, K. Shyamsundari (1989). A new species of the genus *Euphiloscia* Packard (Crustacea: Isopoda: Oniscoidea) from Waltair, India. Vol. 86(1): 77-80. (Waltair, Andhra Pradesh, Bay of Bengal).
31. Kumari, C.J., K.H. Rao & K. Shyamsundari (1993). A new genus of *Anthuridae* (Crustacea: Isopod: Anthuridea) from Visakhapatnam coast. Vol. 90(1): 265-270. (Vishakhapatnam, Bay of Bengal, Andhra Pradesh).
32. Kumari, C.J., K.H. Rao, K. Shyamsundari (1993). *Gnathia bengalensis*, a new species of Gnathiidae (Crustacea: Isopoda: Gnathiidae) from Visakhapatnam coast. Vol. 90(1): 273-278. (Vishakhapatnam, Rishikonda, Gangavaram, Bay of Bengal, Andhra Pradesh).

33. Mishra, J.K., A. Chatterji & A.H. Parulekar (1993). A freak twin trilobite larva of the Indian Horseshoe Crab *Tachypleus gigas* (Muller). Vol. 90(1): 116-117. (Goa, Arabian Sea).
34. Munuswamy, N. (1982). On the occurrence of a Fairy Shrimp *Streptocephalus simplex echinus* in the freshwater ponds of Chingleput district, Tamil Nadu. Vol. 79(2): 439-440. (Chengalpattu, Tamil Nadu).
35. Nandi, N.C., S. Paul & M.K.D. Roy (1998). Burrowing behaviour of the shore crab *Ocypoda macrocera* H. Milne Edwards from Sundarbans, West Bengal. Vol. 95(1): 140-142. (Sundarbans, West Bengal).
36. Nandi, N.C & M.K.D. Roy (1991). Burrowing activity and distribution of *Scylla serrata* (Forskål) from Hooghly and Matla estuaries, Sundarban, West Bengal. Vol. 88(2): 167-171. (Sundarbans, Hooghly and Matla estuaries, West Bengal).
37. Nath, S. (1982). Extension of range of the River Crab – *Potamon (Potamon) atkinsonianum* Woodmason (Brachyura; Cyclometopa; Potamoniidae) – to Poonch valley (Jammu and Kashmir State). Vol. 79(3): 705. (Poonch River, Betarh Nallah, Jammu and Kashmir).
38. Nath, S. (1985). On the taxonomic status of *Apus kashmiriensis* Das (Crustacea: Branchiopoda: Notostraca: Apodidae). Vol. 82(2): 424-427. (Jammu & Kashmir).
39. Nath, S. (1985). On the occurrence of the amphipod - *Gammarus pulex* (Linn.) in Kashmir Valley, with remarks on the ecology of the species. Vol. 82(3): 687-688. (Jammu & Kashmir).
40. Nayak, V.N. (1984). Larval culture of the hermit crab *Clibanarius aequabilis* var. *merguiensis* De Man (Decapoda, Anomura, Diogenidae) reared in the laboratory. Vol. 81(1): 29-41.
41. Nayak, V.N. & V.S. Kakati (1978). Occurrence of the hermit crab *Dardanus setifer* (H. Milne-Edwards) (Decapoda, Anomura) at Karwar with a description of the first zoeal stage. Vol. 75(2): 286-291. (Binga, Karwar, Karnataka, Arabian Sea).
42. Nayak, V.N. & B. Neelakantan (1989). A new species of hermit crab *Diogenes karwarensis* (Decapoda: Anomura) from the west coast of India. Vol. 86(1): 71-76. (Karwar, Kali estuary, Karnataka).
43. Nirmala Devi, K, K. Shyamasundari & K. Hanumantha Rao (1988). A new record of *Ixoides cornutus* MacGilchrist, 1905 (Decapoda: Brachyura) from Indian waters. Vol. 85(2): 651-653. (Vishakhapatnam, Andhra Pradesh, Bay of Bengal).
44. Pande, J.N. (1984). Some ecological observations leading to a new source of seed of the freshwater prawn *Macrobrachium rosenbergii* (De Man) in Maharashtra. Vol. 81(2): 489-493. (Pise Dam, Thane district, Godavari River, Bhatsa River, Maharashtra).
45. Pathan, D. & D.R. Jalihal. (1997). Proposed taxonomic revision of some important penaeid prawn genera (Crustacea: Decapoda)

- of Konkan coast. Vol. 94(3): 496-514. (Ratnagiri, Maharashtra).
46. Patil, C.S. & B.Y. Gouder (1988). Cladocera of Dharwad (Karnataka State). Vol. 85(1): 112-117. (Dharwad, Karnataka).
 47. Pillai, S.K. (1983). Some observations on *dol* (bag) net fishery at Sasson Dock, Bombay. Vol. 80(2): 331-340. (Sasson Dock, Mumbai, Maharashtra).
 48. Prabhadevi, L. & G.S. Ammal (1997). Occurrence of the Spider Crab *Rhynchoplax alcocki* Kemp (Brachyura: Hymenosomatidae) in Thengapattanam estuary. Vol. 94(3): 586-588. (Thengapattanam estuary, Kanyakumari, Tamil Nadu, Kochi, Paravur backwaters, Allapuzha, Kerala).
 49. Prasad, P.N., J. Sudarshana & B. Neelakantan (1988). Feeding ecology of the Mud Crab *Scylla serrata* (Forskal) from Sunkeri backwaters, Karwar. Vol. 85(1): 79-89. (Karwar, Kali estuary, Karnataka).
 50. Punzo, F. (1978). The effects of food deprivation and satiety on the swimming activity of an aquatic copepod, *Orthocyclops modestus* (Crustacea: Copepoda). Vol. 75(1): 137-142.
 51. Raman, K. (1975). Some interesting methods of fishing for the giant freshwater prawn in Kerala. Vol. 72(2): 575-579. (Kuttanad, Vembanad Lake, Vaikom, Kochi, Kerala).
 52. Ranade, M.R. (1974). A new copepod from Ratnagiri. Vol. 71(1): 46-50. (Ratnagiri, Arabian Sea, Maharashtra).
 53. Rane, P. (1983). A new species of cladocera of genus *Indialona* Petkovski, 1966 (Family Chydoridae) from India. Vol. 80(1): 194-195. (Premnagar, Jabalpur district, Madhya Pradesh).
 54. Rane, P. (1983). Occurrence of *Kurzia latissima* (Kurz), 1874 (Crustacea: Cladocera: Chydoridae) in India. Vol. 80(3): 660-661. (Bharma Tank, Jabalpur district, Madhya Pradesh).
 55. Rane, P. (1984). A new species of the genus *Bosminopsis* Richard, 1895 (Crustacea: Cladocera: Bosminidae) from India. Vol. 81(3): 668-669. (Pariat Tank, Jabalpur district, Madhya Pradesh).
 56. Rane, P. (1984). New records of *Grimaldina brazzae* Richard and *Bosminopsis deitersi* Richard (Crustacea: Cladocera) from India. Vol. 81(3): 713-714. (Jabalpur, Madhya Pradesh).
 57. Rane, P. (1984). Occurrence of *Pleuroxus similis* Vavra (Cladocera: Crustacea) in India. Vol. 81(3): 713. (Kanha National Park, Mandla district, Madhya Pradesh).
 58. Rane, P. (1985). A new species of the genus *Simocephalus* Schoedler 1858 (Cladocera, Daphniidae) from Madhya Pradesh, India. Vol. 82(1): 159-162. (Deotal, Madhya Pradesh).
 59. Rane, P. (1985). On a new cladoceran *Latona narendrai* sp. nov. from Madhya Pradesh, India. Vol. 82(2): 387-389. (Mandla district, Madhya Pradesh).
 60. Rane, P.D. (1984). A new species of the genus *Oxyurella* Dybowski & Grochowski, 1894, (Cladocera: Chydoridae) from India. Vol. 81(3): 665-667. (Sangramsgar Tank, Jabalpur, Madhya Pradesh).

61. Rane, P.D. (1986). A new subspecies of *Simocephalus vidyae* Rane, 1983 (Cladocera, Daphnidae) from Jabalpur, Madhya Pradesh, India. Vol. 83(1): 168-170. (Jabalpur, Madhya Pradesh).
62. Rane, P.D. (1986). Description of two new species of Cladocera of family Daphniidae from Madhya Pradesh, India. Vol. 83(3): 638-642. (Jabalpur, Mandla district, Madhya Pradesh).
63. Rane, P.D. (1992). New distributional record for *Indialona ganapati* Petkovski (Crustacea: Cladocera) from Ujani wetland, Maharashtra, with first description of male and reproductive female. Vol. 89(2): 263-265. (Ujani, Pune district, Maharashtra).
64. Rao, K.R.S. (1988). New records of prawns, shrimps and amphipods from Lake Kolleru with notes on their distribution. Vol. 85(3): 647-648. (Kolleru Lake, Andhra Pradesh).
65. Rao, P.S., K.H. Rao & K. Shyamasundari (1996). Studies on amphipods of Visakhapatnam coasts. Vol. 93(1): 51-54. (Vishakhapatnam, Waltair, Andhra Pradesh, Bay of Bengal).

66. Ravindranath, K. (1979). On the eulittoral palaemonid shrimp (Crustacea, Decapoda) of Visakhapatnam coast. Vol. 76(1): 189-191. (Vishakhapatnam, Andhra Pradesh, Bay of Bengal).
67. Reuben, D.E. (1978). Crabs summering in lakeside hotel. Vol. 75(2): 516. (Israel).
68. Richard, J & M.R. Chandran (1994). A systematic report on the freshwater prawns of the Atyid genus *Caridina* H. Milne-Edwards 1837, from Madras (Tamil Nadu: India). Vol. 91(2): 241-259. (Chennai, Tamil Nadu).
69. Santhakumaran, L.N. & S.R.M. Pillai (1983). A note on the settlement of fouling organisms on fibre-glass boats. Vol. 80(2): 448-450. (Versova Creek, Mumbai, Maharashtra, Arabian Sea).
70. Sarma, A.L.N. & D.G. Rao (1981). Occurrence of a species of *Palinnotus* (Amphipoda) on Port Blair shore. Vol. 78(2): 397-399. (Port Blair, Andaman, Andaman and Nicobar Is., Bay of Bengal).
71. Sarma, A.L.N. & C. G. Swamy (1975). On freshwater phytal fauna of Visakhapatnam. Vol. 72(1): 237-240. (Vishakhapatnam, Andhra Pradesh). See for crustaceans.
72. Sharma, B.D. (1975). Preferential feeding in captivity by a freshwater crab, *Potamon atkinsonianum* Wood-Mason (Crustacea: Potamoniidae) on *Notonecta undulata* (Insecta: Hemiptera). Vol. 72(1): 222-223. (Poonch, Jammu & Kashmir).
73. Shyamasundari, K., C.J. Kumari, K.H. Rao & A. Mary (1991). A new species of the genus *Heteranthura kensley* (Crustacea: Isopoda: Anthuridae) from Visakhapatnam coast. Vol. 88(2): 262-264. (Vishakhapatnam, Andhra Pradesh, Bay of Bengal).
74. Siddiqi, S.Z. & S.V.A. Chandrasekhar (1996). New distributional record of *Trichotria tetractis* (Rotatoria/Trichotriidae) and *Daphnia lumholtzi* (Branchiopoda/Cladocera/Daphnidae) from

- Kolleru Lake, Andhra Pradesh with notes on indicator value. Vol. 93(2): 309-310. (Kolleru Lake, Andhra Pradesh).
75. Singh, A.J.A.R. & P. Bensam (1998). A new species of *Peroderma* Heller (Lernaeoceriformes: Copepoda) from sardines off the Porto Novo coast India. Vol. 95(3): 473-476. (Parangipettai, Bay of Bengal, Tamil Nadu).
76. Subbaraju, R.C. (1977). First report of *Mesocyclops* (*Thermocyclops*) *maheensis* Lindberg (Copepoda-Cyclopidae) from Himachal Pradesh. Vol. 74(3): 556. (Sirmaur district, Himachal Pradesh, Mahe, Pondicherry).
77. Subrahmanyam, M. (1975). Notes on some aspects of the biology of *Palaemon styliferus* Milne-Edwards from the Godavari estuarine system. Vol. 72(3): 683-691. (Godavari-Gautami estuary, Andhra Pradesh, Hooghly estuary, West Bengal).
78. Subrahmanyam, M. (1975). New records of prawns from Lake Pulicat with notes on their distribution. Vol. 72(3): 866-868. (Pulicat, Andhra Pradesh).
79. Thomas, S. (1993). A new species of the genus *Ergasilus* Nordmann, 1832 (Copepoda: Poecilostomatoida) from Kerala. Vol. 90(3): 451-454. (Vembanad Lake, Kerala).
80. Venkataraman, K. (1988). Cladocera of Keoladeo National Park, Bharatpur, Rajasthan. II. New records 1. *Moinodaphnia macleayii* (King, 1853) and 2. *Bosminopsis deitersi* Richard, 1895. Vol. 85(1): 229-233. (Bharatpur, Keoladeo National Park, Rajasthan).
81. Venkataraman, K. (1990). New records of Cladocera of Keoladeo National Park, Bharatpur- III. Vol. 87(1): 166-168. (Bharatpur, Keoladeo National Park, Rajasthan).
82. Venkataraman, K. (1992). Cladocera of Keoladeo National Park, Bharatpur, and its environs. Vol. 89(1): 17-26. (Bharatpur, Keoladeo National Park, Rajasthan).
83. Venkataraman, K. (1992). Cladocera of Keoladeo National Park, Bharatpur-IV. New records: *Campnocercus* cf. *australis* Sars, 1896 and *Indialona globulosa* (Daday, 1898). Vol. 89(1): 140-142. (Bharatpur, Keoladeo National Park, Rajasthan).
84. Venkataraman, K. (1993). Sididae of Tamil Nadu (Crustacean: Cladocera). Vol. 90(1): 50-57. (Tamil Nadu).
85. Venkataraman, K. (1994). Two new records of Cladocera of the genera *Echinisca* Levin and *Disparalona* Fryer from India. Vol. 91(2): 334-337. (Gumbi Reservoir, Tripura).
86. Venkataraman, K. (1995). Cladoceran males from the Indian region. Vol. 92(3): 378-385. (Tamil Nadu, Rajasthan, West Bengal, Andaman and Nicobar Islands).
87. Venkataraman, K. (1998). Occurrence of *Alonella nana* (Baird) and *Bosmina longirostris* (O.F. Muller) (Crustacea: Cladocera) in Sikkim lakes. Vol. 95(2): 368-369. (Sumdung Lake, Sikkim).
88. Venkataram, K. (1998). Three new records of cladocera (Crustacea) from India. Vol. 95(3): 527-530. (Madurai, Tamil Nadu, Bharatpur, Keoladeo National Park, Rajasthan).

89. Venkataraman, K. & S.R. Das (1992). *Bosminopsis deitersi* Richard, 1895 – A new record for West Bengal (Crustacea: Cladocera). Vol. 89(2): 265-266. (Ganges, Barrackpur, West Bengal).
90. Venkataraman, K. & S.R. Das (1994). *Moina weismanni* Ishikawa, 1896 - A new record for West Bengal (Crustacea: Cladocera). Vol. 91(1): 155-158. (Hughli district, West Bengal).
91. Venkataraman, K. & S.R. Das (1994). Occurrence of Palaearctic Cladocera *Diaphanosoma brachyurum* (Lieven) in West Bengal. Vol. 91(3): 466-467. (Hughli district, West Bengal).
92. Venkataraman, K. & S.R. Das (1995). On *Sida crystallina* (O.F. Muller, 1776) and *Acroperus harpae* (Baird, 1834) (Crustacea: Cladocera) from Tripura state. Vol. 92(1): 128-130. (Trishna Wildlife Sanctuary, Sepayjala Wildlife Sanctuary, Tripura).
93. Venkataraman, K. & S.R. Das (1998). On *Chydorus faviformis* Birge, 1893 from West Bengal (Crustacea: Cladocera: Chydoridae). Vol. 95(2): 364-367. (Kashipur Hoogla Jheel, Howrah district, West Bengal).
94. Venkataraman, K. & S. Krishnaswamy (1989). Application of scanning electron microscopy in the taxonomy of Cladocera. Vol. 86(2): 203-205.
95. Wagh, A.B. (1974). Dispersal of intertidal sessile barnacle *Tetraclita squamosa rufotincta* (Pilsery) by water currents. Vol. 71(2): 322-324. (Kathiawar, Gujarat, Gulf of Khambhat, Arabian Sea).
96. Wagh, A.B. & D.V. Bal (1974). Observations on systematics of sessile barnacles from west coast of India - I. Vol. 71(1): 109-123. (Mumbai, Elephanta Island Ratnagiri, Malvan, Vengurla, Arabian Sea, Maharashtra).

Andaman and Nicobar Is. - 70, 86	Madhya Pradesh - 53, 54, 55, 56, 57, 58, 59, 60, 61, 62
Andhra Pradesh - 13, 14, 15, 23, 27, 29, 30, 31, 32, 43, 64, 65, 66, 71, 73, 74, 77, 78	Maharashtra - 9, 17, 19, 20, 28, 44, 45, 47, 52, 63, 69, 96
Arabian Sea - 8, 10, 11, 33, 41, 52, 69, 95, 96	Malaysia - 6
Assam - 16	Orissa - 25
Bay of Bengal - 13, 14, 15, 23, 29, 30, 31, 32, 43, 65, 66, 70, 73, 75	Palk Bay/Palk Strait - 21
Goa - 12, 18, 33	Pondicherry - 76
Gujarat - 8, 10, 95	Rajasthan - 4, 7, 80, 81, 82, 83, 86, 88
Gulf of Kachchh - 8	Sikkim - 87
Gulf of Khambhat - 95	Sundarbans - 5, 35, 36
Himachal Pradesh - 76	Tamil Nadu - 1, 19, 21, 34, 48, 68, 75, 84, 86, 88
Israel - 67	Tripura - 85, 92
Jammu and Kashmir - 37, 38, 39, 72	Uttar Pradesh - 1
Karnataka - 41, 42, 46, 49	West Bengal - 5, 35, 36, 77, 86, 89, 90,

	91, 93
Kerala - 48, 51, 79	

MOLLUSCS

1. Apte, D. (1992). Record of the Cone Shell *Conus cumingii* (Reeve, 1848) from Bombay seas. Vol. 89(1): 142-143. (Mumbai, Maharashtra, Arabian Sea).
2. Apte, D. (1992). An unusual specimen of *Turbinella pyrum* (Linn. 1758). Vol. 89(2): 267. (Mumbai, Maharashtra, Arabian Sea, Bay of Bengal).
3. Apte, D. (1993). Marine Gastropoda of Bombay - A recent survey. Vol. 90(3): 537-539. (Mumbai, Maharashtra, Arabian Sea).
4. Apte, D. (1998). Record of *Homalocantha secunda* (Lamarck 1822) from Okha in Gulf of Kutch. Vol. 95(3): 526-527. (Okha, Gulf of Kachchh, Gujarat, Arabian Sea).
5. Athalye, R.P. & K.S. Gokhale (1998). Macrobenthos from the mudflats of Thane creek, Maharashtra. Vol. 95(2): 258-266. (Thane Creek, Ulhas River, Maharashtra).
6. Dalal, Y.M. & G.T. Pandya (1974). Note on the record of genus *Amnicola* from Ahmedabad. Vol. 71(3): 622. (Ahmedabad, Sabarmati River, Gujarat).
7. Dehadrai, P.V., A.H. Parulekar & A.G. Untawale (1975). Fouling organisms on fibreglass coated hull of a boat in an estuarine environment. Vol. 72(2): 580-584. (Panjim, Goa).
8. Durve, V.S. (1974). On the specificity of Madras backwater oyster *Crassostrea madrasensis* Preston and the American Oyster *Crassostrea virginica* Gmelin. Vol. 71(2): 226-234. (Ennore, Chennai, Tamil Nadu).
9. Goel, H.C. & C.P. Srivastava (1980). Freshwater snails of Gwalior (M.P.). Vol. 77(2): 215-222. (Gwalior, Madhya Pradesh).
10. Grossman, N. (1978). The shape of the shell of the chambered nautilus. Vol. 75(3): 611-612.
11. Ingole, B.S., L.K. Kumari, Z.A. Ansari & A.H. Parulekar (1994). New record of Mangrove Clam *Geloina erosa* (Solander, 1786) from the west coast of India. Vol. 91(2): 338-339. (Chorao Island, Mandovi estuary, Goa).
12. Joseph, M.M. (1977). Occurrence of pearls in the Indian Backwater Oyster *Crassostrea madrasensis* (Preston). Vol. 74(3): 554-555. (Mulki estuary, Karnataka, Arabian Sea).
13. Joseph, M.M. (1978). Shell characteristics of the spat of the two species of oysters *Crassostrea madrasensis* (Preston) and *C. cucullata* (Born). Vol. 75(2): 519-523. (Mulki Estuary, Mangalore, Karnataka, Arabian Sea).
14. Narayanan, K.R. (1974). Preliminary observations on the breeding of Pearl Oysters *Pinctada fucata* (Gould) of the Gulf of

- Kutch. Vol. 71(1): 32-40. (Gulf of Kachchh, Arabian Sea, Gujarat).
15. Pillai, C.S.G. & K.K. Appukuttan (1980). Distribution of molluscs in and around the coral reefs of the southeastern coast in India. Vol. 77(1): 26-48. (Mandapam, Palk Bay, Gulf of Mannar, Tamil Nadu).
 16. Ranade, M.R. (1977). Occurrence of Pearl Oysters in Ratnagiri district. Vol. 74(3): 553-554. (Malvan, Ratnagiri, Maharashtra, Gulf of Kachchh, Gujarat, Arabian Sea, Bay of Bengal, Tarangambadi, Chennai, Tamil Nadu, Gulf of Mannar, Balasore, Orissa).
 17. Rao, N.V.S., S.C. Mitra, B.D. Parashar, G.P. Gupta & K.M. Rao (1994). New records of two pulmonate freshwater gastropods in India, with description of a new species, *Bulinus indicus*. Vol. 91(1): 123-126. (Pune, Maharashtra).
 18. Raut, S.K., S. Bhaumik & S. Das (1995). Occurrence of the snail *Physa acuta* Draparhaud in Calcutta, India. Vol. 92(3): 434. (Calcutta, West Bengal).
 19. Raut, S.K. & T.C. Saha (1986). Life-history pattern of the freshwater leech *Glossiphonia weberi* (Blanchard) Hirudinea: Glossiphonidae. Vol. 83(1): 260-263. (Calcutta, West Bengal). See for molluscs.
 20. Sarma, A.L.N. & T. Chatterjee (1991). Occurrence of bivalve gastropods in the west coast of India, Arabian Sea. Vol. 88(1): 130-133. (Kovalam, Kerala, Arabian Sea, Mandapam, Tamil Nadu, Vishakhapatnam, Andhra Pradesh, Andaman & Nicobar Islands, Bay of Bengal).
 21. Sarma, A.L.N. & C.G. Swamy (1975). On freshwater phytal fauna of Visakhapatnam. Vol. 72(1): 237-240. (Vishakhapatnam, Andhra Pradesh, Bay of Bengal). See for molluscs
 22. Sharma, S.K. (1997). Freshwater snails of southern Rajasthan. Vol. 94(2): 433-434. (Aravalli range, Banswara, Bhilwara, Chittogarh, Dungarpur, Rajsamand, Sirshi, Udaipur, Rajasthan).

Andaman and Nicobar Is. – 20	Kerala – 20
Andhra Pradesh - 20, 21	Madhya Pradesh - 9
Arabian Sea - 1, 2, 3, 4, 12, 13, 14, 16, 20	Maharashtra - 1, 2, 3, 5, 16, 17
Bay of Bengal - 2, 16, 20, 21	Orissa – 16
Goa - 7, 11	Palk Bay/Palk Strait – 15
Gujarat - 4, 6, 14, 16	Rajasthan – 22
Gulf of Kuchchh - 4, 14, 16	Tamil Nadu - 8, 15, 16, 20
Gulf of Mannar - 15, 16	West Bengal - 18, 19
Karnataka - 12, 13	

AQUATIC INSECTS

1. Ahmad, M. & S. Ahmad (1983). Field observations on the occurrence of *Micronecta scutellaris* Stal. (Hemiptera: Corixidae). Vol. 80(1): 236-239. (Aligarh, Uttar Pradesh).
2. Ahmad, M. & N.H. Khan. (1977). Bionomics of *Micronecta scutellaris* Stal. Vol. 74(3): 453-458. (Aligarh, Uttar Pradesh).
3. Balasubramanian, C., K. Venkataraman, K.G. Sivaramakrishnan (1992). Bio-ecological studies on the burrowing Mayfly *Ephemera (Aethphemera) nadinae* McCafferty & Edmunds 1973 (Ephemeroptera: Ephemeridae) in Kurangani stream, Western Ghats. Vol. 89(1): 72-77. (Kurangani stream, Madurai district, Tamil Nadu).
4. Bhaduri, A.S. (1978). Dragonflies. Vol. 75(2): 505. (Dhanbad, Bihar).
5. Bhargava, R.N. & M. Prasad (1974). *Orthetrum glaucum* (Brauer) preying upon *Palpopleura sexmaculata sexmaculata* (Fabr.) (Odonata: Libellulidae). Vol. 71(1): 164. (Corbett National Park, Uttar Pradesh).
6. Dhiman, S.C. (1984). New record of *Eylais* sp. and *Arrenurus* sp. of mites parasitizing the damselfly. Vol. 81(3): 726-727.
7. Dutta, T.K. & P.K. Choudhuri (1994). A new species of genus *Glyptotendipes* Kieffer (Diptera: Chironomidae) from India. Vol. 91(3): 435-437. (Duars, Himalayas, West Bengal).
8. George, J.M. & C. Nanjappa (1988). *Parapoynx diminutalis* Snellen (Pyralidae: Lepidoptera) as a serious pest of *Nymphoides cristatum* in Keoladeo National Park, Bharatpur, Rajasthan. Vol. 85(2): 637. (Bharatpur, Keoladeo National Park, Rajasthan).
9. Hawkins, R.E. (1976). Behaviour of dragonflies. Vol. 73(2): 411. (Kanheri Hill, Mumbai, Maharashtra).
10. Kaushik, S., S. Sarma, M.N. Saxena & D.N. Saksena (1991). Habitat ecology of Zygopteran (Odonata) nymphs in certain waterbodies of Madhya Pradesh. Vol. 88(3): 400-405. (Pachmarhi, Rewa, Morena, Gwalior, Madhya Pradesh).
11. Khan, B.A. (1974). The copulatory complex of *Neurobasis chinensis chinensis* (Linn.) (Agriidae: Zygoptera). Vol. 71(1): 124-130.
12. Kumar, A. (1977). Field notes on the Odonata around a freshwater lake in Western Himalayas. Vol. 74(3): 506-510. (Renuka Lake, Sirmaur district, Himachal Pradesh).
13. Kumar, A. (1990). Odonata of Vedanthangal Waterbird Sanctuary, Tamil Nadu, with notes on their field ecology. Vol. 87(2): 320-323. (Vedanthangal, Tamil Nadu).
14. Kumar, A. & M. Prasad.(1977). On the larva of *Tramea virginia* (Rambur, 1842) from India, with notes on the larvae of Indian representatives of genus *Tramea* Hagen, 1861 (Libellulidae: Odonata). Vol. 74(1): 199-202. (Dehra Dun, Uttar Pradesh).

15. Kumar, A. & M. Prasad (1978). On a new species of *Agriocnemis* Sely's 1869 (Coenagrionidae: Odonata) with description of its larva from Dehra Dun Valley, India. Vol. 75(1): 174-179. (Dehra Dun, Uttar Pradesh).
16. Livingstone, D. & G. Ravichandran (1990). A new species of *Euagoras* (Heteroptera: Reduviidae: Harpactorinae) from Western Ghats, India. Vol. 87(2): 279-280. (Courtallam Falls, Tamil Nadu).
17. Mitra, S.K. (1975). On the mode of preying of a Giant Water Bug (*Belostoma indicum* Le Peletier & Serville, 1775). on a frog (*Rana tigerina* Daudin, 1903). Vol. 72(2): 599-600. (Kushnapur, Keonjhar district, Orissa).
18. Mitra, T.R. (1974). Note on the peculiar behaviour of dragonflies. Vol. 71(1): 160-161. (Calcutta, West Bengal).
19. Prasad, M. (1976). Studies on the water bugs (Hemiptera: Heteroptera) of Corbett National Park. Vol. 73(2): 413-415. (Corbett National Park, Uttar Pradesh).
20. Prasad, M. & M.K. Biswas (1980). A note on the dragonflies (Odonata: Insecta). Vol. 77(2): 353. (Howrah, West Bengal).
21. Prasad, M. & S.K. Ghosh (1982). Studies on the estuarine Odonata from 24 Parganas district of West Bengal, with a note on the reproductive behaviour in *Urothemis signata signata* (Rambur) (Odonata: Insecta). Vol. 79(2): 290-295. (24 Parganas, West Bengal).
22. Prasad, M. & S.K. Ghosh (1983). Studies on the intraspecific variations in *Brachythemis contaminata* (Fabricius) (Odonata: Libellulidae). Vol. 80(2): 341-348.
23. Prasad, M. & S.K. Ghosh (1983). A note on the Odonata (Insecta) from Sikkim, India. Vol. 80(2): 435-439. (Sikkim).
24. Prasad, M. & A. Kumar (1980). Studies on the interspecific variations in *Trithemis festiva* (Rambur) (Odonata: Libellulidae). Vol. 77(2): 238-246. (Himalayas).
25. Rao, K.R. & A.R. Lahiri (1982). First record of Odonates (Arthropoda: Insecta) from the Silent Valley and new Amarambalam Reserve Forest. Vol. 79(3): 557-562. (Silent Valley, New Amarambalam, Kerala, Western Ghats).
26. Raut, S.K. & J.K. Roy (1991). Influence of temperature on sex determination of the water bug *Sphaerodema rusticum* Fab. Vol. 88(1): 129-130. (Calcutta, West Bengal).
27. Sarma, A.L.N. & C.G. Swamy (1975). On freshwater phytal fauna of Visakhapatnam. Vol. 72(1): 237-240. (Vishakhapatnam, Andhra Pradesh). See for insects
28. Selvakumar, R.A. (1974). A note on the early development of the marine insect *Halobates* sp. from the Gulf of Mannar near Mandapam. Vol. 71(2): 333-336. (Vedalai, Gulf of Mannar, Tamil Nadu).
29. Sharma, B.D. (1975). Preferential feeding in captivity by a freshwater crab, *Potamon atkinsonianum* Wood-Mason

- (Crustacea: Potamonidae) on *Notonecta undulata* (Insecta: Hemiptera). Vol. 72(1): 222-223. (Poonch, Jammu & Kahmir).
30. Shirgur, G.A. (1975). Observations on metamorphosis behaviour of *Cybister* larvae for development of control measures during pupal stage. Vol. 72(1): 61-70. (Mumbai, Maharashtra).
 31. Singh, A. & M. Prasad (1976). Odonata (Insecta) of Corbett National Park (Uttar Pradesh, India). Vol. 73(2): 419-421. (Corbet National Park, Uttar Pradesh).
 32. Suri Babu, B. (1998). Final instar larva of *Ischnura aurora aurora* (Brauer) (Zygoptera: Coenagrionidae). Vol. 95(2): 354-357. (Sagar, Madhya Pradesh).
 33. Thakur, R.K. (1983). First record of *Diplacodes lefebrrei* (Rambur) (Odonata: Libellulidae: Sympetrinae) from northwest India. Vol. 80(2): 434-435. (Khari River, Bhuj, Jodhpur, Hemawas Dam, Pali, Gujarat, Rajasthan).
 34. Tyagi, B.K. (1980). Dragonflies feeding on houseflies. Vol. 77(3): 531.

Andhra Pradesh – 27	Maharashtra - 9, 30
Bihar – 4	Orissa – 17
Gujarat – 33	Rajasthan - 8, 33
Gulf of Mannar – 28	Sikkim – 23
Himachal Pradesh – 12	Tamil Nadu - 3, 13, 16, 28
Himalayas - 7, 24	Uttar Pradesh - 1, 2, 5, 14, 15, 19, 31
Jammu and Kashmir – 29	West Bengal - 7, 18, 20, 21, 26
Kerala – 25	Western Ghats - 25
Madhya Pradesh - 10, 32	

OTHER INVERTEBRATES AND PRIMITIVE CHORDATES

1. Adhikary, S.P. & J. Sahu (1987). Limnology of the thermal springs of Orissa. Vol. 84(2): 497-503. (Taptapani, Autri, Ganjam and Puri districts, Orissa).
2. Annapurna, C. & D.V.R. Sarma (1986). Taxonomic studies on the marine Ostracoda from India. Family: Leptocytheridae Hanai (1957). Vol. 83(3): 618-622. (Bimili, Balacheruvu, Vasista-Godavari estuary, Andhra Pradesh).
3. Annapurna, C. & D.V.R. Sharma (1986). A new species of a podocopan Ostracod, from the east coast of India. Vol. 83(3): 642-645. (Bimili, Vasista-Godavari estuary, Andhra Pradesh).
4. Annapurna, C. & D.V.R. Sarma. (1987). Taxonomic studies on the marine Ostracoda from the east coast of India. Family: Leptocytheridae Hanai, 1957. Vol. 83(1): 618-622. (Bimili, Balacheruvu, Andhra Pradesh).
5. Annapurna, C. & D.V.R. Sarma (1987). Taxonomic studies on the marine Ostracoda from the east coast of India. Vol. 84(1): 177-180. (Bimili, Balacheruvu, Vasista-Godavari estuary, Andhra Pradesh).

6. Annapurna, C. & D.V.R. Sarma (1987). Taxonomic studies on the marine Ostracoda from the east coast of India. Family: Cytheruridae Muller, 1894. Vol. 84(3): 628-630. (Bimili, Balacheruvu, Vasistha-Godavari estuary, Andhra Pradesh).
7. Annapurna, C. & D.V.R. Sarma (1988). Taxonomic studies on marine Ostracoda from the east coast of India, Family: Cyprididae Martin (1940¹). Vol. 85(2): 364-366. (Bimili backwaters, Balacheruvu, Vasista-Godavari estuary, Andhra Pradesh).
8. Annapurna, C., D.V.R. Sarma & K. Shyamasundari (1990). Life cycle of *Phlyctenophora indica* Annapurna & Rama Sarma, a marine benthic podocopan ostracod. Vol. 87(1): 98-101. (Waltair, Andhra Pradesh, Bay of Bengal).
9. Athalye, R.P. & K.S. Gokhale (1998). Macrobenthos from the mudflats of Thane creek, Maharashtra. Vol. 95(2): 258-266. (Thane Creek, Ulhas River, Maharashtra).
10. Bai, M.M. & M.B. Ramanathan (1977). Occurrence of the Aspidochirote holothurian, *Holothuria (Semperothuria) cinerescens* (Brant 1835) along the coast of Kanyakumari, (S. India). Vol. 74(2): 380-383. (Kanyakumari, Tamil Nadu, Indian Ocean).
11. Basil, J.A. & R.S. Fernando (1975). Ecological notes on the Indian freshwater Microturbellaria: *Mesostoma* sp. Vol. 72(3): 875-878. (Madurai, Tamil Nadu).
12. Birasal, N.R. (1994). Occurrence of *Limnocnida indica* Annandale in the Pandri River, Western Ghats, Karnataka, India), with a note on freshwater medusae of India. Vol. 91(1): 91-95. (Pandri River, Uttara Kannada district, Kali, River Thunga, Karnataka, Western Ghats).
13. Chatterjee, T. (1991). *Copidognathus eblingi*, a new species of Halacaridae (Acari) from Andaman Islands (Indian Ocean). Vol. 88(1): 88-92. (Andaman & Nicobar, Bay of Bengal, Indian Ocean).
14. Chatterjee, T. (1991). *Copidognathus gitae*, a new species of Halacaridae (Acari) from Visakhapatnam coast, Bay of Bengal. Vol. 88(2): 272-275. (Vishakhapatnam, Bay of Bengal, Andhra Pradesh).
15. Chatterjee, T. (1991). A new species of *Copidognathus* (Halacaridae: Acari) from Chilka lagoon (Bay of Bengal). Vol. 88(3): 406-409. (Chilka, Bay of Bengal, Orissa).
16. Chatterjee, T. (1992). *Copidognathus krantzi*, a new species of Halacaridae (Acari) from Nicobar Islands (Indian Ocean). Vol. 89(1): 106-109. (Nicobar Islands, Andaman & Nicobar Islands, Bay of Bengal, Indian Ocean).
17. Chatterjee, T. (1995). Record of three species of *Rhombognathus* (Halacaridae: Acari) from Indian Ocean. Vol. 92(2): 282-286. (Bay of Bengal, Arabian Sea, Indian Ocean).
18. Chatterjee, T. (1995). Occurrence of *Agauopsis brevipalpus brevipalpus* Trouessart (Halacaridae: Acari) from west coast of

- India. Vol. 92(3): 431-433. (Kochi, Kovalam, Kerala, Arabian Sea, Waltair, Andhra Pradesh, Bay of Bengal).
- 19. Chatterjee, T. (1996). Ciliate infestation on the phytal Halacaridae (Acari) from the Kovalam beach (Kerala coast). Vol. 93(1): 107-108. (Kovalam, Kerala, Arabian Sea).
 - 20. Chatterjee, T. & A.L.N. Sarma (1993). Occurrence of *Copidognathus sideus* Bartsch, 1982 (Halacaridae: Acari) from Indian coast. Vol. 90(2): 304-308. (Chilka lake, Orissa, Bay of Bengal, Kochi backwaters, Arabian Sea, Kerala).
 - 21. Chhapgar, B.F. (1977). The Leather Jacket *Alutera scripta* (Osbeck) feeding on the Portuguese Man-of-War *Physalia utriculus* (La Martiniere). Vol. 74(3): 541-543. (Mumbai, Maharashtra, Arabian Sea).
 - 22. Dalal, Y.M. & U.M. Rawal (1979). Occurrence of *Limnocnida indica* Annadale Medusae (Hydrozoa: Limnocnididae) from freshwater tank of Dhoraji (Dist. Rajkot, Saurashtra). Vol. 76(3): 544. (Dhoraji, Junagadh, Gujarat).
 - 23. Das, S.M. & J. Pande (1982). Pollution, fish mortality and environmental parameters in Lake Nainital. Vol. 79(1): 100-109. (Lake Nainital, Uttar Pradesh).
 - 24. Dehadrai, P.V., A.H. Parulekar & A.G. Untawale (1975). Fouling organisms on fibreglass coated hull of a boat in an estuarine environment. Vol. 72(2): 580-584. (Panjim, Goa).
 - 25. Ghate, H.V. (1984). On a glossiphonid leech. Vol. 81(1): 214-215. (River Mula, Pune, Maharashtra).
 - 26. Ghate, H.V. (1991). Extension of range of a freshwater leech *Barbronia weberi* (Blanchard) (Arhynchotellidae: Erpobdellidea) from Pune, Maharashtra. Vol. 88(1): 133-134. (Mutha River, Pune, Maharashtra, Jammu & Kashmir, Himachal Pradesh, Madhya Pradesh)
 - 27. Gladstone, M. (1989). Mating behaviour of land leeches in Western Ghats, south India. Vol. 86(2): 266. (Asambugiri Hills, Madikeri, Western Ghats, Karnataka).
 - 28. Haldar, B.P. (1981). A note on *Prashadus pirotensis* (Menon and Datta Gupta) (Echiuridae) from the Gulf of Cambay, India. Vol. 78(1): 188-189. (Gulf of Khambhat, Pirotan Island, Gulf of Kachchh, Beyt Island, Arabian Sea, Gujarat).
 - 29. Haldar, B.P. & S. Chakrapany. (1976). *Culcita pentangularis* Gray (Asteroidea: Oreasteridae) – A new record from Indian water. Vol. 73(1): 237-238. (Rangat Bay, Andamans, Andaman and Nicobar).
 - 30. James, D.B. (1995). Taxonomic studies of the species of *Holothuria* (Linnaeus, 1767) from the seas around India. Part 1. Vol. 92(1): 43-62. (Gulf of Mannar, Palk Bay, Lakshadweep, Andaman and Nicobar Islands, Bay of Bengal, Arabian Sea).
 - 31. James, D.B. (1995). Taxonomic studies on the species of *Holothuria* Linnaeus, 1767 from the seas around India. Part 2. Vol. 92(1): 190-204. (Gulf of Mannar, Palk Bay, Lakshadweep, Andaman and Nicobar Islands, Bay of Bengal, Arabian Sea).
 - 32. Jayasree, V., K.L. Bhat & A.H. Parulekar (1996). Occurrence and distribution of soft corals (Octocorallia: Alcyonacea) from

- the Andaman and Nicobar Islands. Vol. 93(2): 202-209. (Andaman and Nicobar Islands, Bay of Bengal, Indian Ocean).
33. Jayasree, V. & A.H. Parulekar (1997). The ecology and distribution of alcyonaceans at Mandapam (Palk Bay, Gulf of Mannar), south India. Vol. 94(3): 521-524. (Mandapam, Palk Bay, Gulf of Mannar, Tamil Nadu).
 34. Julka, J.M. (1979). First record of *Lumbricus castaneus* (Savigny) from India (Lumbricidae: Oligochaeta). Vol. 76(1): 191-192. (Mashobra, Himachal Pradesh).
 35. Kanakadurga, M.R., K.H. Rao & K. Shyamasundari (1985). A new species of amphipod, *Hyale gopalaswamyi* sp. nov. - A commensal of sponges. Vol. 82(1): 165-170. (Vishakhapatnam, Andhra Pradesh).
 36. Naidu, K.V. & K.A. Naidu (1981). Some fresh-water Oligochaeta from Bombay city and environs. Vol. 78(3): 524-538. (Mumbai, Maharashtra).
 37. Pillai, C.S.G. & K.K. Appukuttan (1980). Distribution of molluscs in and around the coral reefs of the southeastern coast in India. Vol. 77(1): 26-48. (Mandapam, Palk Bay, Gulf of Mannar, Tamil Nadu). See for corals.
 38. Pillai, S.R.M. (1981). Further report on the taxonomy of fouling bryozoans of Bombay harbour and vicinity. Vol. 78(2): 317-329. (Mumbai, Maharashtra, Arabian Sea).
 39. Rao, D.S. & D.V.R. Sarma (1982). New polychaete records from Indian waters. Vol. 79(2): 446-450. (Vasishta Godavari estuary, Andhra Pradesh).
 40. Raut, S.K. & T.C. Saha (1986). Life-history pattern of the freshwater leech *Glossiphonia weberi* (Blanchard) Hirudinea: Glossiphoniidae. Vol. 83(1): 260-263. (Calcutta, West Bengal).
 41. Raut, S.K. & T.C. Saha (1998). Biological control of disease transmitting freshwater leeches *Hemiclepsis marginata marginata* (Muller) Annelidae: Glossiphoniidae. Vol. 95(2): 363-364.
 42. Sampathkumar, R. (1991). Taxonomic composition and distribution of *Brachionus* (Rotatoria: Monogonta) populations in ponds. Vol. 88(1): 67-72. (Tuticorin, Tamil Nadu).
 43. Sampathkumar, R. (1992). On the taxonomy and ecology of rotifers in fish ponds. Vol. 89(2): 205-209. (Tuticorin, Tamil Nadu).
 44. Sarma, A.L.N. & T. Chatterjee (1991). Occurrence of *Copidognathus hartwigi* Bartsch (Halacaridae: Acari) from the Indian Ocean. Vol. 88(2): 300-302. (Mus Island, Andaman & Nicobar Is. Bay of Bengal, Indian Ocean).
 45. Sarma, A.L.N. & T. Chatterjee (1993). Record of *Atelopsalis pacifica* Bartsch 1985 (Halacaridae: Acari) from eastern Indian Ocean. Vol. 90(1): 117-119. (Chatham Island, Port Blair, Andaman and Nicobar Is., Indian Ocean, Bay of Bengal).
 46. Sarma, A.L.N. & T. Chatterjee (1993). Occurrence of *Arhodeoporus bonairensis* (Viets, (1936) (Halacaridae: Acari)

- from the Indian Ocean with zoogeographical remarks on genus *Arhodeoporus* Newell. Vol. 90(3): 417-422. (Andaman & Nicobar Islands, Bay of Bengal, Kovalam, Kerala, Goa, Arabian Sea, Indian Ocean).
47. Sarma, A.L.N., K.R. Raju & V. Wilsanand (1994). Polychaetes of the genus *Manayunkia* Leidy (Polychaeta: Sabellidae) from east coast of India (Bay of Bengal) Vol. 91(3): 420-426. (Gopalpur, Orissa, Bay of Bengal).
 48. Sarma, A.L.N., D.G. Rao & S. Satapathy (1979). Faunal associations of littoral sponges in and around Balugaon in Chilika Lake (Lagoon). Vol. 76(1): 192-195. (Balugaon, Chilka Lake, Orissa).
 49. Sarma, A.L.N. & C.G. Swamy (1975). On freshwater phytal fauna of Visakhapatnam. Vol. 72(1): 237-240. (Vishakhapatnam, Andhra Pradesh). See for crustaceans
 50. Selvanathan, M. (1976). On the occurrence of *Arenicola bombayensis* Kewalramani *et al.* (Family: Arenicolidae, Polychaeta) at Muttam. Vol. 73(1): 94-97. (Muttam, Cape Comorin, Tamil Nadu, Indian Ocean).
 51. Sharma, B.K. (1998). Freshwater Rotifera: Eurotatoria from Assam, northeast India. Vol. 95(3): 524. (Tezpur, Assam).
 52. Sharma, B.K. & S. Sharma (1988). On some collections of monogonont Rotifers (Rotifera: Eurotatoria) from Haryana State, India. Vol. 85(2): 451-454. (Ambala district, Haryana).
 53. Siddiqi, S.Z. & S.V.A. Chandrasekhar (1996). New distributional record of *Trichotria tetractis* (Rotatoria/Trichotridae) and *Daphnia lumholtzi* (Branchiopoda/Cladocera/Daphnidae) from Kolleru Lake, Andhra Pradesh with notes on indicator value. Vol. 93(2): 309-310. (Kolleru Lake, Andhra Pradesh).
 54. Sitaramaiah, P. (1975). Temperature, salinity and plankton of Daman Ganga estuary. Vol. 72(1): 132-142. (Damanganga, Daman & Diu, Arabian Sea).
 55. Sunder Raj, S.K. & P.J. Sanjeeva Raj (1987). Polychaeta of the Pulicat Lake (Tamil Nadu). Vol. 84(1): 84-104. (Pulicat Lake, Tamil Nadu).
 56. Thomas, J. & B.F. Chhapgar (1975). A new medusa (Coelenterata: Hydrozoa) of the genus *Aglauropsis* from Bombay seas. Vol. 72(3): 809-812. (Mumbai, Maharashtra, Arabian Sea).
 57. Tilak, R. & J.M. Julka (1977). Occurrence of *Lophopodella carteri carteri* (Hyatt). (Lophopodidae: Ectoprocta) in lakes in Western Himalaya. Vol. 74(3): 557-559. (Renuka Lake, Sirmaur district, Himachal Pradesh).
 58. Trivedi, Y. (1976). A study of the associative behaviour of the fish *Amphiprion polymnus* (Linn.) and sea anemone *Stoichactis giganteum* (Forsk.). Vol. 73(3): 444-447. (Mithapur, Gujarat, Arabian Sea).

Andaman and Nicobar Is. - 13, 16, 29, 30, 31, 32, 44, 45, 46	Indian Ocean - 10, 13, 16, 17, 32, 44, 45, 46, 50
Andhra Pradesh - 2, 3, 4, 5, 6, 7, 8, 14, 18, 35, 39, 49, 53	Jammu and Kashmir – 26
Arabian Sea - 17, 18, 19, 20, 21, 28, 30, 31, 38, 46, 54, 56, 58	Karnataka - 12, 27
Assam - 51	Kerala - 18, 19, 20, 46
Bay of Bengal - 8, 13, 14, 15, 16, 17, 18, 20, 30, 31, 32, 44, 45, 46, 47	Lakshadweep - 30, 31
Daman & Diu - 54	Madhya Pradesh – 26
Goa - 24, 46	Maharashtra - 9, 21, 25, 26, 36, 38, 56
Gujarat - 22, 28, 58	Orissa - 1, 15, 20, 47, 48
Gulf of Kachchh - 28	Palk Bay/Palk Strait - 30, 31, 33, 37
Gulf of Khambhat – 28	Tamil Nadu - 10, 11, 33, 37, 42, 43, 50, 55
Gulf of Mannar - 30, 31, 33, 37	Uttar Pradesh – 23
Haryana - 52	West Bengal - 40
Himachal Pradesh - 26, 34, 57	Western Ghats - 12, 27

FRESHWATER FISHES

1. Ajithkumar, C.R. (1993). *Aplocheilus panchax* (Ham.) - An addition to the fish fauna of Rajasthan. Vol. 90(1): 115. (Ramgarh, Banganga and Gambhir rivers, Rajasthan).
2. Ajithkumar, C.R. & A. Asthana (1994). Circadian variation in the movement of fry in a feeding canal. Vol. 91(2): 194-202. (Bharatpur, Keoladeo National Park, Rajasthan).
3. Ajithkumar, C.R. & D.D. Mittal (1993). Habitat preference of fishes in wetlands in relation to aquatic vegetation and water chemistry. Vol. 90(2): 180-192. (Bharatpur, Keoladeo National Park, Rajasthan).
4. Ajithkumar, C.R., N.K. Ramchandran & A. Asthana (1995). Composition and distribution of fish in Banganga-Gambhir river system and source of fish to the Keoladeo National Park, Bharatpur. Vol. 92(1): 30-39. (Bharatpur, Keoladeo National Park, Rajasthan, Banganga-Gambhir rivers, Uttar Pradesh).
5. Ajithkumar, C.R. & K. Sankar (1993). Ichthyo-fauna of Sariska Wildlife Sanctuary. Vol. 90(2): 299-300. (Sariska Tiger Reserve, Pandupol, Algal and Bandipul ponds, Rajasthan).
6. Ajithkumar, C.R. & V.S. Vijayan (1988). On the fish fauna of Keoladeo National Park, Bharatpur (Rajasthan). Vol. 85(1): 44-49. (Bharatpur, Keoladeo National Park, Rajasthan).
7. Arun, L.K., C.P. Shaji & P.S. Easa (1996). Record of new fishes from Periyar Tiger Reserve. Vol. 93(1): 103. (Periyar Tiger Reserve, Periyar Lake, Kerala).
8. Arunachalam, M., J.A. Johnson & R. Soranam (1998). New record of *Puntius melanampyx* (Cypriniformes: Cyprinidae) and *Microphis cuncalus* (Syngnathiformes: Syngnathidae) from Karnataka, India. Vol. 95(1): 128-129. (Aghanasini River, Kadra River, Karnataka, Western Ghats).
9. Badola, S.P. & H.R. Singh (1984). Spawning of some important coldwater fish of the Garhwal Himalaya. Vol. 81(1): 54-58. (Garhwal, Uttar Pradesh, Himalayas).

10. Baloni, S.P. (1986). Fecundity of some hill-stream fishes of Garhwal Himalaya. Vol. 83(1): 229-232. (Garhwal, Uttar Pradesh, Himalayas).
11. Baloni, S.P. & R. Tilak (1985). Ecological observations on *Schizothorax richardsonii* (Gray). Vol. 82(3): 581-585. (Uttar Pradesh, Garhwal, Himalayas).
12. Banerji, S.R., M.L. Singh, S.K. Thakur & N.K. Thakur (1980). Khulnawa - A special fishing device for minnows in the River Ganga at Patna (Bihar). Vol. 77(2): 351-353. (Ganges River, Patna, Bihar).
13. Barman, R.P. (1984). A new cobitid fish of the genus *Aborichthys* Chaudhuri (Pisces: Cobitidae) from India. Vol. 81(3): 680-683. (Namdapha Wildlife Sanctuary, Tirap district, Arunachal Pradesh).
14. Barman, R.P. (1985). On a new cyprinid fish of the genus *Barilius* Hamilton (Pisces: Cyprinidae) from Arunachal Pradesh, India. Vol. 82(1): 170-174. (Namdapha Wildlife Sanctuary, Arunachal Pradesh).
15. Barman, R.P. (1985). On the type specimen of *Danio* (*Danio*) *annandalei* Chaudhuri, [1908 with a redescription of the species (Pisces: Cyprinidae)]. Vol. 82(1): 221-224. (Dawna Hills, Tenasserim, Myanmar).
16. Barman, R.P. (1985). A new cyprinid fish of the genus *Danio* Hamilton (Pisces: Cyprinidae) from Andhra Pradesh, India. Vol. 82(3): 602-605. (Mosampet, Mahboobnagar district, Andhra Pradesh).
17. Barman, R.P. (1986). A new freshwater fish of the genus *Barilius* Hamiltin (Pisces: Cyprinidae) from West Bengal, India. Vol. 83(1): 171-173. (Jalpaiguri district, West Bengal).
18. Barman, R.P. (1987). On a new cyprinid fish of the genus *Danio* Hamilton (Pisces: Cyprinidae) from Manipur, India. Vol. 84(1): 172-174. (Manipur).
19. Barman, R.P. (1987). On the synonymy of *Danio feegradei* Hora, 1937 from Burma (Pisces: Cyprinidae). Vol. 84(1): 232-235. (Sandoway, Myanmar).
20. Barman, R.P. (1988). First record of the King-Fish, *Semiplotus modestus* Day, 1870 (Pisces: Cyprinidae) from India. Vol. 85(1): 210-211. (Mizoram).
21. Barman, R.P. (1989). *Barilius nelsoni*, a new cyprinid fish (Pisces: Cyprinidae) from Tripura, northeastern India. Vol. 86(2): 213-215. (Gumti River, Tripura).
22. Barman, R.P. (1989). On a small collection of fish from Mizoram, India. Vol. 86(3): 463-466. (Tairei River, Mizoram).
23. Barman, R.P. (1990). *Nematolosa nasus* (Bloch, 1795) (Pisces: Clupeidae): A new record from the freshwaters of Tripura. Vol. 87(3): 464. (River Gumti, Tripura).
24. Barman, R.P. (1992). New record of a croaker, *Johnius coiter* (Hamilton-Buchanan) (Pisces: Sciaenidae) from Tripura, North-East India. Vol. 89(1): 135-136. (River Gumti, Tripura).

25. Barman, R.P. (1994). Fish fauna of Tripura, North-East India. Vol. 91(1): 37-46. (River Gumti, Tripura).
26. Barman, R.P. & R.S. Barman (1991). An abnormal specimen of *Channa orientalis* Schneider (Pisces: Channidae) from Tripura. Vol. 88(1): 124. (Deo River, Kanchanpur, Tripura).
27. Bhagowati, A.K. & B.K. Biswas (1991). Record of *Colisa labiosa* (Day) (Pisces: Belontidae) from India. Vol. 88(2): 293. (Jorhat, Assam, Irrawaddy, Myanmar).
28. Bhargava, R.N. (1974). On a new record of a Murrel, *Channa leucopunctatus* (Skyles) from Rajasthan. Vol. 71(1): 152-153. (Jodhpur, Kailana Lake, Rajasthan).
29. Biju, C.R., K.Raju Thomas & C.R. Ajithkumar (1998). *Sicyopterus griseus* (Day) from Periyar River, Kerala. Vol. 95(2): 351-352. (Kalady, Periyar River, Kerala).
30. Biju, C.R., K. Raju Thomas, & C.R. Ajithkumar (1998). *Glyptothorax lonah* (Sykes) - An addition to the ichthyofauna of Kerala. Vol. 95(3): 519-520. (Karappara River, Chalakudy River, Kerala).
31. Chatterji, A. (1980). The relative condition factor and length-weight relationship of a freshwater carp, *Labeo gonius* (Ham.) (Cyprinidae, Teleostei). Vol. 77(3): 435-443. (River Kali, Aligarh, Uttar Pradesh).
32. Chatterji, A., A.Q. Siddiqui & A.A. Khan. (1978). Food and feeding habits of *Labeo gonius* (Ham.) from the River Kali. Vol. 75(1): 104-109. (River Kali, Uttar Pradesh).
33. Chaturvedi, S.K. (1976). Spawning biology of Tor Mahseer, *Tor tor* (Ham.). Vol. 73(1): 63-73. (Udaipur, Rajasthan).
34. Chhapgar, B.F. & J.N. Pande (1986). Pise Dam - An ecological disaster for the freshwater pipe-fish *Doryichthys cuncalus*. Vol. 83(1): 232-236. (Bhatsa, Ulhas River, Pise Dam, Maharashtra).
35. Chhapgar, B.F. & S.R. Sane (1979). Comments on the first record of *Botia* (Pisces: Cobitidae). from the Western Ghats by Rao & Yazdani. Vol. 76(3): 525-527 (River Thunga, Shimoga, Karnataka, Kolhapur, Maharashtra, Western Ghats).
36. Chhapgar, B.F. & S.R. Sane (1980). On the record of the Black Ruby Barb, *Puntius nigrofasciatus* (Gunther) (Pisces: Cyprinidae) from India. Vol. 77(3): 526-527. (Sanguem, Goa, Sri Lanka, Cauvery River, Coorg, Karnataka).
37. Chhapgar, B.F. & S.R. Sane (1985). Aberrant colour pattern in the Striped Loach, *Botia striata* Rao (Pisces: Cobitidae). Vol. 82(3): 680-681.
38. Chhapgar, B.F. & S.R. Sane (1992). A new fish of the genus *Puntius* Hamilton (Ostariophysi: Cyprinidae) from Goa. Vol. 89(3): 357-359. (Sanguem, Goa).
39. Coad, B.W. (1978). Range extension for the snakehead *Ophiocephalus gachua* Hamilton-Buchanan (Osteichthyes: Channidae) in Iran. Vol. 75(2): 500-501. (Sabzevaran, Baluchistan, Pakistan, Iran).

40. Coad, B.W. (1979). A provisional, annotated checklist of freshwater fishes of Iran. Vol. 76(1): 86-105. (Iran).
41. Das, S., S. Bhaumik & S.K. Raut (1998). Aggressive behaviour of *Channa striatus*. Vol. 95(3): 517-518. (Mourigram, West Bengal).
42. Das, S.M. & J. Pande (1982). Pollution, fish mortality and environmental parameters in Lake Nainital. Vol. 79(1): 100-109. (Lake Nainital, Uttar Pradesh).
43. Devi, K.R. (1996). Extension of range of distribution of *Horadandia atukorali* Deraniyagala (Pisces: Cyprinidae: Rasborinae) to Pondicherry and Tamil Nadu. Vol. 93(3): 303-304. (Tamil Nadu, Pondicherry, Sri Lanka, Kerala).
44. Dutt, S. & P.B. Reddy (1977). Hermaphroditism in the Murrel, *Channa punctata* (Bloch 1793). Vol. 74(2): 368-369. (Guntur, Andhra Pradesh).
45. Easa, P.S. & C.P. Shaji (1995). *Puntius melanampyx* (Day), an addition to the fish fauna of Silent Valley. Vol. 92(3): 428. (Silent Valley National Park, Kuntipuzha, Neelikal, Palghat district, Kerala).
46. Easa, P.S. & C.P. Shaji (1996). Freshwater fishes of Pambar River, Chinnar Wildlife Sanctuary, Kerala. Vol. 93(2): 304-306. (Pambar River, Chinnar River, Chinnar Wildlife Sanctuary, Kerala).
47. Ghate, H.V. & G.K. Wagh (1991). First record of the belontid fish *Macropodus cupanus* Valenciennes from Pune, Maharashtra. Vol. 88(1): 124-125. (Mutha River, Pune, Maharashtra, Bhavani, Mettupalayam, Tamil Nadu, Kerala, Western Ghats, Goa).
48. Ghate, H.V. & G.K. Wagh (1994). On the colouration of *Rohtee ogilbii* Sykes (Pisces: Cyprinidae: Cyprininae). Vol. 91(2): 326-327. (Rivers Mula-Mutha and Neera, Pune, Maharashtra).
49. Ghate, H.V. & G.K. Wagh (1995). Additional information on the Grey Mullet *Rhinomugil corsula* (Hamilton) (Pisces: Mugilidae) from Western Maharashtra. Vol. 92(2): 273-274. (Mula-Mutha, Pune, Maharashtra).
50. Gopi, K.C. (1996). Extension of range of *Silurus wynaudensis* Day (Pisces: Siluriformes: Siluridae). Vol. 93(3): 592-593. (Ranipuram, Kasaragod district, Wayanad, Western Ghats, Jaggar Valley, Karnataka, Bhavani River, Tamil Nadu, Kerala).
51. Gupta, S.K., K.C. Jayaram & K.P. Hajela (1980). On a new silurid catfish from Uttar Pradesh, India. Vol. 77(2): 290-291. (Kanpur, Uttar Pradesh).
52. Inasu, N.D. (1993). Sexual dimorphism of a freshwater puffer fish *Tetraodon (Monotretus) travancoricus* Hora & Nair collected from Trichur district, central Kerala. Vol. 90(3): 523-524. (River Pamba, Pudukkad, Trichur, Kerala).
53. Indra, T.J., K.R. Devi & M.B. Raghunathan (1998). New record of a rare loach *Noemacheilus monilis* from Anaimalai Hills, Western Ghats Tamil Nadu. Vol. 95(3): 521-522. (Chinnar River, Anamalai Hills, Tamil Nadu, Western Ghats, Bhavani River, Mettupalayam, Nilgiris).

54. Jayaram, K.C. (1990). On two new species of the genus *Puntius* Hamilton from India (Pisces: Cyprinidae). Vol. 87(1): 106-109. (Nangal Lake, Punjab, Nagercoil, Tamil Nadu).
55. Jayaram, K.C. (1997). Nomenclature and systematic status of *Barbus mussullah* Sykes, 1839. Vol. 94(1): 49-55.
56. Jhingran, V.G. (1978). Recent advances in inland aquaculture in India. Vol. 75(3): 589-599.
57. Johal, M.S., J.S. Chahal, K.K. Tandon (1993). Ichthyofauna of Rajasthan State, India. Vol. 90(3): 404-411. (Rajasthan).
58. Johnsingh A.J.T. & D. Vickram (1987). Fishes of Mundanthurai Wildlife Sanctuary, Tamil Nadu. Vol. 84(3): 526-533. (Mundanthurai, Manimuthar, Papanasam and Hope reservoirs, Tamil Nadu).
59. Joseph, G.L. & S.V. Job (1983). Studies on spawning migration and spawning of hillstream fish *Discognathus mULLya* (Sykes). Vol. 80(1): 80-85. (Ulakkaruvi, Ashambu Hills, Tamil Nadu, Western Ghats).
60. Joshi, C.B. (1983). A special method of fishing for juveniles of Mahseer (*Tor putitora*) in the streams of Himachal Pradesh. Vol. 80(2): 426-427. (Kangra, Hamirpur, Bilaspur, Himachal Pradesh).
61. Joshi, K.D. (1998). *Chagunis chagunio* (Hamilton-Buchanan) (Pisces: Cyprinidae): A new record from Kumaon Hills, Uttar Pradesh. Vol. 95(1): 127-128. (Kali-Sharda River, Tanakpur, Uttar Pradesh).
62. Joshi, K.D. & P.C. Josi (1996). *Puntius dukai* Day (Pisces: Cyprinidae) - A new record from Uttar Pradesh hills. Vol. 93(1): 102. (Gharhakiya Gad, Pithoragarh district, Uttar Pradesh).
63. Kamat, N.D. (1974). Algal food of *Aplocheilus blochii* (Arnold). Vol. 71(1): 151-152. (Nagpur, Maharashtra).
64. Karamchandani, S.J. & D.N. Mishra. (1978). Food and feeding habits of *Labeo boggut* (Sykes) from Kulgarhi reservoir (Madhya Pradesh). Vol. 75(2): 389-396. (Kulgarhi Reservoir, Madhya Pradesh).
65. Karamchandani, S.J. & D.N. Mishra (1980). Preliminary observations on the status of Silver Carp in relation to Catla in the culture fishery of Kulgarhi reservoir. Vol. 77(2): 261-270. (Kulgarhi Reservoir, Rewa, Madhya Pradesh).
66. Karamchandani, S.J., G.N. Mukerji, G.N. Srivastava & K. Chandra (1979). Observations on the breeding of major carps in a dry bundh of Uttar Pradesh during 1976 monsoon season. Vol. 76(3): 431-438. (Ganne, Allahabad, Uttar Pradesh).
67. Karamchandani, S.J. & P.K. Pandit (1975). On the occurrence and breeding of *Labeo rohita* (Hamilton) in a section of Narbada river in Gujarat state. Vol. 72(1): 215-217. (Narmada River, Malsar, Poicha, Mangrol, Gujarat).
68. Khan, H.A. & M.Y. Kamal (1979). On a collection of fish from river Kosi (Bihar). Vol. 76(3): 530-534. (Kosi River, Kathmandu, Nepal, Himalayas).

69. Kulkarni, C.V. (1975). Introduction of Indian trout in Lonavla. Vol. 72(2): 572-575. (Neemuch, Madhya Pradesh, Walwan Lake, Lonavla, Maharashtra).
70. Kulkarni, C.V. (1980). Eggs and early development of Tor Mahseer fish. Vol. 77(1): 70-75. (Walwan Lake, Lonavla, Maharashtra).
71. Kulkarni, C.V. (1992). On the endangered Indian Trout *Barilius bola* (Ham.). Vol. 89(3): 277-281. (West Bengal, Orissa, Assam, NE states, Nepal, Myanmar, Bangladesh, Lonavla, Neemuch, Madhya Pradesh, Maharashtra).
72. Kulkarni, C.V. & S.N. Ogale. (1978). Feeding, growth and early development of the Indian Trout, *Barilius (Opsarius) bola* Ham. Vol. 75(2): 266-272. (Walwan Lake, Lonavla, Maharashtra).
73. Kulkarni, C.V. & S.N. Ogale. (1978). The present status of mahseer fish and artificial propagation of *Tor khudree* (Skyes). Vol. 75(3): 651-660 (Lonavla, Maharashtra).
74. Maheshwari, S.C. (1986). Occurrence of whirling disease in *Cirrhina mrigala* in Wardha. Vol. 83(3): 673. (Kelzari, Wardha district, Maharashtra).
75. Manakadan, R. (1993). Occurrence of the freshwater Grey Mullet *Rhinomugil corsula* (Hamilton) at the Tungabhadra-Krishna confluence near Nandikotkur, Andhra Pradesh. Vol. 90(3): 522-523. (Nandikotkur, Andhra Pradesh).
76. Manimekalan, A. (1998). The fishes of Mudumalai Wildlife Sanctuary, Tamil Nadu, India. Vol. 95(3): 431-443. (Mudumalai Wildlife Sanctuary, Moyar and Sigur rivers, Tamil Nadu).
77. Manimekalan, A. & H.S. Das (1998). *Glyptothorax davissinghi* (Pisces: Sisoridae) - A new catfish from Nilambur in the Nilgiri Biosphere Reserve, south India. Vol. 95(1): 87-91. (Nilgiri Biosphere Reserve, Karim puzha, Panna puzha, Western Ghats, Nilambur, Kerala).
78. Manimekalan, A. & D.F. Singh (1997). New record of *Schismatorhynchus (Nukta) nukta* (Skyes) (Pisces: Cyprinidae) from Moyar River, Tamil Nadu. Vol. 94(3): 170-171. (Moyar River, Nilgiri Biosphere Reserve, Tamil Nadu).
79. McGready, C.E. (1977). Mahseer in Ramganga River, U.P. Vol. 74(1): 188. (Ramganga River, Corbett National Park, Uttar Pradesh).
80. Menon, A.G.K. (1992). Taxonomy of mahseer fishes of the genus *Tor* Gray with description of a new species from the Deccan. Vol. 89(2): 210-228. (Krishna River, Satara district, Maharashtra).
81. Menon, A.G.K. & P.C. Jacob (1996). *Crossocheilus periyarensis*, a new cyprinid fish from Thanikkudy (Thekkady), Kerala, India. Vol. 93(1): 62-64. (Thekkady, Periyar River, Kerala).
82. Menon, A.G.K. & K. Rema Devi (1992). *Puntius mudumalaiensis*, a new cyprinid fish from Mudumalai, Tamil Nadu. Vol. 89(2): 229-231. (Mudumalai, Tamil Nadu).

83. Menon, A.G.K. & K. Rema Devi (1992). *Puntius sharmai*, a new cyprinid fish from Madras. Vol. 89(3): 353-354. (Chennai, Tamil Nadu).
84. Menon, A.G.K. & K. Rema Devi (1995). *Hypselobarbus kurali* (Pisces: Cyprinidae), a new large barb from the south-western rivers of peninsular India. Vol. 92(3): 389-393. (Karnataka, Kerala, Tamil Nadu, Western Ghats).
85. Mishra, S.K. (1994). Additions to the leptocephalid fishes of Bihar, India. Vol. 91(3): 463-464. (River Pandai, West Champaran, Bihar).
86. Mishra, S.K. (1995). *Labeo microphthalmus* (Day) (Pisces: Cyprinidae), A new record from Bihar, India. Vol. 92(2): 272-273. (River Gandak, Balmikinagar, Bihar).
87. Mishra, S.K., R. Dwivedi & J. Varma (1994). A new record of *Garra gotyla stenorhynchus* (Jerdon) (Teleostomi: Cyprinidae: Garrinae). Vol. 91(2): 325-326. (River Pandai, Bhiknathori, River Gandak, Balmikinagar, Bihar, Cauvery, Krishna, Western Ghats).
88. Mohanty, S.K. & P.V. Rao (1975). Further additions to the fish fauna of Chilika lake. Vol. 72(3): 863-868. (Chilka Lake, Orissa).
89. Mukundan, P.S. (1981). Suspended animation of fish out of water for many hours. Vol. 78(1): 174. (Walwan Lake, Lonavla, Maharashtra).
90. Nath, S. (1981). On the extension of range of two freshwater catfishes, *Glyptothorax conirostre* (Steind.) (Sisoridae) and *Clarias garua* (Ham.) (Schilbeidae) to Poonch valley (Jammu and Kashmir), India. Vol. 78(1): 178-179. (Poonch River, Betar Nallah, Yamuna, Jhelum, Punjab, Jammu & Kashmir, Simla, Kangra, Himachal Pradesh).
91. Nath, S. (1981). On a collection of cobitid loaches of the genus *Noemacheilus* Van Hasselt from Poonch Valley. Vol. 78(3): 612-613. (Poonch, Jammu and Kashmir).
92. Nath, S. (1982). Extension of range of the Putitor Mahseer, *Tor putitora* (Ham.). (Cypriniformes; Cyprinidae; Barbinae) to Poonch Valley (Jammu and Kashmir). Vol. 79(2): 430-431. (Poonch Valley, Poonch River, Sooran torrent, Mandi stream, Battliaz, Jammu and Kashmir).
93. Nath, S. (1983). On the extension of range of a freshwater catfish, *Glyptothorax lineatus* (Day) (Siluriformes, Sisoridae) to Poonch Valley (Jammu and Kashmir state). Vol. 80(3): 651-653. (Poonch River, Betar Nallah, Jamuna River, Jammu and Kashmir, Kosi River, Nepal, Sankha River, West Bengal, Myanmar).
94. Nath, S. (1996). *Mystus tengara* (Hamilton) (Siluriformes: Bagridae) - An addition to the ichthyofauna of Jammu (Tawi), India. Vol. 93(3): 593-595. (River Tawi, Jammu and Kashmir).

95. Nath, S. (1998). First record of *Clarias batrachus* (Linn.) (Siluriformes: Clariidae) from lake Surinsar (Jammu and Kashmir). Vol. 95(3): 518-519. (Mansar and Surinsar lakes, Jammu, Jammu & Kashmir).
96. Nautiyal, P. (1989). Mahseer conservation – Problems and Prospects. Vol. 86(1): 32-36
97. Nautiyal, P. & M.S. Lal (1982). Recent records of Garhwal Mahaseer *Tor putitora* with a note on its present status. Vol. 79(3): 693-695. (Alaknanda and Nayar rivers, Garhwall Hills, Uttar Pradesh, Himalayas).
98. Nautiyal, P. & M.S. Lal (1984). Preliminary observations on the migratory behaviour of the Garhwal Himalayan Mahseer. Vol. 81(1): 204-207. (Ganges, Garhwal, Uttar Pradesh, Himalayas).
99. Nautiyal, P. & M.S. Lal (1984). Food and feeding habits of fingerlings and juveniles of Mahseer (*Tor putitora* Ham.) in Nayar River. Vol. 81(3): 642-647. (River Nayar, Uttar Pradesh).
100. Nautiyal, P. & M.S. Lal (1985). Fecundity of the Garhwal Himalayan Mahseer *Tor putitora* (Ham.). Vol. 82(2): 253-257. (River Nayar, Garhwal, Uttar Pradesh, Himalayas).
101. Nautiyal, P. & M.S. Lal (1988). Destruction of spawning grounds of Mahseer and other fish in Garhwal Himalayas. Vol. 85(2): 311-314. (Pauri district, Alakh and Nayar rivers, Uttar Pradesh, Himalayas).
102. Ogale, S.N. & C.V. Kulkarni (1987). Breeding of pond-raised hybrids of mahseer fish *Tor khudree* (Sykes) and *Tor tor* (Ham.). Vol. 84(2): 332-335. (Lonavla, Maharashtra).
103. Pardhasaradhi, A. & J.R.B. Alfred (1981). A note on the biogeographical relictness of *Pillaia indica* Yazdani (Pillaidae: Mastacembeloidei). Vol. 78(1): 175-177.
104. Pathani, S.S. (1980). The giant mahseers of Kumaun Himalayas with a recent rare record. Vol. 77(1): 154-155. (Bhowali, Nainital, Bhimtal, Uttar Pradesh, Himalayas).
105. Pathani, S.S. (1982). Studies on the spawning ecology of Kumaun Mahseer *Tor tor* (Hamilton) and *Tor putitora* (Hamilton). Vol. 79(3): 525-530. (Bhimtal, Nainital, Kumaun, Uttar Pradesh).
106. Pradhan, M.S. & D.F. Singh (1984). First record of the freshwater Grey Mullet, *Rhinomugil corsula* (Hamilton) from Maharashtra. Vol. 81(1): 202-204. (Bhima River, Krishna River, Ujni Dam, Ganges, Cauvery, Maharashtra).
107. Prasad, R.R. (1982). Common methods of catching air breathing fishes in Darbhanga (Bihar). Vol. 79(1): 214-215. (Koshi River, Darbhanga, Bihar).
108. Raizada, S.B. (1983). Occurrence of Common Carp (*Cyprinus carpio*) in trout waters. Vol. 80(2): 430. (Mahili, Kulu Valley, Himachal Pradesh).
109. Raizada, S.B. (1985). Breeding, development and culture prospects of the Himalayan Barbel, *Schizothorax plagiostomus* Heckel. Vol. 82(1): 130-137. (River Beas, Mohal, Sujain and Shirin tributaries, Kulu, Uttar Pradesh).

110. Raju Thomas, K., C.R. Biju, & C.R. Ajithkumar (1998). Rainbow Trout (*Salmo gairdnerii*) in Anamalai Hills, Western Ghats. Vol. 95(2): 350-351. (Eravikulam, Munnar, Valparai, Konalar, Anamalai, Tamil Nadu, Kerala).
111. Raju Thomas, K., C.R. Biju & C.R. Ajithkumar (1998). First report of *Barilius bendelisis* (Ham.-Buch.) from a west flowing river, Chalakudy in Kerala. Vol. 95(3): 520-521. (Chalakudy River, Parambikulam Wildlife Sanctuary, Kerala).
112. Rao, B.V.S. (1976). On the occurrence of the goby, *Brachygobius nunus* (Ham.-Buch.). in Andhra Pradesh, with a note on its ecology. Vol. 73(1): 227-228. (Andhra Pradesh, Chennai, Tamil Nadu, Calcutta, West Bengal).
113. Rao, M.B. & G.M. Yazdani (1977). Occurrence of cobitid genus *Botia* Gray in the Western Ghats of India. Vol. 74(2): 367-368. (Koyna River, Mahableshwar, Maharashtra, Western Ghats).
114. Rema Devi, K. & K.G. Emiliyamma (1997). On the specific identity of *Ompok bimaculatus* (Siluriformes: Siluridae). Vol. 94(2): 421-423.
115. Rema Devi, K. & A.G.K. Menon (1994). *Horalabiosa palaniensis*, A new cyprinid fish from Palani Hills, Western Ghats, South India. Vol. 91(1): 110-111. (Palani Hills, Tamil Nadu, Western Ghats).
116. Samant, J.S. (1981). Growth records of Grass Carp, *Ctenopharyngodon idella* Val. from Rankala tank, Kolhapur. Vol. 78(2): 392-395. (Rankala Tank, Kolhapur, Maharashtra).
117. Sane, S.R. & B.F. Chhapgar (1982). Extension of range of the danio, *Chela (Neochelao) dadiburjori* (Menon) (Pisces: Cyprinidae). Vol. 80(1): 232-234. (Kochi, Kerala, Nagercoil, Tamil Nadu, Sanguem, Goa).
118. Sane, S.R. & B.F. Chhapgar (1986). Variations of colour pattern in the Necktie Loach, *Botia dario* (Ham.- Buch.). Vol. 83(2): 451-452.
119. Sane, S.R. & B.F. Chhapgar (1988). Mouth brooding in the Noble Gourami *Ctenops nobilis* (McClelland) (Pisces: Belontidae). Vol. 85(1): 205-206. (Bihar, West Bengal, Assam, Sikkim, Bangladesh).
120. Selim, K. & W. Vishwanath (1998). A new record of *Homaloptera modesta* (Vinciguerra): Cyprinidae from Manipur. Vol. 95(2): 352-354. (Namyak Stream, Ukhrul district, Manipur).
121. Shaji, C.P., L.K. Arun & P.S. Easa (1996). *Garra surendranathanii* – A new cyprinid fish from the southern Western Ghats, India. Vol. 93(3): 572-575. (Chalakkudy River, Periyar, Pamba River, Kerala).
122. Shaji, C.P. & P.S. Easa (1995). Extension of range of *Danio (Brachydanio) rerio* Hamilton-Buchanan. Vol. 92(2): 274. (Wayanad, Kabini River, Kerala).
123. Shaji, C.P. & P.S. Easa (1995). *Homaloptera menoni* - A new homalopterid fish (Pisces: Homalopteridae) from Kerala. Vol.

- 92(3): 395-397. (Indekkuthodu Siruvani, Palghat District, Kerala).
124. Shaji, C.P., P.S. Easa & S. Basha (1995). Freshwater fish diversity in Aralam Wildlife Sanctuary, Kerala, south India. Vol. 92(3): 360-363. (Aralam Wildlife Sanctuary, Uruttipuzha, Cheenkannipuzha, Kannur, Kerala).
125. Shaji, C.P. & P.S. Easa (1995). Extension of range of *Noemacheilus (Mesonoemacheilus) petrubanarenscui* (Menon). Vol. 92(3): 427-428. (Nulpuzha River, Wayanad, Wildlife Sanctuary, Kerala, Netravati River, Dharmasthala, Karnataka).
126. Sharma, M.K. & D.B. Rajput (1986). Ichthyofauna of Bijnor district (Uttar Pradesh). Vol. 83(3): 562-569. (Bijnor district, Ganges, Ramganga, Uttar Pradesh).
127. Sharma, V.K. & Y. Rama Rao (1982). A new record of *Salmo trutta fario* Linn. from Gobindsagar Reservoir. Vol. 79(3): 692. (Gobindsagar Reservoir, Himachal Pradesh, Beas and Sutlej Rivers).
128. Shrestha, T.K. (1981). Bamboo bridge fishing with lift net. Vol. 78(2): 395-397. (Kulaekhani stream, Nepal).
129. Shrestha, T.K. (1982). Eel fishing with brush hideout. Vol. 79(1): 212-214. (Nepal).
130. Singh, D.F. (1994). *Parapsilorhynchus elongatus*, a new cyprinid fish from the Western Ghats, India. Vol. 91(2): 283-285. (Ghoel River, Bhima River, Maharashtra, Western Ghats).
131. Singh, D.F. & G.M. Yazdani (1988). A note on the ichthyofauna of Sanjay Gandhi National Park, Borivli, Bombay. Vol. 85(3): 631-633. (Borivli National Park, Mumbai, Tulsi and Vihar Lakes, Dahisar River, Rewat stream, Maharashtra).
132. Singh, D.F. & G.M. Yazdani (1992). *Osteobrama bhimensis*, a new cyprinid fish from Bhima river, Pune district, Maharashtra. Vol. 89(1): 96-99. (Ujani, Bhima River, Maharashtra).
133. Singh, H.R., S.P. Badola & A.K. Dobriyal (1987). Geographical distribution list of ichthyofauna of the Garhwal Himalaya with some new records. Vol. 84(1): 126-132. (Garhwal, Uttar Pradesh, Himalayas).
134. Singh, K.P. (1975). On the fishes of the genus *Ctenops* McClelland (1845). Vol. 72(2): 563-568. (Bettiah, Dibrugarh, Assam, Jessore Jheel, Bangladesh, Bihar).
135. Singh, N. (1997). Sex ratio of hillstream Snow Trout, *Schizothorax plagiostomus* Heckel (Teleostei, Cyprinidae) in the upland river Mandakini of Garhwal Himalaya. Vol. 94(2): 417-421. (River Mandakini, Chamoli district, Uttar Pradesh, Garhwal, Himalayas).
136. Singh, S.P. (1974). A special method of fish trapping in river Ganga at Varanasi. Vol. 71(1): 153-156. (Varanasi, Uttar Pradesh, Ganges).
137. Somvanshi, V.S. & S.S. Bapat (1981). Food of juvenile *Garra mullya* (Sykes) (Family Cyprinidae). Vol. 78(3): 543-547. (Kham River, Aurangabad, Maharashtra).

138. Srithar, R.T. & K.C. Jayaram (1990). On a new species of *Salmostoma* Swainson (Cyprinidae: Cultrinae) from Dhom Reservoir, Satara district, Maharashtra. Vol. 87(2): 272-274. (Dhom Reservoir, Krishna River, Satara district, Maharashtra).
139. Talwar, P.K. (1977). On the fishes collected by the Ladakh expedition, 1976. Vol. 74(3): 501-505. (Chushul, Pangur Tso, Tzo Nyak, Ladakh, Jammu and Kashmir).
140. Talwar, P.K. & A. Das. (1986). On a new subspecies of *Chagunius chagunio* (Hamilton-Buchanan) (Pisces: Cyprinidae) from Burma. Vol. 83(1): 177-179. (Kamaing, Myanmar).
141. Tehsin, R. (1992). Strange behaviour of a Murrel *Channa striatus*. Vol. 89(3): 383-384.
142. Tehsin, R., V.S. Durve & M. Kulshreshtha (1988). Occurrence of a schizothoracine fish (Snow Trout) in a subterranean cave near Udaipur, Rajasthan. Vol. 85(1): 211-212. (Aravalli ranges, Udaipur, Rajasthan).
143. Thakre, V.Y. & S.S. Bapat (1981). Maturation and spawning of *Rasbora daniconius* (Ham.-Buch.). Vol. 78(1): 38-45. (River Kham, Aurangabad, Maharashtra).
144. Thakre, V.Y. & S.S. Bapat (1984). Observations on the length-weight relationship of the fish *Rasbora daniconius* (Ham.-Buch.). Vol. 81(1): 105-109. (Kham River, Aurangabad, Maharashtra).
145. Tilak, R. & S.P. Baloni (1988). Bio-ecological observations on *Tor chilinoides* (McClelland). Vol. 85(2): 441-442. (Garhwal, Uttar Pradesh, Himalayas).
146. Tilak, R. & A. Husain (1990). Description of a new cyprinid, *Barilius dimorphicus* (Subfamily: Rasborinae) from Rajaji National Park, Uttar Pradesh. Vol. 87(1): 102-105. (Song and Ghosi Ram Sot Rivers, Rajaji National Park, Uttar Pradesh).
147. Tilak, R. & S. Jain (1987). On the systematic status of *Danio* (*Danio*) *menoni* Barman (Pisces: Cyprinidae). Vol. 84(3): 693-694. (Mosampet, Mahboobnagar district, Andhra Pradesh).
148. Tilak, R. & S. Jain (1988). On the systematic status of the species of the genus *Danio* Hamilton described by Barman (1983, 1984, 1985). Vol. 85(1): 207-209.
149. Tilak, R. & S. Jain (1989). Description of a new rasborine fish *Esomus manipurensis* from Manipur, India. Vol. 86(3): 408-411. (Imphal, Manipur).
150. Tripathi, S.D. & R.K. Sharaf (1975). An interesting case of fish spawning in an overcrowded nursery pond. Vol. 72(2): 568-572. (Nagda and Bileoli reservoirs, Adhartal Lake, Jabalpur, Madhya Pradesh).
151. Vairavel, S.M., C.P. Shaji & P.S. Easa (1998). *Hypselobarbus kolas* (Sykes) – An addition to Kerala. Vol. 95(1): 130-131. (Parambikulam, Thunacadavu, Chalakudy River, Kerala, Krishna, Godavari, Cauvery systems).

152. Vass, K.K., H.S. Raina & Z. S. Sunder (1979). On the breeding behaviour of *Schizothorax niger* Hackel in Dal Lake. Vol. 76(1): 179-184. (Dal Lake, Srinagar, Jammu and Kashmir).
153. Viswanath, W., W. Manojkumar & K. Selim (1998). First record of cyprinid fish *Chagunius nicholsi* (Myers) from India. Vol. 95(2): 255-257. (Chatrickong & Maklang rivers, Ukhru district, Manipur, Myanmar).
154. Yadava, Y.S. & M. Choudhury (1986). Banas' fishing in beels of Assam. Vol. 83(2): 452-456. (Dhir beel, Dhubri district, Brahmaputra River, Assam).
155. Yazdani, G.M. (1976). A new family of mastacembeloid fish from India. Vol. 73(1): 166-170. (Khasi Hills, Meghalaya).
156. Yazdani, G.M. (1976). On the specific validity and distribution of the loach, *Lepidocephalus annandalei* (Chaudhuri) (Cypriniformes: Cobitidae). Vol. 73(3): 535-537. (Kaziranga Wildlife Sanctuary, Assam, Siliguri, Jalpaiguri, Mathigara, West Bengal).
157. Yazdani, G.M. (1977). Fishes of Khasi hills, Meghalaya (India), with observations on their distribution pattern. Vol. 74(1): 17-28. (Khasi Hills, Meghalaya).
158. Yazdani, G.M. (1980). Occurrence of *Botia lohachata* Chaudhuri in Himachal Pradesh with remarks on the taxonomy of Indian species of *Botia* Gray (Pisces: Cobitidae). Vol. 77(1): 152-153. (Dehragopipur, Kangra district, Himachal Pradesh).
159. Yazdani, G.M. & M. Babu Rao (1976). A new species of the genus *Puntius* (Hamilton). (Pisces: Cypriniformes: Cyprinidae). from Western India. Vol. 73(1): 171-175. (Katraj tank, Pune, Maharashtra).
160. Yazdani, G.M. & H.V. Ghate (1994). On *Puntius setnai* Chhapgar and Sane: New report and comments. Vol. 91(3): 464-465. (Hoshangadi, South Kanara, Karnataka, Ponda, Goa).
161. Yazdani, G.M. & P.D. Gupta (1983). An interesting method of fishing in Dhanbad district, Bihar. Vol. 80(1): 234-235. (River Barakar, Tundi, Dhanbad, Bihar).
162. Yazdani, G.M. & D.K. Harshey (1979). An interesting method of fishing in Bastar district, Madhya Pradesh. Vol. 76(3): 528-529. (Bastar, River Narangi, Kondagaon, Madhya Pradesh).
163. Yazdani, G.M. & D.F. Singh (1990). On the fish resources of Ujni wetland, Pune, Maharashtra. Vol. 87(1): 157-161. (Ujni, Bhima River, Pune, Maharashtra).
164. Yazdani, G.M. & D.F. Singh (1994). *Puntius crescentus*, a new cyprinid fish from south India with observations on the taxonomic status of some related species. Vol. 91(1): 107-109. (Kalinadi, Sunkeri, Karwar, Karnataka).
165. Yazdani, G.M. & S.K. Talukdar (1975). A new species of *Puntius* (Cypriniformes: Cyprinidae). from Khasi & Jaintia hills (Meghalaya), India. Vol. 72(1): 218-221. (Khasi and Jaintia Hills, Barapani Lake Meghalaya).
166. Zacharias, V.J., A.K. Bharadwaj & P.C. Jacob (1996). Fish fauna of Periyar Tiger Reserve. Vol. 93(1): 39-43. (Periyar

Tiger Reserve, Periyar River, Mutlayar River, Pamba River and Azhutha River, Kerala).

Andhra Pradesh - 16, 75, 112, 147	Meghalaya - 155, 157, 165
Arunachal Pradesh - 13, 14, 44	Mizoram - 20, 22
Assam - 27, 71, 119, 134, 154, 156	Myanmar - 15, 19, 27, 71, 93, 140, 153
Bangladesh - 71, 119, 134	Nepal - 68, 71, 93, 128, 129
Bihar - 12, 85, 86, 87, 107, 119, 134, 161	Orissa - 71, 88
Goa - 36, 38, 47, 117, 160	Pakistan - 39
Gujarat - 67	Pondicherry - 43
Himachal Pradesh - 60, 90, 108, 127, 158	Punjab - 54
Himalayas - 9, 10, 11, 68, 97, 98, 100, 101, 104, 133, 135, 145	Rajasthan - 1, 2, 3, 4, 5, 6, 28, 33, 57, 142
Iran - 39, 40	Sikkim - 119
Jammu and Kashmir - 90, 91, 92, 93, 94, 95, 139, 152	Sri Lanka - 36, 43
Karnataka - 8, 36, 50, 84, 125, 160, 164,	Tamil Nadu - 43, 47, 50, 53, 54, 58, 59, 76, 78, 82, 83, 84, 110, 112, 115, 117
Kerala - 7, 29, 30, 43, 45, 46, 47, 50, 52, 77, 81, 84, 110, 111, 117, 121, 122, 123, 124, 125, 151, 166	Tripura - 21, 23, 24, 25, 26
Madhya Pradesh - 64, 65, 69, 71, 150, 162	Uttar Pradesh - 4, 9, 10, 11, 31, 32, 42, 51, 61, 62, 66, 79, 97, 98, 99, 100, 101, 104, 105, 109, 120, 133, 135, 136, 145, 146
Maharashtra - 34, 35, 47, 48, 49, 63, 69, 70, 71, 72, 73, 74, 80, 89, 102, 106, 113, 116, 130, 131, 132, 137, 138, 143, 144, 159, 163	West Bengal - 17, 41, 71, 93, 112, 119, 156
Manipur - 18, 120, 149, 153	Western Ghats - 8, 35, 47, 50, 53, 59, 77, 84, 87, 113, 115, 130

MARINE/BRACKISH WATER FISH

1. Andhare, A.M. & V.N. Hegde (1985). Some observations on the salinity tolerance of marine fishes at the Taraporewala Aquarium, Bombay. Vol. 82(1): 224-226.
2. Barve, S.K. & D.R. Jalihal (1993). Observations on the shedding of gill-raker processes in the Goldspotted Mullet *Liza parsia* (Hamilton-Buchanan, 1882) (Pisces: Mugilidae). Vol. 90(1): 29-32. (Ratnagiri, Maharashtra, Arabian Sea).

3. Bhaskar, B.R., D.P. Rao, M.R. Murty, G. Maheswarudu, Y.V.K. Prasad, K.P. Prakash & J.D. Suneel Kumar (1988). Rare occurrence of Sunfish *Mola mola* (Linnaeus) from the coastal waters off Visakhapatnam, Bay of Bengal. Vol. 85(3): 629-631. (Vishakhapatnam, Bay of Bengal, Andhra Pradesh, Mumbai, Maharashtra, Arabian Sea, Sri Lanka, Indian Ocean).
4. Bhusari, B.V. (1975). Biology and fishery of *Pseudosciaena sina* (C.) at Ratnagiri, south Maharashtra. Vol. 72(2): 357-367. (Ratnagiri, Maharashtra, Arabian Sea).
5. Chandra, R., V.R. Desai & S.K. Das (1983). Observations on the bathymetric distribution of hilsa larvae in middle stretch of River Ganga near Allahabad. Vol. 80(2): 427-429. (River Ganges, Allahabad, Uttar Pradesh).
6. Chhapgar, B.F. (1976). Colour during life of the Spinycheeked Anemone Fish *Premnas biaculeatus* (Bloch). Vol. 73(3): 534. (Andaman and Nicobar, Bay of Bengal).
7. Chhapgar, B.F. (1977). The Leather Jacket *Aluterus scriptus* (Osbeck) feeding on the Portuguese Man-of-War *Physalia utriculus* (La Martiniere). Vol. 74(3): 541-543. (Mumbai, Maharashtra, Arabian Sea).
8. Chhapgar, B.F. & S.B. Muley (1997). Occurrence of the Pig-faced File-fish *Paramonacanthus choirocephalus* (Bleeker) (Pisces: Plectognathi) at Mumbai. Vol. 94(3): 582-584. (Mumbai, Maharashtra, Arabian Sea).
9. Chhapgar, B.F. & A.M. Ringangaonkar (1990). Occurrence of a Trigger Fish (Pisces: Balistidae) in Bombay seas. Vol. 87(2): 313-314. (Mumbai, Maharashtra, Arabian Sea).
10. Coad, B.W. (1980). First record of the Milkfish *Chanos chanos* (Forskal 1775) from Iran and the Persian Gulf. Vol. 77(2): 522-524. (Baghu River, Persian Gulf, Iran).
11. Dutt, S. & B.V. Seshagiri Rao (1974). On the identity of Rat-tailed Anchovy *Coilia neglecta* Whitehead 1967. Vol. 71(2): 316-319. (Gollapalem, Krishna district, Andhra Pradesh, Bay of Bengal).
12. Geevarghese, C. & P.A. John (1983). On a new record of the genus *Gnatholepis* Bleeker (Gobidae: Teleostei) from south-west coast of India. Vol. 80(3): 646-649. (Neendakara estuary, Quilon, Kerala).
13. James, P.S.B.R. & P.S. Joseph (1977). An instance of unusual feeding behaviour of the Indian Mackerel *Rastrelliger kanagurta* (Cuvier) off Mangalore. Vol. 73(3): 538-539. (Mangalore, Karnataka, Arabian Sea).
14. Khan, M.R.A. (1998). New record of six marine fishes from St. Martin's Coral Island, Bay of Bengal, in Bangladesh. Vol. 95(2): 228-233. (St. Martin's Coral Island, Bay of Bengal, Bangladesh).
15. Kulkarni, C.V. (1983). Longevity of fish *Megalops cyprinoides* (Brouss.). Vol. 80(1): 230-232. (Walwan and Shirota Lakes, Lonavla, Maharashtra).

16. Kulkarni, C.V. (1992). Recent observations on the longevity of *Megalops cyprinoides* (Brouss.). Vol. 89(3): 384-385. (Walhan Lake, Lonavla, Maharashtra).
17. Lal Mohan, R.S. (1974). Note on *Cristiceps halei* Day, 1888 (Pisces: Clinidae), a junior synonym of *Springeratus xanthosoma* (Bleeker), 1857. Vol. 71(2): 312-315. (Shingle Island, Gulf of Mannar, Tamil Nadu).
18. Mandy, T.J. & N.D. Inasu (1998). Sexual dimorphism of a perch *Priacanthus hamrur* (Cuv. & Val.). Vol. 95(1): 132-134. (Munampam, Trichur, Kerala).
19. Mandy, T.J. & N.D. Inasu (1998). Sexual dimorphism in a marine perch *Pomadasys maculatus* (Bloch). Vol. 95(3): 514-517. (Munampam, Trichur, Kerala).
20. Menon, A.G.K. (1974). Taxonomy and distribution of *Sardinella leiogaster* Valenciennes, 1847 (Pisces: Clupeidae) from the Indian seas. Vol. 71(1): 41-45. (Bay of Bengal, Car Nicobar Island, Andaman and Nicobar Islands).
21. Menon, A.G.K. & T.K. Chatterjee (1975). On *Psilocephalus barbatus* (Gray), an interesting balistoid fish trawled off Ganjam coast, Orissa. Vol. 72(1): 213-215. (Ganjam, Orissa, Chennai, Tamil Nadu, Bay of Bengal).
22. Menon, A.G.K. & T.K. Chatterjee (1977). A note on the systematic position of *Ctenotrypauchen microcephalus* (Bleeker) Family: Taeniodidae. Vol. 74(1): 186-187.
23. Menon, A.G.K. & K.R. Devi (1990). Taxonomic status of the gobioid fish *Oxyurichthys dasi* Talwar, Chatterjee and Roy. Vol. 87(3): 464.
24. Mohanty, S.K. & P.V. Rao (1975). Further additions to the fish fauna of Chilika lake. Vol. 72(3): 863-868. (Chilka Lake, Orissa).
25. Murty, M.R. & K.S. Rao (1986). *Cynoglossus lachneri* Menon (Pisces: Cynoglossidae), a new record from Indian waters (Bay of Bengal, off Visakhapatnam). Vol. 83(1): 241-243. (Bay of Bengal, Vishakhapatnam, Andhra Pradesh).
26. Muthiah, C. & B. Neelakantan (1991). On the occurrence of *Saurida isarankurai* Shindo and Yamada (1972) from the west coast of India. Vol. 88(3): 461-463. (Mangalore, Malpe, Bhatkal, Karwar, Vishakhapatnam, Kakinada, Parangipettai, Tamil Nadu, Andhra Pradesh, Karnataka, Bay of Bengal, Arabian Sea).
27. Oommen, V. (1977). New record of bathypelagic fishes from the Arabian Sea with description of a new species. Vol. 74(2): 282-287. (Kozhikode, Kochi, Kerala, Arabian Sea).
28. Pati, S. (1980). Local names of pomfrets from the Indian coasts. Vol. 77(3): 527-528.
29. Prabhu, M.S., S. Ramamurthy, M.H. Dhulkhed, N.S. Rathakrishnan & G.P.K. Achari (1974). Fishery resources of Ullal (Mangalore) in relation to certain environmental factors

- during 1963-1967. Vol. 71(1): 85-98. (Ullal, Mangalore, Arabian Sea, Karnataka).
30. Raghunathan, M.B. & K.R. Devi (1998). Incidence of isopod parasitism on gobiid fishes. Vol. 95(2): 367-368. (Ennore estuary, Chennai, Tamil Nadu, Bay of Bengal).
 31. Rao, B.V.S. (1977). Occurrence of the anchovy *Coilia karua* on the west coast of India. Vol. 73(3): 537. (Mumbai, Maharashtra, Gollapalen, Kakinada, Andhra Pradesh, Bay of Bengal, Arabian Sea).
 32. Rao, D.M. & K.S. Rao (1986). *Nemipterus peronii* (Valenciennes 1830) (Pisces: Nemipteridae) - A new record from Indian waters. Vol. 83(1): 236-241. (Tuticorin, Gulf of Mannar, Tamil Nadu).
 33. Rao, K.S. & M.R. Murthy (1980). Occurrence of *Zebrias keralensis* Joglekar (Pisces: Soleidae) off Visakhapatnam, with a note on its taxonomy. Vol. 77(2): 524-526. (Visakhapatnam, Andhra Pradesh, Bay of Bengal).
 34. Rao, K.S. & M.R. Murthy. (1981). Occurrence of *Zebrias japonicus* (Bleeker) (Soleidae: Pisces) in the Bay of Bengal, off Visakhapatnam. Vol. 78(3): 614-615. (Visakhapatnam, Andhra Pradesh, Bay of Bengal).
 35. Rao, K.V.R. (1975). New records of offshore fishes from the west coast of India. Vol. 72(1): 218-220. (Quilon, Arabian Sea, Kerala).
 36. Rao, K.V.R. & T. Venkateswarlu (1977). Distributional range of *Waitea buchanani* Visweswara Rao (Pisces: Gobiidae) in Indian waters. Vol. 74(1): 185-186. (Ennore, Chennai, Tamil Nadu, Bay of Bengal, Godavari estuary, Andhra Pradesh).
 37. Rao, M.B. (1977). Extension of distribution of *Thrissina boelama* (Forskal) (Pisces: Clupeiformes: Engraulidae) with remarks on its taxonomic characters. Vol. 74(2): 365-366. (Amalinagar, Tuticorin, Tamil Nadu, Bay of Bengal, Indian Ocean).
 38. Reddy, N.A.V.P. (1983). A new record of *Epinephelus guaza* (Linnaeus 1758) (Serranidae: Pisces) from Indian waters. Vol. 80(3): 650-651. (Visakhapatnam, Andhra Pradesh, Bay of Bengal).
 39. Reddy, N.A.V.P. & C.U. Devi (1982). A few moments with an egg laying *Istiblennius striatomaculatus*. Vol. 79(1): 212.
 40. Reddy, N.A.V.P. & C.U. Devi (1982). Extension of range of *Enneapterygius obtusirostre*, with notes on its ecology. Vol. 79(3): 696-698. (Visakhapatnam, Andhra Pradesh, Bay of Bengal).
 41. Reddy, N.A.V.P. & C.U. Devi (1982). On a freak of *Istiblennius striatomaculatus*. Vol. 79(3): 698-699. (Bay of Bengal, Visakhapatnam, Bheemunipatnam, Andhra Pradesh).
 42. Reddy, N.A.V.P. & C.U. Devi (1989). A new distributional record for *Iso natalensis* (Regan (1919) (Pisces: Isonidae) from

- the Bay of Bengal. Vol. 86(3): 467-468. (Vishakhapatnam, Andhra Pradesh, Bay of Bengal).
43. Sekharan, K.V. (1975). Observations on the occurrence and habits of juvenile fishes in the nearshore region of the Mandapam area. Vol. 72(1): 83-89. (Palk Bay, Mandapam, Gulf of Mannar, Tamil Nadu).
 44. Seshagiri Rao, V. (1975). Systematic studies on fishes belonging to the genus *Coilia* Gray, 1831. Vol. 72(3): 732-739. (Gollapalem, Masulipatnam, Krishna district, Kakinada, Andhra Pradesh).
 45. Seshappa, G. & B.K. Chakrapani (1987). On the sex proportions and maturity trends in *Cynoglossus semifasciatus* Day on the west coast during 1980-1981. Vol. 84(3): 620-627. (Kannur, Kozhikode, Kerala, Mangalore, Karnataka, Malpe, Goa, Arabian Sea).
 46. Singh, A.J.A.R. & P. Bensam (1998). A new species of *Peroderma* Heller (Lernaeoceriformes: Copepoda) from sardines off the Porto Novo coast, India. Vol. 95(3): 473-476. (Parangipettai, Bay of Bengal, Tamil Nadu).
 47. Sujatha, K. (1989). Occurrence of *Anthias taenius* (Pisces: Serranidae) from Indian waters. Vol. 86(2): 257-258. (Vishakhapatnam, Andhra Pradesh, Bay of Bengal).
 48. Trivedi, Y. (1976). A study of the associative behaviour of the fish *Amphiprion polymnus* (Linn.) and sea anemone *Stoichactis giganteum* (Forsk.). Vol. 73(3): 444-447. (Mithapur, Gujarat, Arabian Sea).
 49. Venkateswarlu, T. (1974). Occurrence of the Bat-Fish *Pegasus volitans* Linnaeus (Pegasiformes: Pegasidae) from the coastal waters of India. Vol. 71(3): 620-621. (Kovalam, Tamil Nadu, Appa Island, Sri Lanka, Indian Ocean, Orissa, Bay of Bengal, Parangipettai, Gulf of Mannar).
 50. Yazdani, G.M. (1976). The specific identity of the sole *Zebrias zebra* (Bloch) in Indian waters. Vol. 73(2): 408-409. (Jaigad, Ratnagiri, Arabian Sea, Maharashtra).

Andaman and Nicobar Is. - 6, 20	Kerala – 12, 18, 19, 27, 35, 45
Andhra Pradesh - 3, 11, 25, 26, 31, 33, 34, 36, 38, 40, 41, 42, 44, 47	Maharashtra - 2, 3, 4, 7, 8, 9, 15, 16, 31, 50
Arabian Sea – 2, 3, 4, 7, 8, 9, 13, 26, 27, 29, 31, 35, 45, 48, 50	Orissa - 21, 24, 49
Bangladesh – 14	Palk Bay/ Palk Strait – 43
Bay of Bengal - 3, 6, 11, 14, 20, 21, 25, 26, 30, 31, 33, 34, 36, 37, 38, 40, 41, 42, 46, 47, 49	Persian Gulf – 10
Gujarat – 48	Sri Lanka - 3, 49
Gulf of Mannar - 17, 32, 43, 49	Tamil Nadu - 17, 21, 26, 30, 32, 36, 37, 43, 46, 49
Indian Ocean - 3, 37, 49	Uttar Pradesh – 5
Karnataka - 13, 26, 29	

AMPHIBIANS

1. Abdulali, H. (1982). Some field notes on the newly described toad *Bufo camortensis* Mansukhani & Sarkar. Vol. 79(2): 430. (Camorta, Andaman and Nicobar Is.).
2. Abdulali, H. (1985). On the export of frog legs from India. Vol. 82(2): 347-375.
3. Abdulali, H. & A.G. Sekar (1988). On a small collection of amphibians from Goa. Vol. 85(1): 202-205. (Bondla Sanctuary, Valpai, Kodal, Goa).
4. Andrews, M.I. (1979). Food of *Rana hexadactyla* Lesson. Vol. 76(1): 175-179.
5. Battish, S.K., A. Agarwal & P. Singh (1989). Food spectrum of the Marbled Toad *Bufo somaticus* Lutken. Vol. 86(1): 22-31. (Ludhiana, Punjab).
6. Bhaduri, J.L. & S.S. Saha (1980). Extension of range of the Narrow-mouth Frog *Uperodon globulosum* (Gunther) to Kamrup district, Assam. Vol. 77(1): 151-152. (Kamrup district, Assam).
7. Bharos, R.R. (1986). Unique behaviour of Bull Frogs. Vol. 83(1): 225-226. (Konta, Bastar district, Madhya Pradesh).
8. Biswas, S. & L.N. Achariya (1975). A snake-toad incident. Vol. 72(3): 862. (Chandaka, Puri district, Orissa).
9. Chanda, S.K. (1990). Amphibian (*Anura*) species and their altitudinal distribution in northeast India. Vol. 87(1): 157.
10. Chanda, S.K. & A.K. Ghosh (1988). Addenda to the amphibian fauna of India. Vol. 85(3): 626-627.
11. Chanda, S.K. & A.K. Ghosh (1989). A new frog of the genus *Philautus* Gistel, from the proposed Namdapha Biosphere Reserve, Arunachal Pradesh. Vol. 86(2): 215-217. (Namdapha Biosphere Reserve, Arunachal Pradesh).
12. Chopra, R.N. & K. Kumar (1977). Extension of range of the frog *Rana crassa* Jerdon to Western Himalayas. Vol. 74(1): 180- (Corbett National Park, Dhela, Dhikala, Uttar Pradesh).
13. Crombie, R.I. (1986). The status of the Nicobar toads *Bufo camortensis* Mansukhani & Sarkar, 1980 and *Bufo spinipes* Fitzinger in Steindachner, 1867. Vol. 83(1): 226-229. (Camorta, Nancowry, Andaman & Nicobar Is.).
14. Daniel, J.C. (1975). Field guide to the amphibians of western India. Part 3. Vol. 72(3): 506-522.
15. Daniel, J.C. & A.G. Sekar (1989). Field guide to the amphibians of western India - Part 4. Vol. 86(2): 194-202.
16. Daniels, R. (1991). Occurrence of the Malabar Torrent Toad *Ansonia ornata* Gunther in South Kanara, Karnataka. Vol. 88(1): 127-128. (Neria, South Kanara, Brahmagiri Hills, Coorg, Karnataka).
17. Daniels, R.J.R. (1992). Geographical range and ecology of the Verrucose Frog, *Rana keralensis* (Dubois). Vol. 89(2): 199-203. (Neria and Byndoor, Karnataka, Western Ghats, Tamil Nadu, Kerala, Maharashtra).

18. Das, I. (1990). Amphibians from India – Some further species. Vol. 87(2): 310-312.
19. Deuti, K. (1998). Occurrence of *Ramanella variegata* (Anura: Microhylidae) in West Bengal with notes on its distribution in India. Vol. 95(1): 126-127. (Banspahari, Midnapore district, West Bengal).
20. Dutta, S.K. (1985). Replacement names for two Indian species of *Philatus* (Anura: Rhacophoridae). Vol. 82(1): 219-220. (Hassan, Karnataka).
21. Dutta, S.K. (1985). Notes on the correct spelling of the Indian Bull Frog *Rana tigrina* Daudin. Vol. 82(1): 220-221.
22. Dutta, S.K. (1988). First records of *Bufo stomaticus* and *Bufo fergusonii* (Anura: Bufonidae) from Orissa, with comments on their distribution. Vol. 85(2): 439-441. (Barpali, Sambalpur district, Orissa).
23. Dutta, S.K. (1990). *Rana bhagmandlensis*: A junior synonym of *Rana aurantiaca* Boulenger (Anura: Ranidae). Vol. 87(2): 310.
24. Dutta, S.K., P. Mahapatra & P. Mohanty-Hejmadi (1991). Size analysis and sex ratio of Jerdon's Bull Frog *Rana crassa* Jerdon (Anura: Ranidae). Vol. 88(2): 234-241. (Orissa).
25. Dutta, S.K. & P. Mohanty-Hejmadi (1983). Ontogeny of teeth row structure in *Rana tigrina* tadpoles. Vol. 80(3): 517-528.
26. Gans, C. (1994). Frogs and Paddy: Problems of Management. Vol. 91(1): 29-36.
27. George, N.J. (1981). Juvenile Bull Frogs (*Rana tigerina*) feeding on flies on resting buffaloes. Vol. 78(2): 387. (Calicut, Kerala).
28. George, S. & L. Alex (1995). First record of *Uperodon globulosum* (Anura: Michrohylidae) from Kerala. Vol. 92(3): 427. (Manimala River, Erumrly, Kottayam district, Kerala).
29. George, S. & M.I. Andrews (1995). Food and feeding habits of *Rana hexadactyla* Lesson in Kuttanad, Kerala. Vol. 92(2): 220-224. (Kuttanad, Kerala).
30. Ghate, H.V. & A.D. Padhye (1988). Predation of *Microhyla* tadpoles by *Gambusia*. Vol. 85(1): 200-201. (Pune, Maharashtra).
31. Inger, R.F., H.B. Shaffer, M. Koshy & R. Bakde (1984). A report on a collection of amphibians and reptiles from the Ponmudi, Kerala, south India. Part 1. Vol. 81(2): 406-427. (Ponmudi, Kerala).
32. Inger, R.F., H.B. Shaffer, M. Koshy & R. Bakde (1984). A report on a collection of amphibians and reptiles from the Ponmudi, Kerala, south India. Part 2. Vol. 81(3): 551-570. (Ponmudi, Kerala).
33. Issac, S. & M.S. Rege (1975). Food of *Rana tigrina* (Daud.). Vol. 72(1): 143-157. (Mumbai, Maharashtra).
34. Jaisingh, P. (1978). On the occurrence of *Ichthyophis peninsularis* Taylor (Gymnophiona: Caeciliidae) from Alamcholai. Vol. 75(2): 501-502. (Alamcholai, Kanyakumari, Tamil Nadu).

35. Kamble, S.S & H.V. Ghate (1994). First record of *Microhyla rubra* (Jerdon) (Amphibia: Anura) from Maharashtra. Vol. 91(1): 150-151. (Sangli, Maharashtra).
36. Kanamadi, R.D., N.V. Bhuttewadkar & C.R. Hiremath (1990). Onset of breeding season in some anuran amphibians of Dharwad, Karnataka. Vol. 87(1): 156-157. (Dharwad, Karnataka).
37. Khan, M.S. (1985). An interesting collection of amphibians and reptiles from Cholistan Desert, Punjab, Pakistan. Vol. 82(1): 144-148. (Cholistan Desert, Punjab, Pakistan).
38. Mahanta, J.K., S.K. Swain & M.C. Dash (1997). Morphometric relationships in tropical anurans and their relationship to some life history parametres. Vol. 94(2): 276-282.
39. Mahapatro, B.K. & M.C. Dash (1991). Breeding behaviour and morphometric relation of *Bufo stomaticus* Lutken (Anura: Amphibia). Vol. 88(1): 20-25. (Sambalpur, Orissa).
40. Malhotra, A. & K. Davis (1991). A report on a herpetological survey of the Srivilliputtur Reserve Forest, Tamil Nadu. Vol. 88(2): 157-166. (Srivilliputtur Reserve Forest, Tamil Nadu).
41. Manakadan, R. (1993). The Common Toad *Bufo melanostichus* and the Garden Lizard *Calotes versicolor* feeding on swarming termites. Vol. 90(3): 522. (Vedaranyam, Tamil Nadu).
42. Mitra, S.K. (1975). On the mode of preying of a Giant Water Bug (*Belostoma indicum* Le Peletier & Serville, 1775) on a frog (*Rana tigerina* Daudin, 1903). Vol. 72(2): 599-600. (Kushnapur, Keonjhar district, Orissa).
43. Mohanty-Hejmadi, P. & B.K. Acharya (1982). Observations on food habits of six species of Indian frogs. Vol. 79(1): 120-124. (Vani Vihar, Bhubaneswar, Orissa).
44. Mohanty-Hejmadi, P. & S.K. Dutta (1979). Breeding and development of *Rana cyanophlyctis* Schneider. Vol. 76(2): 291-296. (Vani Vihar, Bhubaneshwar, Orissa).
45. Mohanty-Hejmadi, P. & S.K. Dutta (1988). Life history of the Common Indian Tree Frog *Polypedates maculatus* (Gray 1834) (Anura: Rhacophoridae). Vol. 85(3): 512-517. (Vani Vihar, Bhubaneswar, Orissa).
46. Naik, Y.M. (1984). The occurrence of the Marbled Balloon Frog *Uperodon systoma* (Schneider) Family: Microhylidae in Baroda (Gujarat State). Vol. 81(2): 488-489. (River Vishwamitri, Baroda, Gujarat).
47. Naik, Y.M. & R.K. Patel (1986). Record of the Fungoid Frog *Rana malabarica* (Bibron) in Navsari (Gujarat State). Vol. 83(3): 672. (Navsari, Gujarat).
48. Naik, Y.M., K.R. Vinod & C. Patel (1993). Record of the Frog *Kaloula pulchra* Gray 1831 at Mal-Samot, Bharuch Dist., Gujarat state. Vol. 90(2): 299. (Mal-Samot, River Devganga, Gujarat).
49. Naik, Y.M. & K.R. Vinod (1993). Record of the Verrucose Frog *Rana keralensis* (Dubois) in Shoolpaneshwar Wildlife Sanctuary

- (Bharuch district, Gujarat). Vol. 90(3): 521-522.
(Shoolpaneshwar Wildlife Sanctuary, Bharuch district, Gujarat).
- 50. Padhye, A.D. & H.V. Ghate (1989). Spawning in the frog *Microhyla ornata* (Dum. & Bibr.). Vol. 86(3): 363-368. (Kothrud, Pune, Maharashtra).
 - 51. Paranjape, S.Y. & L. Mulherkar (1979). Dry skin preparations of frogs and toads as aids for their taxonomy. Vol. 76(2): 231-239.
 - 52. Pillai, R.S. & S.K. Chanda (1977). Two new species of frogs (Ranidae) from Khasi Hills, India. Vol. 74(1): 136-140. (Mawphlang, Nongkren, Khasi Hills, Meghalaya).
 - 53. Punzo, F. (1976). The effects of early experience on habitat selection in tadpoles of the Malayan Painted Frog *Kaloula pulchra* (Anura: Microhylidae). Vol. 73(2): 270-277.
 - 54. Radhakrishnan, C. (1996). Comments on the note "First records of *Microhyla rubra* (Jerdon) (Amphibia: Anura) from Maharashtra" by Kumble and Ghate. Vol. 93(1): 101-102.
 - 55. Rao, B.V.S. & K.S. Raju. (1976). Large scale incidence of sexual abnormality in the frog *Rana tigrina*. Vol. 73(1): 226. (Bhimavaram, Andhra Pradesh).
 - 56. Ravichandran, M.S. (1997). On the systematic position of the species *Polypedates pleurostictus* (Amphibia: Rhacophoridae). Vol. 94(2): 415-416. (Western Ghats)
 - 57. Ray, P. (1991). On the natural distribution of the rare tree frog *Rhacophorus taeniatus* Boulenger, 1906 (Anura: Rhacophoridae), with notes on its biology and osteology. Vol. 88(3): 376-380. (Dudhwa National Park, Uttar Pradesh, Purnia, Bihar).
 - 58. Roy, D., A. Sarma, B. Borah & B.W. Bannet (1998). Significance of biometric ratios and bioacoustic analysis in amphibian systematics. Vol. 95(1): 19-32.
 - 59. Sabnis, J.H. & S.M. Kuthe (1980). Observations on food and growth of *Bufo melanostictus* tadpole. Vol. 77(1): 21-25. (Amravati, Maharashtra).
 - 60. Sahu, A.K. (1994). Dichotomous key to the tadpoles of twelve Anuran species from north-eastern India. Vol. 91(3): 412-419. (Khasi, Garo and Jaintia Hills, Meghalaya).
 - 61. Sahu, A.K. & M.K. Khare (1983). Field key to *Rana alticola* Annandale (Anura: Ranidae) tadpoles. Vol. 80(1): 144-148.
 - 62. Sekar, A.G. (1984). Distribution of *Bufo camortensis* Mansukhani & Sarkar in the Andaman and Nicobar Islands. Vol. 81(2): 488-489. (Camorta, Central Nicobar, Nancowry, Andaman and Nicobar Is.).
 - 63. Sekar, A.G. (1987). A note on the breeding habits of Jerdon's Ramanella, *Ramanella montana*. Vol. 84(1): 231-232. (Mumbai, Borivli, Dahisar River, Maharashtra).
 - 64. Sekar, A.G. (1988). A note on the morphometry of *Rhacophorus malabaricus*, the Malabar Gliding Frog. Vol. 85(3): 627-628. (Volpai, Goa).
 - 65. Sekar, A.G. (1990). Observations on the developmental stages of tadpoles of the Malabar Gliding Frog *Rhacophorus malabaricus*

- Jerdon.1870 (Anura: Rhacophoridae). Vol. 87(2): 223-226. (Volpoi, Goa).
66. Sekar, A.G. (1990). Notes on morphometry, ecology, behaviour and food of tadpoles of *Rana curtipes* Jerdon 1853. Vol. 87(2): 312-313. (Londa, Beadhye River, Karnataka).
67. Sekar, A.G. (1991). Distribution of the amphibian fauna of India. Vol. 88(1): 125-127.
68. Sekar, A.G. (1992). A study of the food habits of six anuran tadpoles. Vol. 89(1): 9-16. (Borivli, Mumbai, Kanheri, Dahisar River, Maharashtra).
69. Sekar, A.G. (1992). Additions to the list of amphibian fauna of Goa. Vol. 89(1): 134-135. (Goa).
70. Sekar, A.G. (1992). Morphometry, habitat, behaviour and food of the tadpoles of Leith's Frog *Rana leithii*. Vol. 89(2): 259-261. (Matheran, Maharashtra, Western Ghats).
71. Sekar, A.G. (1995). On the morphology, advertising call and habitat of the Bush Frog *Philautus leucorhinus* (Lichtenstein and Martens, 1856). Vol. 92(1): 22-25. (Vorpoi, Molem, Canacona, Goa, Karnataka, Kerala, Western Ghats).
72. Sekar, A.G. (1996). Additions to the updated species list of amphibian fauna of India. Vol. 93(2): 303. (Maharashtra, Kerala).
73. Sekar, A.G. (1997). Range extension and some aspects of morphology and habitat of an anuran species *Limnonectes brevipalmata* (Peters, 1871) Ranidae). Vol. 94(1): 168-169. (Borivli, Maharashtra, Kerala, Tamil Nadu, Karnataka).
74. Sekar, A.G. (1998). New locality of the Koyna Toad *Bufo koynayensis* (Amphibia). Vol. 95(1): 125-126. (Amboli Ghats, Sindhudurg district, Koyna, Satara district, Maharashtra).
75. Sharma, S.K. (1992). First record of *Uperodon systoma* from Rajasthan. Vol. 89(1): 133-134. (Jaipur, Rajasthan).
76. Sharma, S.K. (1994). Effect of sewage water on different species of amphibians. Vol. 91(1): 151-152. (Jaipur, Rajasthan).
77. Sharma, S.K. (1994). Throat coloration in female *Microhyla ornata* (Dum. & Bibr.). Vol. 91(3): 463. (Udaipur, Aravalli hills, Rajasthan).
78. Sharma, S.K. (1995). Amphibians of Phulwari Ki Nal Wildlife Sanctuary. Vol. 92(1): 271-272. (Phulwari Ki Nal Wildlife Sanctuary, Udaipur district, Rajasthan, Aravalli hills).
79. Sharma, S.K. (1997). The occurrence of the Common Tree Frog *Polypedates maculatus* (Gray 1834) (Family: Rhacophoridae) in Rajasthan. Vol. 94(3): 580-581. (Bansi, Sitamata Wildlife Sanctuary, Udaipur district, Rajasthan).
80. Sharma, S.K. (1997). The occurrence of *Bufo stomaticus* and *Uperodon systoma* in Haryana State. Vol. 94(3): 581-582. (Sultanpur Bird Sanctuary, Gurgaon district, Haryana).
81. Sharma, B.D. & T. Sharma (1977). Lycosid spiders feeding on juveniles of the Skipper Frog *Rana cyanophlyctis* Schneider. Vol. 74(1): 189. (Poonch, Jammu and Kashmir).

82. Shrestha, T.K. (1984). On the distribution and habitat of the Himalayan Newt (*Tylototriton verrucosus* Anderson) in eastern Nepal. Vol. 81(2): 485-487. (Chulachuli Hills, Mai River, Hilae Dhankuta, Maipokhavi, Nepal).
83. Shrestha, T.K. (1985). Comments of cannibalistic properties in Himalayan newts. Vol. 82(3): 678-679. (Chulachuli, Nepal, Himalayas)
84. Shrestha, T.K. (1989). Ecological aspects of the life history of the Himalayan Newt *Tylototriton verrucosa* (Anderson) with reference to conservation and management. Vol. 86(3): 333-338. (Dhankuta, Nepal).
85. Tilak, R. & A. Hussain (1976). Extension of the range of distribution of a Microhylid Frog [*Uperdon systoma* (Schneider)]. Vol. 73(2): 407-408. (Siwalik Hills, Uttar Pradesh).
86. Tilak, R. & P. Ray (1990). Range extension and notes on *Rana erythraea* (Schlegel 1837) (Anura: Ranidae) from Dudhwa National Park, Uttar Pradesh. Vol. 87(3): 380-384. (Dudhwa National Park, Uttar Pradesh).
87. Uttangi, J.C. (1989). Some more species of anurans from Dharwad, north Karnataka. Vol. 86(2): 256-257. (Dharwad, Karnataka).
88. Vasudevan, K. (1997). Rediscovery of the Black Microhylid Frog *Melanobatrachus indicus* (Beddome 1878). Vol. 94(1): 170. (Kalakad-Mundanthurai Tiger Reserve, Anamalais, Western Ghats, Tamil Nadu).
89. Wemmer, C. & K.A. Nanjappa (1996). Battalion movement in recently metamorphosed bicoloured frogs *Rana curtipes*. Vol. 93(2): 302-303. (Madikeri, Coorg Hills, Karnataka).

Andaman and Nicobar Is. - 1, 13, 62	Madhya Pradesh - 7
Andhra Pradesh - 55	Maharashtra - 17, 30, 33, 35, 50, 59, 63, 68, 70, 72, 73, 74
Arunachal Pradesh - 11	Meghalaya - 52, 60
Assam - 6	Nepal - 82, 83, 84
Bihar - 57	Orissa - 8, 22, 24, 39, 42, 43, 44, 45
Goa - 3, 64, 65, 69, 71	Pakistan - 37
Gujarat - 46, 47, 48, 49	Punjab - 5, 37
Haryana - 80	Rajasthan - 75, 76, 77, 78, 79
Himalayas - 83	Tamil Nadu - 17, 34, 40, 41, 73, 88
Jammu and Kashmir - 81	Uttar Pradesh - 12, 57, 85, 86
Karnataka - 16, 17, 20, 36, 66, 71, 73, 87, 89	West Bengal - 19
Kerala - 17, 27, 28, 29, 31, 32, 71, 72, 73	Western Ghats - 17, 56, 70, 71, 88

CROCODILES

1. Acharjyo, L.N., S. Biswas & R. Misra (1975). Some notes on Gharial [*Gavialis gangeticus* (Gmelin)] in captivity. Vol. 72(2): 558-560. (Nandankanan Biological Park, Orissa).
2. Acharjyo, L.N., S.K. Kar & S.K. Patnaik (1996). Studies on captive breeding of the Gharial, *Gavialis gangeticus* (Gmelin) in Orissa. Vol. 93(2): 210-213. (Nandankanan Biological Park, Orissa).
3. Acharjyo, L.N. & R. Misra (1976). Egg laying of the Mugger (*Crocodylus palustris*). in captivity. Vol. 73(1): 223. (Nandankanan Biological Park, Orissa).
4. Acharjyo, L.N. & C.G. Misra (1981). Egg laying and nest guarding behaviour of Estuarine Crocodile (*Crocodylus porosus* Schneider) in captivity. Vol. 78(2): 387-390. (Nandankanan Biological Park, Orissa).
5. Acharjyo, L.N. & S.K. Patnaik. (1987). A note on the breeding of Estuarine Crocodile (*Crocodylus porosus* Schneider) at Nandankanan Biological Park. Vol. 84(2): 448-449. (Nandankanan Biological Park, Orissa).
6. Acharjyo, L.N. & L.A.K. Singh (1989). Twinning abnormality in *Gavialis gangeticus* (Reptilia, Crocodilia). Vol. 86(2): 248-250. (Nandankanan Biological Park, Orissa).
7. Acharjyo, L.N., L.A.K. Singh & S.K. Patnaik (1990). Age at sexual maturity of Gharial *Gavialis gangeticus* (Gmelin) (Reptilia: Crocodilia). Vol. 87(3): 458-459. (River Mahanadi, Nandankanan Biological Park, Orissa).
8. Acharjyo, L.N., L.A.K. Singh & S.K. Patnaik (1991). Occurrence of congenital blindness in Gharial *Gavialis gangeticus* (Reptilia: Crocodilia). Vol. 88(1): 117-118.
9. Acharya, T. (1985). Captive breeding at Bhagabatpur Crocodile Farm, Sunderbans (West Bengal), India: The case of a wild caught female (*Crocodylus porosus* Schneider). Vol. 82(2): 417-420. (Bhagabatpur, Sundarbans, West Bengal).
10. Ahmad, A. (1986). The distribution and population of crocodiles in the provinces of Sind and Baluchistan (Pakistan). Vol. 83(1): 220-223. (River Dasht, Sind, Baluchistan, Pakistan).
11. Banerjee, R. (1985). Nest guarding by Estuarine Crocodile - A behaviour study in the Sunderbans. Vol. 82(1): 214-215. (Bhagabatpur, Sundarbans, West Bengal).
12. Basu, D. & H.R. Bustard (1981). Maternal behaviour in the Gharial [*Gavialis gangeticus* (Gmelin)]. Vol. 78(2): 390-392. (Chambal River, Madhya Pradesh, Uttar Pradesh, Rajasthan).
13. Biswas, S. (1977). Nesting behaviour of estuarine crocodile *Crocodylus porosus* Schneider. Vol. 74(2): 361. (Bhitarkanika, Orissa).
14. Biswas, S., L.N. Acharjyo & S. Mohapatra (1977). A note on the protuberance or knob on the snout of male Gharial [*Gavialis gangeticus* (Gmelin)]. Vol. 74(3): 536-537. (Nandankanan Biological Park, Orissa).

15. Biswas, S. & S. Kar (1981). Some observations on nesting habits and biology of *Varanus salvator* (Laurent) of Bhitarkanika Sanctuary, Orissa. Vol. 78(2): 303-308. (Bhitarnika Sanctuary, Mahanadi-Baitarani estuary, Orissa).
16. Bustard, H.R. (1979). A note on nesting behaviour in the Indian Gharial *Gavialis gangeticus* (Gmelin) (Reptilia, Crocodilia). Vol. 76(3): 519-520. (Narayani River, Nepal).
17. Bustard, H.R. (1980). Clutch size, incubation and hatching success of Gharial (*Gavialis gangeticus* Gmelin) eggs from Narayani river, Nepal. Vol. 77(1): 100-105. (Narayani River, Nepal).
18. Bustard, H.R. (1980). Status of the Gharial (*Gavialis gangeticus* Gmelin) in Bhutan. Vol. 77(1): 150. (Manas River, Bhutan).
19. Bustard, H.R. & D. Basu (1982). A record (?) Gharial clutch. Vol. 79(1): 207-208.
20. Bustard, H.R. & B.C. Choudhury (1980). Parental care in the Saltwater Crocodile (*Crocodylus porosus* Schneider) and management implications. Vol. 77(1): 64-69. (Bhitarkanika, Orissa, Andamans, Andaman and Nicobar Is., Bay of Bengal).
21. Bustard, H.R. & B.C. Choudhury (1980). Conservation future of the Saltwater Crocodile (*Crocodylus porosus* Schneider) in India. Vol. 77(2): 201-214. (Bhitarkanika Sanctuary, Orissa, Coringa, Kochi, Kerala, Tamil Nadu, Krishna estuary, Andhra Pradesh, Andaman and Nicobar Is., West Bengal, Myanmar, Sundarbans).
22. Bustard, H.R. & B.C. Choudhury (1982). The distribution of the Gharial. Vol. 79(2): 427-428. (Papikonda Gorge, Godavari River, Andhra Pradesh, Mahanadi River, Madhya Pradesh, Indus, Ganges, Brahmaputra, Kaladan River, Irrawaddy River, Myanmar).
23. Bustard, H.R. & S.K. Kar (1980). Defence of nest against man by Saltwater Crocodile (*Crocodylus porosus* Schneider). Vol. 77(2): 514-515. (Bhitarkanika Sanctuary, Orissa).
24. Bustard, H.R. & S.K. Kar (1980). Territoriality in immature captive Saltwater Crocodiles (*Crocodylus porosus* Schneider). Vol. 77(1): 148-149. (Dangmal, Orissa).
25. Bustard, H.R. & S. Maharana (1981). Fatal male-male conflict in the Gharial, *Gavialis gangeticus* (Gmelin) (Reptilia, Crocodila). Vol. 78(1): 171-173. (Nandankanan Biological Park, Orissa).
26. Bustard, H.R. & S. Maharana (1982). The behaviour of the nest-guarding Saltwater Crocodile (*Crocodylus porosus* Schneider). A preliminary quantitative study. Vol. 79(1): 87-92. (Nandankanan Biological Park, Orissa).
27. Bustard, H.R. & S. Maharana (1982). Size at first breeding in the Gharial [*Gavialis gangeticus* (Gmelin)] (Reptilia, Crocodilia) in captivity. Vol. 79(1): 206-207. (Katerniaghata, Uttar Pradesh, Nandankanan, Orissa).
28. Bustard, H.R. & S. Maharana (1982). Female territoriality in immature Saltwater Crocodile *Crocodylus porosus* Schneider in captivity and its effect on growth and survival. Vol. 79(2): 419-424. (Dangmal, Nandankanan Biological Park, Orissa).

29. Bustard, H.R. & S. Maharana (1983). Growth rates in sub-adult Gharial *Gavialis gangeticus* (Gmelin) (Reptilia, Crocodilia). Vol. 80(1): 224-226. (Nandankanan Biological Park, Orissa).
30. Bustard, H.R. & L.A.K. Singh (1977). Studies on the Indian Gharial *Gavialis gangeticus* (Gmelin) (Reptilia, Crocodilia): Change in the terrestrial locomotory pattern with age. Vol. 74(3): 534-536.
31. Bustard, H.R. & L.A.K. Singh (1981). Age at onset of sexual maturity in male Indian Mugger (*Crocodylus palustris*, Lesson) reared under ideal husbandry conditions in captivity. Vol. 78(3): 607-610. (Hogenakal, Karnataka, Cauvery River, Dharmapuri, Tamil Nadu, Tikerpada, Orissa).
32. Bustard, H.R. & L.A.K. Singh (1981). Gharial attacks on man. Vol. 78(3): 610-611. (Satkoshia, Gorge Sanctuary, Mahanadi River, Orissa).
33. Choudhury, A. (1992). Records of the Gharial *Gavialis gangeticus* (Gmelin) from the Dhakuakhana area of Assam. Vol. 89(3): 380-381. (Dhakuakhana, Lakhimpur district, Brahmaputra, Subansiri River, Assam).
34. Choudhury, A. (1997). Records of the Gharial *Gavialis gangeticus* (Gmelin) from the Barak River system of northeastern India. Vol. 94(1): 162-164. (Barak River, Assam, Manipur, Mizoram, Nagaland, Tripura).
35. Choudhury, A. (1998). Status of the Gharial *Gavialis gangeticus* in the main Brahmaputra River. Vol. 95(1): 118-120. (Brahmaputra, Assam).
36. Choudhury, B.C. & H.R. Bustard (1979). Predation of natural nests of the Saltwater Crocodile (*Crocodylus porosus* Schneider) on North Andaman Island with notes on the crocodile population. Vol. 76(2): 311-323. (North Andaman Island, Andaman and Nicobar Is., Bay of Bengal).
37. Choudhury, B.C. & H.R. Bustard (1982). Restocking Mugger Crocodile *Crocodylus palustris* (Lesson) in Andhra Pradesh: Evaluation of a pilot release. Vol. 79(2): 275-289. (Krishna, Godavari, Ethipothalla Falls, Andhra Pradesh).
38. Choudhury, B.C. & H.R. Bustard (1983). Stunted growth of captive-reared Gharial. Vol. 80(2): 423-425. (Hyderabad, Andhra Pradesh).
39. Choudhury, S. (1988). Feeding and growth of hatchlings of *Gavialis gangeticus* in captivity. Vol. 85(2): 288-297. (Kukrail, Lucknow, River Chambal, Uttar Pradesh).
40. Daniel, J.C. & S.A. Hussain (1974). The record (?) Saltwater Crocodile (*Crocodylus porosus* Schneider). Vol. 71(2): 309-312. (Bhitarkanika Island, Chandbali, Orissa, Bay of Bengal).
41. Das, I. (1989). New evidence of the occurrence of Water Monitor *Varanus salvator* in Meghalaya. Vol. 86(2): 253-255. (Khasi and Garo Hills, Meghalaya).
42. Gochhi, S. (1986). Repeated voluntary captivity by a female Mugger. Vol. 83(2): 448. (Tikarpura, Orissa).

43. Gupta, R.C. & C.S. Bhardwaj (1996). Reproductive behaviour of Indian Mugger (*Crocodylus palustris*) at Bhor-Saindan Crocodile Sanctuary in Haryana. Vol. 93(1): 97-101. (Bhor-Saindan Crocodile Sanctuary, Kurukshetra district, Haryana).
44. Gupta, R.C. & P.S. Hari (1989). On the basking behaviour of the Mugger *Crocodylus palustris* Lesson (Reptilia: Crocodilia) at Bhorsainda Crocodile Sanctuary, Haryana State. Vol. 86(2): 170-174. (Bhorsainda Crocodile Sanctuary, Kurukshetra district, Haryana).
45. Joseph, A., E. Chauhan, K. Khanna & R. Whitaker (1975). Marsh Crocodile *Crocodylus palustris* in the Gir. Vol. 72(3): 862-863. (Gir, Kamleshwar Lake, Gujarat).
46. Kar, C.S. & R.J. Rao (1985). A Gharial (*Gavialis gangeticus*) at Gahirmatha coast, Orissa, India. Vol. 82(3): 671-674. (Gahirmatha, Bhitarkanika Wildlife Sanctuary, Orissa).
47. Kar, S.K. (1979). Malformation at birth in the Saltwater Crocodile (*Crocodylus porosus* Schneider) in Orissa, India. Vol. 76(1): 166-167. (Dangamal, Bhitarkanika Sanctuary, Orissa).
48. Kar, S.K. (1993). Post hatching dispersal and growth of the Saltwater Crocodile *Crocodylus porosus* Schneider, in Orissa, India. Vol. 90(3): 446-450. (Bhitarkanika Wildlife Sanctuary, Orissa).
49. Kar, S.K. & H.R. Bustard (1991). Rehabilitation of Saltwater Crocodile *Crocodylus porosus* Schneider in the Bhitarkanika Wildlife Sanctuary, Orissa. Vol. 88(3): 395-399. (Bhitarkanika, Suhajora Creek, Orissa).
50. Kar, S.K. & H.R. Bustard (1989). Status of the Saltwater Crocodile (*Crocodylus porosus* Schneider) in the Bhitarkanika Wildlife Sanctuary, Orissa. Vol. 86(2): 141-150. (Bhitarkanika Wildlife Sanctuary, Orissa).
51. Kar, S.K. & H.R. Bustard (1990). Results of pilot Saltwater Crocodile *Crocodylus porosus* Schneider restocking in Bhitarkanika Wildlife Sanctuary, Orissa. Vol. 87(2): 195-200. (Bhitarkanika, Orissa).
52. Krishnamurthy, V.S. & R. Bhaskaran (1976). Growth studies on two species of crocodiles in captivity. Vol. 73(3): 532-533. (Chidambaram, Tamil Nadu).
53. Krishnamurthi, V.S. & R. Bhaskaran (1980). Some observations on the growth of captive crocodiles. Vol. 77(3): 516-521. (Chidambaram, Tamil Nadu).
54. Lal, S. & D. Basu (1982). Sexing and sex ratio of Gharial (*Gavialis gangeticus*) raised in captivity. Vol. 79(3): 688-691. (Kukrail, Lucknow, Uttar Pradesh).
55. Maharana, S. & H.R. Bustard (1982). Behaviour of the male Gharial during the nesting and post-hatching period. Vol. 79(3): 677-680.
56. Nair, S.S.C., P.V. Nair, H.C. Sharatchandra & M. Gadgil (1977). An ecological reconnaissance of the proposed Jawahar National Park. Vol. 74(3): 401-435. (Bandipur, Nagarhole, Karnataka,

- Mudumalai, Tamil Nadu, Wynad, Kerala). See page 421 for crocodile.
- 57. Natarajan, V. & S. Balachandran (1990). Marsh Crocodile *Crocodylus palustris* (Lesson) at Point Calimere, Tamil Nadu. Vol. 87(2): 307-308. (Point Calimere, Cauvery River, Great Vedaranyam Swamp, Tamil Nadu).
 - 58. Rao, K.T., B.T. Rao, Y. Rama & B.B. Lakshmi (1984). Nutritional disorders of young captive crocodiles. Vol. 81(2): 481-482.
 - 59. Rao, R.J. (1991). Saltwater Crocodile *Crocodylus porosus* in Andhra Pradesh. Vol. 88(1): 116-117. (Moolapeta, Coringa, Orissa, West Bengal, Andaman & Nicobar Islands, Tamil Nadu, Andhra Pradesh, Sri Lanka).
 - 60. Rao, R.J. & B.C. Choudhury (1992). Sympatric distribution of Gharial *Gavialis gangeticus* and Mugger *Crocodylus palustris* in India. Vol. 89(2): 312-315.
 - 61. Rao, R.J. & L.A.K. Singh (1993). Communal nesting by Gharial *Gavialis gangeticus* (Gmelin) (Reptilia: Crocodilia) in National Chambal Sanctuary. Vol. 90(1): 17-22. (National Chambal Sanctuary, Madhya Pradesh, Rajasthan, Uttar Pradesh).
 - 62. Ross, C.A. (1975). Reflected glow from the eyes of the Gharial. Vol. 72(2): 557-558. (Mysore Zoo, Karnataka).
 - 63. Saxena, R. (1992). Unusual nesting site of Mugger *Crocodylus palustris* in Madhav National Park. Vol. 89(1): 132-133. (Madhav National Park, Shivpuri district, Madhya Pradesh).
 - 64. Sharma, R.K. (1985). Results of 1981 survey for Gharial (*Gavialis gangeticus*) in North National Chambal Sanctuary. Vol. 82(1): 215-218. (Chambal River, Bhavesuri-Gyanpura, Madhya Pradesh).
 - 65. Singh, L.A.K. (1979). Sexual attraction of a wild Mugger (*Crocodilus palustris* Lesson) toward captive Muggers. Vol. 76(1): 167-171. (River Mahanadi, Satkoshia Gorge, Orissa).
 - 66. Singh, L.A.K. (1979). Reaction to night spotting in the Gharial, *Gavialis gangeticus* (Gmelin). Vol. 76(2): 367-368. (Tikerpada, Satkoshia Gorge, River Mahanadi, Orissa).
 - 67. Singh, L.A.K. (1982). Trap used for catching a Mugger (*Crocodylus palustris*) from nature. Vol. 79(3): 684-687. (Satkoshia Gorge, River Mahanadi, Orissa).
 - 68. Singh, L.A.K. (1983). Observations on the movement of two captive-reared Mugger Crocodiles, *Crocodylus palustris* Lesson when returned to the wild. Vol. 80(1): 86-90. (Tikerpada, Satkoshia Gorge, Mahanadi River, Orissa).
 - 69. Singh, L.A.K. (1983). Observations on food requirement and food conversion in the Mugger (*Crocodylus palustris*) reared in captivity. Vol. 80(2): 418-423. (Tikerpada, Orissa).
 - 70. Singh, L.A.K. (1983). The Indian Mugger, *Crocodylus palustris* Lesson (Reptilia, Crocodilia): Observations on the behaviour of a female from nature. Vol. 80(3): 499-506. (Tikerpada, Orissa).

71. Singh, L.A.K. (1983). Communal use of village ponds by the Mugger Crocodile (*Crocodylus palustris*), cattle and man. Vol. 80(3): 642-645. (Beherasahi, Satkoshia Gorge, Mahanadi River, Orissa, Killikudu Reservoir, Tamil Nadu, Pakistan).
72. Singh, L.A.K. & H.R. Bustard (1982). The extinction of the Gharial (*Gavialis gangeticus* Gmelin) from the Brahmani and Baitarani rivers of Orissa. Vol. 79(2): 424-425. (Brahmani and Baitarani rivers, Sileru River, Mahanadi River, Orissa).
73. Singh, L.A.K. & H.R. Bustard (1982). Growth and behaviour of a blind Gahrial *Gavialis gangeticus* (Gmelin). Vol. 79(3): 681-684. (Narayani and Kali Rivers, Nepal, Chambal River, Madhya Pradesh).
74. Singh, L.A.K. & R.J. Rao. (1986). Significance of residual egg-fluid to hatching patterns in the Gharial (*Gavialis gangeticus*) and emydid freshwater turtles (Reptilia, Crocodilia and Chelonia). Vol. 83(1): 217-220. (Tikkerpada, Satkoshia Gorge, Chambal Sanctuary, Orissa).
75. Singh, L.A.K. & R.J. Rao (1990). Territorial behaviour of male Gharial *Gavialis gangeticus* in the National Chambal Sanctuary, India. Vol. 87(1): 149-151. (National Chambal Sanctuary, Madhya Pradesh, Rajasthan, Uttar Pradesh).
76. Singh, L.A.K. & S.R. Sagar (1992). Prolonged egg incubation and congenital tail deformities in *Crocodylus palustris* (Reptilia: Crocodilia). Vol. 89(2): 194-198. (Ramatirtha, Orissa).
77. Singh, V.B. (1978). The status of the Gharial (*Gavialis gangeticus*) in U.P. and its rehabilitation. Vol. 75(3): 668-683 (Narayani or Gandak River, Ghagra River, Girwa River, Katherniaghant Sanctuary, Chambal River, Ramganga, Yamuna, Betwa, Ken, Son, Tons and Rapti Rivers, Uttar Pradesh).
78. Srivastava, A.K. & H.R. Bustard (1995). Phylogeny and zoogeography of the Gharial, *Gavialis gangeticus* (Gmelin) (Reptilia, Crocodilia). Vol. 92(2): 230-233.
79. Whitaker, R. (1976). A note on crocodilian sex determination. Vol. 73(3): 531-532.
80. Whitaker, R. (1978). Notes on the status of the Gir Crocodiles. Vol. 75(1): 224-227 (Gir, Hiran Lake, Ranjit Sagar, Jamnagar, Gujarat).
81. Whitaker, R. (1978). Permanent marking systems for crocodilians. Vol. 75(2): 496. (Chennai, Tamil Nadu).
82. Whitaker, R. & H. Andrews (1988). Notes on crocodilian locomotion. Vol. 85(3): 621-622.
83. Whitaker, R. & H. Andrews (1989). First record of a skin nematode on an Indian Mugger Crocodile (*Crocodylus palustris*). Vol. 86(1): 106.
84. Whitaker, R. & D. Basu (1982). The Gharial (*Gavialis gangeticus*): A review. Vol. 79(3): 531-548. (Indus, Pakistan, Ganges, Bangladesh, Brahmaputra, Manas, Bhutan, Mahanadi, Orissa, Godavari, Andhra Pradesh, Irrawaddy, Myanmar).
85. Whitaker, R. & Z. Whitaker (1976). Collection and catching of Marsh Crocodile (*Crocodylus palustris*) eggs. Vol. 73(2): 403-

407. (Grand Anicut, Sathanar Dam, Coleroon River, Amaravati Dam, Chidambaram, Bhavanisagar, Hogenakal, Tamil Nadu.).
86. Whitaker, R. & Z. Whitaker (1977). Note on natural history of *Crocodylus palustris*. Vol. 74(2): 358-360. (Kedarhalla and Moyur rivers, Tamil Nadu).
87. Whitaker, R. & Z. Whitaker (1978). A preliminary survey of the Saltwater Crocodile (*Crocodylus porosus*) in the Andaman Islands. Vol. 75(1): 43-49. (Andaman & Nicobar Islands). See for Water Monitor also.
88. Whitaker, R. & Z. Whitaker (1978). Notes on vocalization and protective behaviour in the Mugger. Vol. 75(1): 227-228.
89. Whitaker, R. & Z. Whitaker (1978). Growth rate of *Crocodylus palustris*. Vol. 75(1): 231-232. (Chennai, Tamil Nadu).
90. Whitaker, R. & Z. Whitaker (1979). Preliminary crocodile survey - Sri Lanka. Vol. 76(1): 66-85. (Sri Lanka). See for Water Monitor also.
91. Whitaker, R., Z. Whitaker & A. Vaughan (1980). Notes on sexing crocodilians. Vol. 77(2): 341.
92. Whitaker, R. & Z. Whitaker (1982). A taxonomic note on Mugger subspecies (*Crocodylus palustris*). Vol. 79(2): 426-427. (Mettur Dam, Tamil Nadu, Kerala, Ranganathittu, Karnataka, Uttar Pradesh, Sri Lanka).
93. Whitaker, R. & Z. Whitaker (1984). Reproductive biology of the Mugger (*Crocodylus palustris*). Vol. 81(2): 297-317. (Corbett National Park, Uttar Pradesh, Chennai, Tamil Nadu, Karnataka, Gujarat, Sri Lanka, Nepal).
94. Whitaker, Z. & R. Whitaker (1978). Notes on captive breeding in Mugger (*Crocodylus palustris*). Vol. 75(1): 228-231 (Chennai, Tamil Nadu).

Andaman and Nicobar – 20, 21, 36, 59, 87	Mizoram – 34
Andhra Pradesh - 21, 22, 37, 38, 59, 84	Myanmar - 21, 22, 84
Assam - 33, 34, 35	Nagaland – 34
Bangladesh – 84	Nepal - 16, 17, 73, 93
Bay of Bengal - 20, 36, 40	Orissa - 1, 2, 3, 4, 5, 6, 7, 13, 14, 15, 20, 21, 23, 24, 25, 26, 27, 28, 29, 31, 32, 40, 42, 46, 47, 48, 49, 50, 51, 59, 65, 66, 67, 68, 69, 70, 71, 72, 74, 76, 84
Bhutan - 18, 84	Pakistan - 10, 71, 84
Gujarat - 45, 80, 93	Rajasthan - 12, 61, 75
Haryana – 43, 44	Sri Lanka - 59, 90, 92, 93
Karnataka – 31, 56, 62, 92, 93	Sundarbans - 9, 11, 21
Kerala – 21, 56, 92	Tamil Nadu - 21, 31, 52, 53, 56, 57, 59, 71, 81, 85, 86, 89, 92, 93, 94
Madhya Pradesh - 12, 22, 61,	Tripura – 34

63, 64, 73, 75	
Manipur – 34	Uttar Pradesh - 12, 27, 39, 54, 61, 75, 77, 92, 93
Meghalaya – 41	West Bengal - 9, 11, 21, 59

TORTOISES/TURTLES

1. Ahsan, M.F., M.N. Haque & M.A. Saeed (1994). Notes on feeding habits and some morphological features of the Bostami Turtle *Aspideretes nigricans* (Anderson). Vol. 91(3): 457-461. (Chittagong, Bangladesh).
2. Ahsan, M.F. & M.A. Saeed (1989). The Bostami Turtle *Trionyx nigricans* Anderson: Population status, distribution, historical background and length-weight relationship. Vol. 86(1): 1-6. (Bangladesh).
3. Alagarajan, S. & P. Balasubramanian (1991). Some food plants of the Star Tortoise *Geochelone elegans* at Point Calimere Wildlife Sanctuary, Tamil Nadu. Vol. 88(2): 290. (Point Calimere, Tamil Nadu).
4. Auffenberg, W. (1981). Behaviour of *Lissemys punctata* (Reptilia, Testudinata, Trionychidae) in a drying lake in Rajasthan, India. Vol. 78(3): 487-493. (Bharatpur, Keoladeo National Park, Rajasthan).
5. Banerjee, R., N.C. Nandi, & S.K. Raut (1985). On the infantile mortality of Olive Ridley *Lepidochelys olivacea* (Eschcholtz) in captivity. Vol. 82(1): 212. (Bhagabatpur, Sundarbans, West Bengal).
6. Barman, R (1996). Occurrence of Indian Peacock Shell Turtle in Gauhati University campus. Vol. 93(3): 591. (Gauhati, Assam).
7. Bharucha, E. (1987). Turtles using domestic buffaloes as basking rafts. Vol. 84(2): 447-448.
8. Batra, R. & S. Prakash (1995). Simplified field technique for obtaining blood from freshwater turtles. Vol. 92(2): 269.
9. Bhadauria, R.S., A. Pai & D. Basu (1990). Habitat, nesting and reproductive adaptations in Narrow-headed Soft-shell Turtle *Chitra indica* (Gray), (Reptilia: Chelonia). Vol. 87(3): 364-367. (Chambal River, Madhya Pradesh, Uttar Pradesh, Rajasthan, Andhra Pradesh, Indus River, Godavari River, Pakistan).
10. Bhatt, K. (1989). New locality record for the Indian Pink-ringed Terrapin. Vol. 86(2): 252-253. (Patalia Hanuman, River Tapti, Gulf of Khambhat, Mahanadi, Godavari, Andhra Pradesh, Krishna, Ganges, Surat, Gujarat).
11. Bhupathy, S. (1989). Morphometry of the Indian Flapshell Turtle (*Lissemys punctata* Andersoni). Vol. 86(3): 252. (Bharatpur, Keoladeo National Park, Rajasthan).
12. Bhupathy, S. (1990). Observations on the food of the Ganges Softshell Turtle *Trionyx gangeticus* Cuvier in Keoladeo National Park, Bharatpur. Vol. 87(3): 460-461. (Keoladeo National Park, Bharatpur, Rajasthan).

13. Bhupathy, S. (1994). The distribution of the Asian Brown Tortoise *Manouria emys* in India and the taxonomic status of subspecies. Vol. 91(1): 147-149. (Mupa-Lantang Reserve Forest, Assam, Nagaland, Meghalaya, Arunachal Pradesh, Bangladesh).
14. Bhupathy, S. (1997). Conservation of the endangered River Terrapin *Batagur baska* in the Sunderban of West Bengal, India. Vol. 94(1): 27-35. (Sundarbans, West Bengal).
15. Bhupathy, S. & C.R. Ajithkumar (1988). On the identity and occurrence of the Peacock Softshell (*Trionyx hurum*) in Rajasthan. Vol. 85(3): 624. (Bharatpur, Keoladeo National Park, Rajasthan).
16. Bhupathy, S. & B.C. Choudhury (1994). A note on the reproductive biology of the Spotted Pond Turtle *Geoclemys hamiltonii*. Vol. 91(1): 146-147. (Kaziranga National Park, River Brahmaputra, Orang Wildlife Sanctuary, Assam, Pakistan, Bangladesh).
17. Bhupathy, S. & B.C. Choudhury (1995). Status, distribution and conservation of the Travancore Tortoise *Indotestudo forstenii* in Western Ghats. Vol. 92(1): 16-21. (Karnataka, Kerala, Tamil Nadu, Western Ghats, Sulawesi, Indonesia).
18. Bhupathy, S., C.S. Silori & S.F.W. Sunderraj (1994). Additional locality records for two Indian tortoise species. Vol. 91(1): 149. (Kotdwara, Corbett and Rajaji National Parks, Uttar Pradesh, Mudumalai, Tamil Nadu).
19. Bhupathy, S. & V.S. Vijayan (1991). The freshwater turtle fauna of eastern Rajasthan. Vol. 88(1): 118-122. (River Banganga and Gambir, Rajasthan).
20. Bhupathy, S. & V.S. Vijayan (1994). Aestivation of turtles in Keoladeo National Park with special reference to Indian Flap-shell Turtle (*Lissemys punctata*). Vol. 91(3): 398-402. (Bharatpur, Keoladeo National Park, Rajasthan).
21. Biswas, S. & L.N. Acharjyo (1984). Observations of *Geochelone elegans* (Schoepff) in captivity, Orissa, India. Vol. 81(3): 707. (Nandankanan Biological Park, Orissa).
22. Choudhury, A. (1990). Two freshwater turtles of the genus *Kachuga* from Assam. Vol. 87(1): 151-152. (Disangmukh, Pani-Dihing, Sibsagar district, Assam).
23. Choudhury, A. (1993). Keeled Box Turtle in Karbi Anglong - A new locality record. Vol. 90(3): 517. (Dhansiri, Karbi Anglong district, Assam, Tirap district, Arunachal Pradesh, Garo Hills, Meghalaya).
24. Choudhury, A. (1995). The Assam Roofed Turtle *Kachuga sylhetensis* in Sadiya – a new locality record. Vol. 92(3): 426. (Sadiya, Chapakhowa, Tinsukia district, Assam).
25. Choudhury, A. (1996). The Keeled Box Turtle *Pyxidea mouhotii* Gray on the north bank of the Brahmaputra - A new record. Vol. 93(1): 97. (Madhupur, Lakhimpur district, Assam, Meghalaya, Arunachal Pradesh).

26. Choudhury, A. (1996). Distribution of *Kachuga smithii* (Gray) in Assam. Vol. 93(2): 301. (Brahmaputra, Matmora, Lakhimpur district, Sibsagar, Manas, Kaziranga, Jorhat, Assam).
27. Choudhury, A. (1996). New localities for Brown Hill Tortoise *Manouria emys* (Schlegel and Muller) from Kabri Anglong, Assam. Vol. 93(3): 590. (Kaliyani Reserve Forest, Karbi Anglong district, North Cachar Hills, Assam, Nagaland, Meghalaya).
28. Choudhury, A. (1996). The Keeled Box Turtle *Pyxidea mouhotii* Gray - A new record for Manipur. Vol. 93(3): 590-591. (Tamenglong district, Manipur).
29. Choudhury, A. (1998). *Pyxidea mouhotii* (Gray) in southern Assam and Mizoram. Vol. 95(3): 511-512. (Katlichara, Hailakandi district, Assam).
30. Choudhury, N.K. & S. Sengupta (1998). The Brown Roofed Turtle *Kachuga smithii pallidipes* Moll, in the Brahmaputra drainage. Vol. 95(3): 510-511. (Brahmaputra, Kukurmara, Kamrup district, Assam).
31. Das, I. (1987). Distribution of the Keeled Box Turtle *Pyxidea mouhotii* (Gray). Vol. 84(1): 221-222. (Garo Hills, Meghalaya, Namdapha, Tirap district, Arunachal Pradesh, Barail, Thailand, Vietnam, China).
32. Das, I. (1987). New locality record for the Indian Peacock Softshell Turtle *Trionyx hurum*. Vol. 84(3): 691-692. (Lower lake, Bhopal, Madhya Pradesh).
33. Das, I. (1988). Defensive behaviour in the Indian Roofed Turtle *Kachuga tecta* (Gray). Vol. 85(1): 197-198.
34. Das, I (1990). Distributional records for chelonians from northeastern India. Vol. 87(1): 91-97. (Assam, Manas Tiger Reserve, Nagaland, Manipur, Arunachal Pradesh, Meghalaya).
35. Das, I. (1990). Notes on the land tortoises of Bangladesh. Vol. 87(1): 155-156. (Bangladesh).
36. Datta, A. (1998). Records of turtles from Pakhui Wildlife Sanctuary, Arunachal Pradesh, northeast India. Vol. 95(1): 121-123. (Pakhui Wildlife Sanctuary, Kameng district, Arunachal Pradesh, Nagaland, Meghalaya, Nameri Wildlife Sanctuary, Khari stream, Assam).
37. Dinerstein, E, G.R. Zug & J.C. Mitchell (1987). Notes on the biology of *Melanochelys* (Reptilia Testudines, Emydidae). Vol. 84(3): 687-688. (Royal Chitwan National Park, Nepal).
38. Frazier, J. (1989). Observations on stranded Green Turtles *Chelonia mydas* in the Gulf of Kutch. Vol. 86(2): 250-252. (Okha, Gulf of Kachchh, Gujarat, Arabian Sea).
39. Frazier, J. (1992). The land tortoise in Nepal: A review. Vol. 89(1): 45-54. (Nepal).
40. Frazier, J.G. & J.E. Keirans (1990). Ticks (Acari: Ixodidae) collected on chelonians (Reptilia) from India and Burma. Vol. 87(2): 247-249. (Myanmar).

41. George, M.J. (1986). Cannibalistic behaviour of freshwater turtles in Keoladeo National Park Bharatpur, Rajasthan. Vol. 83(3): 670-671. (Bharatpur, Keoladeo National Park, Rajasthan).
42. George, M.J. (1988). Freshwater turtle *Lissemys punctata* (family: Trionychidae) with missing limbs in Keoladeo National Park, Bharatpur, Rajasthan. Vol. 85(2): 436-437. (Keoladeo National Park, Bharatpur, Rajasthan).
43. Ghosh, A. & N.R. Mandal (1990). Studies on nesting and artificial hatching of the endangered River Terrapin *Batagur baska* (Gray) in the Sunderbans Tiger Reserve, West Bengal. Vol. 87(1): 50-52. (Sundarbans, West Bengal).
44. Gupta, V.K. (1987). Retention of eggs by the emydine turtles *Kachuga tectum tectum* and *Kachuga smithi*. Vol. 84(2): 445-447.
45. Hall, P.M. (1980). A new turtle for Nepal. Vol. 77(2): 521-522. (Janakpur, Dhanusa district, Nepal).
46. Hossain, M.L. & M.S.U. Sarker (1995). Observations on the Narrow-headed Softshell Turtle (*Chitra indica*) in Bangladesh. Vol. 92(3): 423-426. (Bangladesh).
47. Jayson, E.A. (1993). Starred Tortoise *Geochelone elegans* (Schoepff) in Chinnar Wildlife Sanctuary, Kerala. Vol. 90(1): 112. (Churilippatty, Chinnar Wildlife Sanctuary, Kerala).
48. Kalaiarasan, V., R. Kanakasabai & B. Rathinasabapathy (1992). Record of the riverine turtle *Trionyx leithi* from Thanjavur district, Tamil Nadu. Vol. 89(2): 258-259. (Coleroon River, Kollidam, Tamil Nadu).
49. Kannan, R. (1985). Freshwater turtles capturing coots. Vol. 82(1): 213. (Keoladeo National Park, Bharatpur, Rajasthan).
50. Kar, S. (1986). A note on a Hawksbill Turtle (*Eretmochelys imbricata*) at Gahirmatha beach of Bhitarkanika Wildlife Sanctuary. Vol. 83(3): 670. (Bhitarkanika Wildlife Sanctuary, Gahirmatha, Orissa).
51. Khan, M.A.R. (1982). Chelonians of Bangladesh and their conservation. Vol. 79(1): 110-116. (Bangladesh).
52. Moll, E.O. (1986). Survey of the freshwater turtles of India. Part I: The genus *Kachuga*. Vol. 83(3): 538-552. (Ganges & tributaries, Subharnareka, Mahanadi, Godavari, Cauvery, Narmada and Tapti Rivers).
53. Moll, E.O. (1987). Study of the freshwater turtles of India. Part II: The genus *Kachuga*. Vol. 84(1): 7-25. (Gandak River, Bherihari, Wildlife Sanctuary, Bihar).
54. Moll, E.O. & J. Vijaya (1986). Distributional records for some Indian turtles. Vol. 83(1): 57-62. (Assam, Bihar, Madhya Pradesh, Andhra Pradesh, Orissa).
55. Nandi, N.C. & S.K. Raut (1985). On the infantile mortality of Olive Ridley *Lepidochels olivaceae* (Eschholtz) in captivity. Vol. 82(1): 212-213.
56. Pendharkar, A. & T. Jenner (1994). Occurrence of the Indian Black Turtle *Melanochelys trijuga* in Simbalbara Sanctuary,

- Himachal Pradesh. Vol. 91(3): 461-462. (Simbalbara Sanctuary, Shiwalik, Himachal Pradesh).
- 57. Ranjitsingh, M.K. (1989). Mugger (*Crocodylus palustris*) eating soft-shell turtle. Vol. 86(1): 107. (Ranthambhor National Park, Rajasthan).
 - 58. Rao, E.O. & L.A.K. Singh (1987). Notes on the comparative body sizes, reproductive effort and areas of management priority for three species of Kachuga (Reptilia, Chelonia) in the National Chambal Sanctuary. Vol. 84(1): 55-65. (River Chambal, National Chambal Sanctuary, Madhya Pradesh, Uttar Pradesh, Rajasthan).
 - 59. Rao, K.T. & M.V.S. Rao (1990). Incubation and hatching of the Indian Star Tortoise *Geochelone elegans* (Schoepff) in captivity. Vol. 87(3): 461-462
 - 60. Rao, R.J. (1985). Unusual egg-laying in a captive Softshelled Turtle *Trionyx gangeticus* (Cuvier). Vol. 82(3): 674-675.
 - 61. Rao, R.J. (1986). A note on cannibalism in freshwater softshelled Turtle *Trionyx gangeticus* (Cuvier). Vol. 83(1): 224. (Upper Lake, Bhopal, Madhya Pradesh).
 - 62. Rao, R.J. (1986). Shell injury in a freshwater Turtle *Trionyx gangeticus* (Cuvier). Vol. 83(2): 449. (Betwa River, Madhya Pradesh).
 - 63. Rao, R.J. & S.A. Hussain (1992). Gut contents of a Mugger *Crocodylus palustris*. Vol. 89(1): 132. (Vanvihar, Dholpur, Rajasthan). See for turtles.
 - 64. Rao, R.J. & L.A.K. Singh (1987). Notes on ecological relationship in basking and nesting site utilisation among *Kachuga* spp. (Reptilia, Chelonia) and *Gavialis gangeticus* (Reptiles, Crocodilia) in National Chambal Sanctuary. Vol. 84(2): 599-604. (National Chambal Sanctuary, Madhya Pradesh, Rajasthan, Uttar Pradesh).
 - 65. Rao, R.J. & L.A.K. Singh (1987). *Kachuga* (Reptilia, Emydidae) in National Chambal Sanctuary: Observation on diurnal nesting emergencies and unsuccessful nesting crawls. Vol. 84(3): 688-691. (National Chambal Sanctuary, Madhya Pradesh, Rajasthan, Uttar Pradesh).
 - 66. Raut, S.K. & N.C. Nandi (1986). Net-bound death of marine turtle *Lepidochelys olivacea* off West Bengal coast during 1984-1985. Vol. 83(1): 223-224. (Digha, Jaldah, Junput, Bay of Bengal, West Bengal).
 - 67. Roberts, T.J. (1975). A note on *Testudo horsfieldi* Gray, the Afghan Tortoise or Horsfield's Four-toed Tortoise. Vol. 72(1): 206-209. (Baluchistan, Punjab, Lakhi Hills, Sind, Chagai district, Pakistan).
 - 68. Ross, C.A. & C.R. Crumly (1982). A range extention of *Geochelone elongata*. Vol. 79(2): 429. (Ramganga River, Corbett National Park, Uttar Pradesh).
 - 69. Sane, L.S. & S.R. Sane (1989). Some observations on growth of the Travancore Tortoise *Geochelone travancorica*. Vol. 86(1): 109.

70. Sarma, S. (1988). A new record of the Assam Roofed Turtle *Kachuga sylhetensis* (Jerdon) from the Manas Wildlife Sanctuary, Assam. Vol. 85(2): 623. (Manas Wildlife Sanctuary, Assam).
71. Singh, L.A.K. (1985). Notes on tracking and terrestrial activities of the freshwater Turtle *Kachuga tentoria* in River Mahanadi, Orissa. Vol. 82(2): 414-417. (River Mahanadi, Satkoshia Gorge Sanctuary, Orissa).
72. Sivasubramanian, C. (1986). Freshwater turtle capturing aquatic birds. Vol. 83(3): 671-672. (Keoladeo National Park, Bharatpur, Rajasthan).
73. Sivasubramanian, C. & S. Bhupathy (1990). Indian flapshell turtle *Lissemys punctata* in the food of the adjutant stork *Leptoptilos dubius*. Vol. 87(3): 460. (Bharatpur, Keoladeo National Park, Rajasthan).
74. Soman, P.W. (1991). Cannibalism in the Star Tortoise *Geochelone elegans*. Vol. 88(1): 118.
75. Thomas, J., C.P. Shaji & P.S. Easa (1997). Record of Leith's Softshell Turtle *Aspideretes leithii* (Gray), (family Trionychidae) from Nilambur, Kerala. Vol. 94(3): 580. (Chaliyar River, Nilambur, Kerala).
76. Vijaya, J. (1982). Successful artificial breeding of *Lissemys punctata granosa* (Smith). Vol. 79(1): 210-211. (Taramani, Chennai, Tamil Nadu).
77. Vijaya, J. (1982). Rediscovery of the Forest Cane Turtle, *Heosemys (Geoemyda) silvatica* (Reptilia, Testudinata, Emyridae) from Chalakudy forests in Kerala. Vol. 79(3): 676-677. (Chalakudy, Kerala, Western Ghats).
78. Vyas, R (1989). The Ganges Soft-shell Turtle (*Trionyx gangeticus* (Cuvier) from Vadodara city. Vol. 86(1): 107-108. (Raja Rani Talao, Vadodara, Gujarat).
79. Vyas, R. (1997). Notes on growth and maturity in the Indian Roofed Turtle (*Kachuga tecta*). Vol. 94(1): 160-162. (Sayaji Baug Zoo, Vadodara, Gujarat).
80. Vyas, R. & B.H. Patel (1990). A survey of freshwater turtles of Gujarat. Vol. 87(1): 152-154. (River Narmada, Tapi, Mahi, Sabarmati, Ambika, Purna, Shetrungi, Gujarat).
81. Vyas, R. & Patel, B.H. (1993). Captive breeding of the Indian Roofed Terrapin *Kachuga tecta* (Gray). Vol. 90(1): 109-112. (Sayaji Baug Zoo, Vadodara, Gujarat).
82. Whitaker, R. (1974). Feeding habits of the Star Tortoise *Geochelone elegans*. Vol. 71(1): 147. (Guindy, Tamil Nadu).
83. Whitaker, R. (1979). Captive rearing of marine turtles. Vol. 76(1): 163-166. (Chennai, Tamil Nadu, Bay of Bengal, Lakshadweep, Arabian Sea).
84. Zacharias, V.J. (1997). Reptiles of Periyar Tiger Reserve. Vol. 94(3): 575-579. (Periyar Tiger Reserve, Kerala).

Andhra Pradesh - 9, 10, 54	Madhya Pradesh - 9, 32, 54, 58, 61, 62, 64, 65
Arabian Sea - 38, 83	Manipur - 28, 34
Arunachal Pradesh - 13, 23, 25, 31, 34, 36	Meghalaya - 13, 23, 25, 27, 31, 34, 36
Assam - 6, 13, 16, 22, 23, 24, 25, 26, 27, 29, 30, 34, 36, 54, 70	Myanmar - 40
Bangladesh - 1, 2, 13, 16, 35, 46, 51	Nagaland - 13, 27, 34, 36
Bay of Bengal 66, 83	Nepal - 37, 39, 45
Bihar - 53, 54	Orissa - 21, 50, 54, 71
Gujarat - 10, 38, 78, 79, 80, 81	Pakistan - 9, 16, 67
Gulf of Kachchh - 38	Rajasthan - 4, 9, 11, 12, 15, 19, 20, 41, 42, 49, 57, 58, 63, 64, 65, 72, 73
Gulf of Khambhat - 10	Sundarbans - 5, 14, 43
Himachal Pradesh - 56	Tamil Nadu - 3, 17, 18, 48, 76, 82, 83
Indonesia - 17	Uttar Pradesh - 9, 18, 58, 64, 65, 68
Karnataka - 17	West Bengal - 5, 14, 43, 66
Kerala - 17, 47, 75, 77, 84	Western Ghats - 17, 77
Lakshadweep - 83	

AQUATIC SNAKES

1. Gay, T. (1975). Observations on a young Chequered Keelback Snake (*Xenochrophis piscator*). Vol. 72(3): 860-861. (Pune, Maharashtra).
2. Kumar, P.V.R., S. Kameswaran, M.V. Rajendran, S. Rajendran & M.N. Kutty (1976). Responses of certain fishes and snakes to sound. Vol. 73(1): 88-93.
3. Murthy, T. S. N. & K. V. Rama Rao (1987). Additions to the herpetofauna of Chilika lagoon, Orissa. Vol. 84(2): 444-445. (Chilka, Orissa).
4. Venkateswarlu, T. (1974). A note on *Enhydrina schistosa* (Daudin) (Hydrophiidae: Serpentes). Vol. 71(3): 616-617. (Chennai, Tamil Nadu, Bay of Bengal).
5. Vyas, R. (1996). Records of water snakes (Homalopsidae: Serpentes) from Gujarat State. Vol. 93(1): 101. (Purna River Navsari, Valsad district, Gujarat).
6. Whitaker, R. (1975). The Olive Keelback (*Atretium schistosum* Russell) feeding on mosquito larvae. Vol. 72(1): 209. (Chennai, Tamil Nadu).

Bay of Bengal – 4	Orissa - 3.
Gujarat - 5.	Tamil Nadu - 4, 6.
Maharashtra - 1.	

MAMMALS

1. Acharjo, L.N. & R. Misra (1975). Occurrence of Fishing Cat (*Felis viverrina*) in Orissa. Vol. 72(1): 195-196. (Balarampur, Keonjhar district, Orissa).
2. Acharjyo, L.N. & C.G. Misra (1983). A note on the longevity of two species of Indian Otters in captivity. Vol. 80(3): 636. (Nandakanan Biological Park, Orissa).
3. Alling, A. (1986). Records of Odontocetes in the nothern Indian Ocean (1981-1982) and off the coast of Sri Lanka (1982-1984). Vol. 83(2): 376-394. (Indian Ocean).
4. Alling, A. (1988). A preliminary report of the incidental entrapment of Odontocetes by Sri Lanka's coastal drift net fishery. Vol. 85(3): 538-550. (Indian Ocean, Sri Lanka).
5. Breedon, S. & B. Breedon (1982). The drought of 1979-1980 at the Keoladeo Ghana Sanctuary, Bharatpur, Rajasthan. Vol. 79(1): 1-37. (Bharatpur, Rajasthan). See for fishing cat and otter.
6. Chitampalli, M.B. (1979). On the occurrence of the Common Otter in Maharashtra (Itiadoh Lake - Bhandara district). with some notes on its habitat. Vol. 76(1): 151-152 (Itiadoh Lake, Garvi River, Bhandara district, Maharashtra).
7. Datye, H.S. (1993). First record of the Fishing Cat *Felis viverrina* Bennett in Dalma Wildlife Sanctuary and Chhotanagpur plateau of Bihar. Vol. 90(1): 90. (Dalma Wildlife Sanctuary, Bihar).
8. De Silva, P.H.D.H. (1987). Cetaceans (whales, dolphins and porpoises) recorded off Sri Lanka, India, from the Arabian Sea and Gulf of Aden and from the Red Sea. Vol. 84(3): 505-525. (Arabian Sea, Gulf of Aden, Red Sea, Indian Ocean).
9. Dhandapani, P. (1997). The conservation of the potentially endangered Irrawady River Dolphin *Orcaella brevirostris* in Chilka lagoon, Orissa, India. Vol. 94(3): 536-539. (Chilka, Orissa, Bay of Bengal, Brahmaputra, Bangladesh).
10. Frazier, J.G. & T. Mundkur (1990). Dugong, *Dugong dugon* Muller in the Gulf of Kutch, Gujarat. Vol. 87(3): 368-379. (Gulf of Kachchh, Gujarat, Arabian Sea).
11. Gallagher, M.D. (1976). The Dugong, *Dugong dugon* (Sirenia) at Bahrain, Persian (Arabian) Gulf. Vol. 73(1): 211-212. (Bahrain, Persian Gulf).
12. Ghosh, M. (1991). On the capture of Gangetic Dolphin *Platanista gangetica* Roxburghii (Mammalia: Cetacea: Platanistidae) in Duduya river, Northern West Bengal. Vol. 88(2): 195-199. (Duduya River, Jalpaiguri district, West Bengal).
13. Hafeezula, M. (1984). Record of a foetus of the Finless Black Porpoise from Goa coast. Vol. 81(1): 183-186. (Vasco-da-Gama, Goa, Arabian Sea).
14. Haque, M.N. (1988). Scavenging habit of Fishing Cat *Felis viverrina* in Keoladeo National Park Bharatpur. Vol. 85(1): 183. (Bharatpur, Keoladeo National Park, Bharatpur, Rajasthan).

15. Haque, M.D.N. & V.S. Vijayan (1993). Food habits of the Fishing Cat *Felis viverrina* in Keoladeo National Park, Bharatpur, Rajasthan. Vol. 90(3): 498-500. (Bharatpur, Keoladeo National Park, Rajasthan).
16. Hussain, S.A., P.K. Malik & B.C. Choudhury (1996). Chemical immobilization of Smooth-coated Otter using a combination of Ketamine and Xylazine hydrochloride. Vol. 93(2): 214-218. (National Chambal Sanctuary, Madhya Pradesh, Rajasthan, Uttar Pradesh).
17. Hussain, S.A., R.K. Sharma & B.C. Choudhury (1993). A note on the morphometry of Ganges river dolphin with comments on its mortality in fishing nets. Vol. 90(3): 501-505. (Rajghat, National Chambal Sanctuary, Madhya Pradesh, Rajasthan, Uttar Pradesh).
18. Ilangakoon, A. (1997). Species composition, seasonal variation, sex ratio and body length of small cetaceans caught off west, south-west and south coast of Sri Lanka. Vol. 94(2): 298-306. (Sri Lanka, Indian Ocean).
19. Ilangakoon, A., W.P. Mahendra & H.A.K. Subasinghe (1992). On rare cetacean species off Sri Lanka including the Killer Whale *Orcinus orca* (Linn.) (Delphinidae: Cetacea). Vol. 89(3): 363-365. (Sri Lanka, Indian Ocean).
20. James, D.B. & K.C.S. Panicker (1994). On the recovery of a foetus from a Sperm Whale *Physeter macrocephalus* Linnaeus stranded at Chetlat Island, Lakshwadeep. Vol. 91(3): 451. (Lakshadweep, Arabian Sea).
21. Johnson, D.H., S.D. Ripley & K. Thonglongya (1980). Mammals from Nepal. Vol. 77(1): 56-63. (Nepal) See page 62 for otter.
22. Khacher, L. (1998). *Dugong dugon* in the Gulf of Kachchh. Vol. 95(3): 499. (Gulf of Kachchh, Gujarat, Arabian Sea).
23. Lal Mohan, R.S. (1995). Age determination of dolphins entangled in gillnets along the Kerala coast. Vol. 92(1): 77-80. (Kozhikode, Kerala, Arabian Sea).
24. Lal Mohan, R.S., S.C. Dey & S.P. Bairagi (1998). On a resident population of the Ganges River Dolphin *Platanista gangetica* in the Kulsi river (Assam), a tributary of Brahmaputra. Vol. 95(1): 1-7. (Kulsi River, Brahmaputra River, Meghna River, Assam).
25. Lal Mohan, R.S., S.C. Dey, S.P. Bairagi & S. Roy (1997). On a survey of the Ganges River Dolphin *Platanista gangetica* of Brahmaputra river, Assam. Vol. 94(3): 483-495. (Brahmaputra, Ganges and Chambal Rivers, Kanpur, Uttar Pradesh, Assam, Meghna River, Nepal, Farakka Barrage, Bangladesh).
26. Lal Mohan, R.S. & K.V.M. Kunhi (1996). Fish oils as alternative to River Dolphin, *Platanista gangetica* (Lebeck) oil for fishing catfish *Clarias garua* in the river Ganges, India. Vol. 93(1): 86-89. (Patna, Bihar, Rajmahal, Ganges, Brahmaputra).

27. Ramachandran, K.K., P.V. Nair & P.S. Easa (1986). Ecology of larger mammals of Periyar Wildlife Sanctuary (Periyar Wildlife Sanctuary, Kerala). Vol. 83(3): 505-524. See page 522 for otter.
28. Rashid, S.M.A., A.Khan & M.A.R. Khan (1990). Mammals of Cox Bazar Forest Division (south), Bangladesh, with notes on their status and distribution. Vol. 87(1): 62-67. (Cox Bazar Forest Division, Bangladesh). See for otter, fishing cat and dolphins.
29. Roberts, T.J., K.N. Khan & J. Knuckey (1983). Mating behaviour of the Plumbeous Dolphin *Sousa plumbea* Cuvier. Vol. 80(1): 210-212. (Pitiani Creek, Indus River, Karachi, Pakistan).
30. Singh, L.A.K. & R.K. Sharma (1985). Gangetic Dolphin, *Platanista gangetica*: Observations on habits and distribution pattern in National Chambal Sanctuary. Vol. 82(3): 648-653. (River Chambal, Batesura-Pachhnada, Rajasthan, Uttar Pradesh, Madhya Pradesh).
31. Sivaprakasam, T.E. (1980). On the unusual occurrence of the Common Dolphin *Delphinus delphis* Linnaeus in longline catches at Port Blair, Andamans. Vol. 77(2): 320-321. (Port Blair, Andaman, Bay of Bengal, Andaman and Nicobar Is.). See also for dugong and whales.
32. Tiler, C., M. Evans, C. Heardman & S. Houghton (1989). Diet of the Smooth Indian Otter (*Lutra perspicillata*) and of fish-eating birds: A field survey. Vol. 86(1): 65-70. (Royal Chitwan National Park, Narayan River, Nepal).

Andaman and Nicobar Is. - 31	Lakshadweep – 20
Arabian Sea - 8, 10, 13, 20, 22, 23	Madhya Pradesh - 16, 17, 30
Assam - 24, 25	Maharashtra – 6
Bangladesh - 9, 25, 28	Nepal - 21, 25, 32
Bay of Bengal - 9, 31	Orissa - 1, 2, 9
Bahrain – 11	Pakistan – 29
Bihar - 7, 26	Persian Gulf – 11
Goa - 13	Rajasthan - 5, 14, 15, 16, 17, 30
Gujarat - 10, 22	Red Sea – 8
Gulf of Aden - 8.	Sri Lanka - 4, 18, 19
Gulf of Kachchh - 10, 22	Uttar Pradesh – 16, 17, 25, 30
Indian Ocean - 3, 4, 8, 18, 19	West Bengal – 12
Kerala - 23, 27	

GENERAL - BROADBASED ACCOUNTS OF WETLAND FLORA AND FAUNA

1. Bharucha, E.K. & P.P. Gogate (1990). Avian profile of a man-modified aquatic ecosystem in the backwater of the Ujjani dam. Vol. 87(1): 73-90. (Bhima River, Ujjani dam, Maharashtra).
2. Bharucha, E.K. (1996). Evolving a rational strategy for an integrated protected area system in Maharashtra. Vol. 93(3): 513-569. (Maharashtra).
3. Chakrabarti, K. (1987). Sunderbans honey and the mangrove swamps. Vol. 84(1): 133-137. (Sundarbans, West Bengal).
4. Khan, M.A.R. (1986). Wildlife in Bangladesh mangrove ecosystem. Vol. 83(1): 32-48. (Sundarbans, Bangladesh). See for vegetation, amphibians, reptiles, otter, dolphin, porpoise and whale.
5. Mukherjee, A.K. (1975). The Sundarban of India and its biota. Vol. 72(1): 1-20. (24 Parganas, Sundarbans, West Bengal, Khulna, Backarganj, Bangladesh).
6. Paulraj, S. (1988). Impact of guano deposition in Vedanthangal Waterbird Sanctuary (Chengalpattu district, Tamil Nadu). Vol. 85(2): 319-324. (Vedanthangal, Tamil Nadu).
7. Pieter (*sic.*), (1987). Kaliveli tank and Yedayanthittu estuary - A little known wetland habitat in Tamil Nadu. Vol. 84(1): 210-214. (Kaliveli, Pondicherry).
8. Pradhan, M.S. (1997). Qualitative analysis of major vertebrate fauna from Wardha river basin (Maharashtra state). Vol. 94(1): 71-103. (Wardha River, Vidarbha, Maharashtra). See for frog, fish, reptiles (snake, crocodile), turtle and otter.
9. Qasim, S.Z. (1978). Oceanographic research in India - Past, present, future. Vol. 75(3): 661-667.
10. Roberts, T.J. (1985). Zangi Nawar - Portrait of a unique lake in the desert. Vol. 82(3): 540-547. (Zangi Nawar Lake, Chaghai, Baluchistan, Pakistan).
11. Singh, R.K. (1984). Hydrology of a lentic water body and its significance in plankton production. Vol. 81(3): 715-720. (Undasa pond, Ujjain, Madhya Pradesh).
12. Swan, L.W.C. (1993). The Satpura hypothesis: A biogeographical challenge to geology. Vol. 90(2): 141-157. See for fish, Varanus, amphibian, turtles, snakes.

Bangladesh - 4, 5	Pondicherry - 7
Madhya Pradesh - 11	Sundarbans – 3, 4, 5
Maharashtra - 1, 2, 8	Tamil Nadu - 6
Pakistan - 10	West Bengal - 3, 5

SELECTED PUBLICATIONS OF THE BNHS

Title & Author	Price	Price for Membe rs
The Book of Indian Birds (12th Edition) — Salim Ali	425.00	320.00
The Book of Indian Animals (3rd Edition) — S.H. Prater	275.00	210.00
The Book of Indian Reptiles — J.C. Daniel		Revised edition under preparation
The Book of Indian Shells — Deepak Apte	295.00	225.00
The Book of Indian Trees — K.C. Sahni	275.00	210.00
Some Beautiful Indian Trees — E. Blatter & W.S. Millard	295.00	225.00
Some Beautiful Indian Climbers and Shrubs (2nd Edition) — N.L. Bor & M.B. Raizada	525.00	390.00
Illustrated Flora of Keoladeo National Park, Bharatpur — V.P. Prasad, Daniel Mason, Joy E. Marburger & C.R. Ajithkumar	695.00	525.00
A Pictorial Guide to the Birds of the Indian Subcontinent (2nd Edition) — Salim Ali & S.D. Ripley	370.00	278.00
Encyclopedia of Indian Natural History — R.E. Hawkins		To be reprinted
Salim Ali's India - A.S. Kothari & B.F. Chhapgar	1200	900

Note

Postage extra

Payment in advance

Order from the BNHS or Oxford University Press